



Classic & Silver Fox Edition





GVWR: 7,500 Dry Weight: 5,050 Length: 23' 10" Width: 8' 6" Height 10' 3"

# SWIVEL CHAIR OPTION REPLACE THE JACKKNIFE SOFA WITH A PAIR OF SWIVEL CHAIRS OHD WARD FRIDGE OHD WARD AFE JABLE W. MAGN-ZINE ROOT X 74-1/2" WARD OHD WARD AFE JABLE W. MAGN-ZINE ROOT X 74-1/2" WARD SOT X 74-1/2" WARD AFE JABLE W. MAGN-ZINE ROOT X 74-1/2" WARD AFE JABLE W. MAGN-ZINE

GVWR: 10,000 Dry Weight: 6,485 Length: 27' 03" Width: 8' 6" Height 10' 8"

# FRIDGE OHD WARD OHD S4" X 80" WARD OHD WIDE BOOK

GVWR: 7,500 Dry Weight: 5,050 Length: 23' 10" Width: 8' 6" Height 10' 3"

#### Travel Trailers



OHD
OHD
WARD
UNEN
UNEN
UNEN
GO" x 80"
WARD
WARD
WARD
WARD
WARD

EXTERIOR ACCESS STG

GVWR: 10000 Dry Weight: 6,863 Length: 29' 06" Width: 8' 6" Height 10' 11"



22H

GVWR: 10,000 Dry Weight: 6,760 Length: 27' 01" Width: 8'6" Height 10' 11"



GVWR: 10,000 Dry Weight: 7,050 Length: 30' 0" Width: 8' 6" Height 10' 11"



#### ABSOLUTE NORTHWOOD Our Guarantee of **DUAL RACK & PINION RAM MAIN SLIDE ROOM** 22 Gray Accent Fiberglass Finish on Slide Out Side Wall 23 4 Seal System w/Inner & Outer Bulb Seal 24 ...including Wiper Seal for Continual Seal (Any Position) 25 ...and Outer Bulb Seals Strength ROOF Durabilitu 36 √ Full Walk On Roof with Bonded Roof Truss System FRAME √ Thick Wall Aluminum w/Solid Anchor Blocking **SLIDE OUTS** 4 Seals, Dual Rack & Pinion Rams (main slides) Insulated, Cross Ventilating Windows 13 **FLOORS** Commercial Grade Linoleum, Fully Insulated 12 15 Tongue and Groove Plywood (not chipboard) CHASSIS Custom Built, Independently Tested 9 CABINETS 10 ✓ Wall & Ceiling Mounted, Face Frame Construction 11) 1 39 INSULATION A True 4 Season Coach 17 18 **34** FOUR SEASON 33 32 NORTHWOOD ROOF TRUSS SYSTEM Arctic Fox is a True Four Season Coach Heavy Gauge One Piece Roof Membrane 20 3/8" Plywood Sheathing (Bonded to Trusses) R-15 Reflective 'Arctic' Foil Insulation R-18 Dual Layer Fiberglass Insulation Bow Style Roof Trusses (Bonded to Ceiling) MORE ABSOLUTE NORTHWOOD QUALITY FEATURES Independently Certified Custom Built Northwood Chassis R-7 Residential Quality Formaldehyde Free Fiberglass Insulation Corrugated Underbelly Panels Heated and Insulated Large Capacity Holding Tanks Interior Lamination Grade Lauan Plywood Quiet/Soft Plush Ceiling Carpet Finish 11 Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc. Easy Lube Axles and Shocks HIGH DENSITY ONE PIECE LAMINATED WALLS Heavy Duty Load Range (E-G) Radial Tires Sealed All Metal Heat Ducts Designer Interior Decor Finish Paneling Lamination Grade Lauan Plywood Interior Wall Heavy Gauge Fully Welded Aluminum Superstructure Solid Wood Fill - Full Thread Depth Anchor Blocking Virgin 2 lb Rigid Dense Block Foam Insulation Steel Inlaid Bonderizer Anchor Strips Lamination Grade Lauan Plywood Exterior Wall Layer Fiberloc Exact Specification Thickness Exterior Wall Layer Corona Treated High Durability Fiberplass Outer Layer Aerodynamic Fiberglass Front Cap 5th Airborne Premium Fifth-Wheel Air-Ride Hitch ULTIMATE DURABILITY FLOOR STRUCTURE All Foam Condensation Resistant A/C Ducts Residential Quality Plush Commercial Carpeting Extra Large 'Starlite' Bedroom Skylight Commercial Grade Linoleum with 20 mil Surface Large Skylight Hi Output Roof Mount A/C Roto Molded High Durability Wheel Skirts 5/8" T&G Plywood Decking (not chipboard) R-7 Residential Grade Fiberglass Insulation BUILT BY NORTHWOOD Corona Treated High Durability Fiberglass Outer Layer Reinforced Woven Highway Moisture Barrier Diamond Scored Sidewall Skirts


## Whal is ABSOLUTE NORTHWOOD?



When you purchase an Arctic Fox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.



## NORTHWOOD BUILT CERTIFIED CHASSIS



### WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS


We are one of the few manufacturers who build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.



## THICK WALL TUBULAR ALUMINUM SUPERSTRUCTURE

.125"-.060"
(Up to 1/8" Thick)
heavy gauge thick
wall aluminum
tubing in our
travel trailers
& fifth wheels

### SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS



Now that's an ABSOLUTE Quality Superstructure!

## OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF

BONDED ROOF TRUSS SYSTEM

UP TO
5-1/2"

The Northwood
Bonded Roof Truss System
bonds all the components of the
roof structure together as a unit.

The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



## **CUSTOM BUILT FACE FRAME CABINETS**

CABINETRY w/SOLID WOOD DOORS,
BUILT USING RESIDENTIAL FACE FRAME
CONSTRUCTION METHODS &
INTEGRATED WITH THE WALL & CEILING.

#### EENUMEUUS STRONG



Solid Wood
cabinet doors ensure
lasting beauty and
rugged strength.



Face Frame construction gives our cabinets 'high end' residential quality.



Structurally Integrated
cabinetry is
anchored to the
walls and ceiling
structure of our
coaches making both
the RV and the
cabinets stronger.

### A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES
DESIGNED FOR COLD NORTHERN/HOT SOUTHERN CLIMATES

Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.







# Travel Trailers

**GVWR: 10,400** Dry Weight: 7,200 Width: 8' 0" Height 11' 2" Length: 28' 5"



GVWR: 10,400 Dry Weight: 7,225 Length: 29' 8" Width: 8' 0" Height 11' 2"



Length: 32' 0" Width: 8' 0" Height 11' 3"



GVWR: 10,400 Dry Weight: 8,140 Length: 32' 4" Width: 8' 0" Height 11' 3"



GVWR: TBA Dry Weight: TBA Length: 34' 4" Width: 8' 0" Height 11' 3"







# Fifth Wheels







GVWR: 15,000 Dry Weight: 11,245 Length: 32' 5" Width: 8' 6" Height 13' 0"



29-5K

GVWR: 16,900 Dry Weight: 12,120 Length: 33' 11" Width: 8' 6" Height 13' 0"



27-5L

GVWR: 13,900 Dry Weight: 10,210 Length: 28' 1" Width: 8' 6" Height 12' 6"



GVWR: 16,600 Dry Weight: 12,480 Length: 34' 11" Width: 8' 6" Height 13' 0"





Left: Walnut Hills Campground in Stuarts Draft, VA. Stuarts Draft is about 20 miles outside of Charlottesville, VA in middle of the Blue Ridge Mountains. Steve and Bonnie Zimmerer, Canton, MS.

Left: In 10 years of use our 2002 25R has followed our 4x4 Dodge wherever we have gone, on and off the pavement. It has aged better than we have! Thanks for a great product and wonderful, personal service, Northwood!

We've been Northwood owners since 1996 with our Nash 26J.

We sold it in 2002 for a new 25R. At our age we probably won't be in the market for another trailer, although I want the new Nash 23D!

Linda and Dave Wiley ~ Sublimity, Oregon

Right: In 2009 we towed our 29V over 3000 miles of the northernmost roads in North America – all unpaved primitive roads—in addition to the usual Alaska Highway stuff. The trailer experienced only trivial problems even though the trip killed our Chevy 2500HD Duramax /Allison...





...Left: Our campsite was just a few miles north of Atigun Pass on the Dalton Highway, Alaska.

Right: We moved from the 29V and now own an Arctic Fox 24-5N.

Steve & C. J. Rankin ~ Sequim, WA






Arctic Fox trailers are the best for all weather fishing. I always catch bigger fish when I'm in my Arctic Fox!' Started with a 2009 Arctic Fox 22H. Loved it so much we upgraded to the 30U. We like to dry camp right at the rivers edge all year round. The Arcitc Fox keeps us warm in colder months and cool in the summer. There is enough room for me, my wife, 2 dogs and all the fish! Thanks for a great product,

**Art & Joanne Host** 



Our purchase of a 2007 22H Arctic Fox has proven to be great decision. The quality of the Artic Fox out-performs any other new unit I've seen or researched.

Thanks, Bretan Baumgardt Calgary, AB







We enjoyed our trouble free AF24-5N for 5 years. So when it was time to upgrade the decision was simple: May I present our 2011 AF27-5L. Oh by the way, we just exceeded 6,000 miles and everything is working just fine!

Jay & Jackie Yake ~ Bend, Oregon ....and of course "Ping" the Border Collie

Below: Holiday Harbor RV Park and Marina in Hilton Head, SC. We travel extensively in our 27-5L and absolutely love our time in our home away from home.

Steve and Bonnie Zimmerer, Canton, MS.



Scott and Laura Lahey, Springfield, OR



#### **Arctic Fox - Standard Features**

Laminated Aluminum Frame Construction
Fiberglass Front Cap w/Integrated LPG Tank Cover
4 Season All Weather Package
Front Security/Convenience Lights
Reflective Foil Insulation in Slideout Floors
R-18 Roof Insulation (plus Reflective Insulation)
Flat Screen LCD TV
Carefree Travel'R 12 Volt Power Awning
AM/FM-CD/DVD Player w/ Int. & Ext. Speakers
Aluminum Wheels
Deep Tint Windows
Decorative Wall Clock
Residential Style Furniture

Your Northwood Dealer

Shock Absorbers on All Four Wheels
Stabilizing Jacks
Roof Rack and Ladder
Solid Wood Drawer and Door Fronts
Deluxe Slideout Flange Treatment
Upgraded Interior Fabrics and Styling
Oil Rubbed Bronze Décor Light Fixtures
Pleated Privacy/Night Shades
Fantastic Fan
Kitchen Skylight with Shade
Porcelain Marine Toilet w/ Foot Pedal
Bath Skylight- DSI Gas/Electic Water Heater
Retractable Shower Screen or Glass Enclosure

Pillow Top Mattress
Designer Bedspread w/ Pillow Shams
Digital TV Antenna
Galley Flourescent Light
Park TV Cable Jack
Pre-Wired for Satellite & Solar Panel
Microwave Oven
Large Exterior Entry Assist Handle
LED Running and Tail Lights
12 Volt Disconnect Switch
Interior Command Center
Quality Durable Floor Covering
Cargo Netting Inside Wardrobe

#### Silver Fox Edition -Additional Enhancements

Gray Front Cap w/ Integrated LPG Tank Cover **Keyless Entry** 10 Gal. DSI Gas/Electic Water Heater **Ozite Ceiling Liner Antique Glazed Kitchen Cabinetry** 12 Volt Power Jack 8 Cubic Foot Refer **Chassis Mount Spare Tire Carrier** Variable Recessed Halogen Light 16" Aluminum Wheels Slam Latch Luggage Doors **Low Profile Fluorescent Lights** Telescoping Lighted Vanity Mirror Molded Rear Fiberglass Cap **Decorative Iron Décor Items Solid Surface Counter Tops Custom Designer Back Splash Bedroom Starlight with Shade** 

#### 5th Wheel Exclusives

Gray Front Cap with Turning Radius
Wide Body Construction
Certified Store More Chassis
6'6" Slideout Height on 30 Ft & Larger
Ultra Deck Sleep System
Exterior Convenience Center
Generator Ready



	- Classic -						Sitoer Fox Edition								
Description	Travel **						<b>Frailers</b>					5th Wheels			
Model Number	22G	22H	25P	25R	25W	25Y	26X	27T	29L	30U	32A	27-5L	29-5K	29-5T	32-5
Dry Axle Weight (approx. Lbs.)	4500	4455	5900	5835	6088	6265	6200	6325	7205	7075	7470	8255	9220	8853	988
Dry Hitch Weight (approx. Lbs.)	550	595	860	650	775	785	1000	900	1060	1065	1000	1955	2900	2023	26
Net Carrying Capacity	2450	2450	3240	3515	3137	2950	3200	3175	2135	2260	1930	3690	4780	4874	412
Gross Dry Weight-Ibs (approx. Lbs.)	5050	5050	6760	6485	6863	7050	7200	7225	8265	8140	8470	10210	12120	10876	124
Gross Vehicle Weight Rating (GVWR)-Lbs.	7500	7500	10000	10000	10000	10000	10400	10400	10400	10400	10400	13900	16900	15750	166
Exterior Length (approx. w/hitch)	23'10"	23'10"	27'1"	27'3"	29'6"	30'	28'5"	29'8"	32'	32'4"	34'4"	28'1"	33'11"	32'10"	34'
Exterior Height (approx. incl. AC unit)	10'3"	10'2"	10'11"	10'8"	10'11"	10'11"	11'2"	11'2"	11'3"	11'3"	11'3"	12'6"	13'	13'	13
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"	8'	8'	8'	8'	8'	8'6"	8'6"	8'6"	8'6
Tire Size	ST205	ST205	ST225	ST225	ST225	ST225	ST235	ST235	ST235	ST235	ST235	ST235	ST235	ST235	ST2
	75R15	75R15	75R15	75R15	75R15	75R15	80R16	80R16	80R16	80R16	80R16	80R16	85R16	80R16	85F
Load Range	С	С	D	D	D	D	E	E	E	E	E	E	G	E	(
Fresh Water Capacity (approx gal)	44	46	50	58	58	47	67	66	67	67	66	76	82	82	8
Gray Water Tank (approx. gallons)	41	41	40/35	41	35/35	47	30/25	54	35/25	54	54	35/35	72/35	72	7:
Black Water Tank (approx. gallons)	35	35	35	35	35	36	44	42	44	42	42	35	65	65	6
LPG Capacity (approx. gallons)	14	14	14	14	14	14	14	14	14	14	14	20	20	20	2
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YE
Auto Ignition Furnace (1,000 BTU's)	25	25	25	25	30	30	30	30	30	30	30	35	35	35	3

**ABSOLUTE NORTHWOOD** 

Our Emarantes of







Updated Jan 2013