

DISTINCTIVE STYLE · FIRST CLASS ELEGANCE · UNSURPASSED VALUE

## GRAND JUNCTION & GRAND JUNCTION GCR $^{\cdot}{\rm FIFTH \ WHEELS^{\cdot}}$



Grand Junction and Grand Junction GCR offer more value for your dollar.

### **KEY STANDARD FEATURES**

- 6 Way welded aluminum cage frame walls, floor & roof!
- 5 Way lamination walls (R9) and floor (R17)
- Enclosed, insulated & heated underbelly including knife valves
- R21 roof insulation package with Poly-flex 2000 reflective barrier
- 100% Hardwood, stained, slot & screw cabinet construction
   doors, drawers & cabinet stiles
- 40,000 BTU LP furnace

- 12 Gallon water
- Corian<sup>®</sup> brand solid surface countertops
- Power electric awning
- MOR/Ryde LRE 4000 suspension system
- Jensen HD LCD TV in living room & bedroom
- 1.3 Cu. Ft. over the range microwave with integrated fan
- Gel Coat fiberglass walls

Compare us to the competition - Grand Junction is your best value.

Experienced RV owners deserve unique features and luxurious amenities. Grand Junction is focused on providing products with highly desirable features that cannot be found in a competitor's product.

Grand Junction - Designed by and for experienced RV owners.



### INTRODUCING GRAND JUNCTION GCR


Taking Grand Junction to a new level of elegance.



Grand Junction GCR 37TRL with Cappuccino décor



## **GRAND JUNCTION**



Step into Grand Junction and experience the ultimate in sophistication and luxury, featuring hardwood cabinet doors and frames, Corian<sup>®</sup> solid surface countertops and residential furnishings. Grand Junction is the new standard in style, features and function.

Grand Junction 35TMS with Boca Beige décor and Cherry cabinetry



Canal S

## GRAND JUNCTION ·FLOORPLANS·








34TRG



Vehicle loading - Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle. Some optional equipment not included.

Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only. Warning - This information is interded as a guide only. Weights of individual vehicles may vary. Consult your owners manual for complete loading, weighting and towing instructions. "UVW and Hitch Dry Weight are base weights of units without options. Each unit includes a weight label which lists specific weight information for that unit.



# GRAND JUNCTION •DÉCOR & CABINETRY CHOICES• Dexter Java 0ak Boca Beige **Desmond Saddle** Cherry Peppermill

## GRAND JUNCTION WEIGHTS & SPECIFICATIONS

	Unloaded Vehicle Weight	Dry Hitch Weight	Net Cargo Capacity	Exterior Length	Exterior Width	Exterior Height	Fresh Water Capacity	Grey Water Capacity	Black Water Capacity	Furnace Size	Awning Length
335TRL	11,535	2,341	2,989	36' 7"	8'	12' 6"	69 Gal.	96 Gal.	48 Gal.	40,000 BTU	15'
3 4 Q R E	12,570	2,444	1,954	38'10"	8'	12' 6"	69 Gal.	114 Gal.	48 Gal.	40,000 BTU	19'
3 4 T R G	11,884	2,764	2,640	38' 4"	8'	12' 6"	69 Gal.	144 Gal.	48 Gal.	40,000 BTU	17'
<b>35</b> T M S	12,130	2,178	2,394	39' 6"	8'	12' 6"	69 Gal.	114 Gal.	42 Gal.	40,000 BTU	18'
3 5 T R E	12,228	2,114	2,296	39' 6"	8'	12' 6"	69 Gal.	114 Gal.	42 Gal.	40,000 BTU	18'
37QSB	12,507	2,268	2,017	39'11"	8'	12' 6"	69 Gal.	96 Gal.	42 Gal.	40,000 BTU	18'
37TRL	12,189	2,355	2,768	39'11"	8'	12' 6"	69 Gal.	90 Gal.	42 Gal.	40,000 BTU	21'
TIRE SIZE (All Models): ST235/85R16											

## GRAND JUNCTION & GRAND JUNCTION GCR ·COMPETITIVE ADVANTAGES·

#### ·MOR/RYDE SUSPENSION SYSTEM·




Grand Junction provides the MOR/ ryde 4000 Equalizer Suspension System standard. The MOR/ryde suspension system

pension system uses rubber shear springs that work in concert with steel leaf springs. The MOR/rvde system

provides almost double the axle travel of traditional systems. Increased axle travel translates into a smoother ride for your RV.

### ·6-WAY WELDED ALUMINUM CAGE CONSTRUCTION·



	<b>·INSULATION</b>	"R" VALUES	
Roof	R21	Floor	R17
Sidewalls	R9	Front/Rear Wall	R9

## COOLING Grand Jun Stopperiors 40,000 BTU Grand Junction will keep you warm on

**·HEATING & COOLING SYSTEMS** 

HEATING

chilly evenings with a 40,000 BTU forced air furnace.

It also features a standard 15,000 BTU air conditioner with quick cool feature.



#### ·R21 5-LAYER ROOF CONSTRUCTION·

EPDM one-piece rubber roof with 12 year manufacturer warranty 3/8" decking, 4' x 8' sheets Poly Air bubble/foil insulation S" Tapered aluminum roof rafters, 16" on center R14 Fiberglass insulation Aluminum foil-wrapped foam air conditioning ducts - foil taped at seams 1/8" Decorative ceiling panel

#### BALL BEARING DRAWER GLIDES. ·CORIAN® COUNTERTOPS.


Nothing says class and elegance in a kitchen like Corian® countertops. Each

countertop

is handmade to fit your vehicle to assure many years of durable use and classic beauty.

Grand Junction is also available with optional granite countertops for added elegance.

#### ·VACUUM-BONDED LAMINATED WALL CONSTRUCTION·



#### ·STACKED RAIL CHASSIS DESIGN·



Grand Junction uses a stacked rail chassis design. This chassis design uses double 1-beam frame rails to increase the amount of storage space under the bath/bedroom deck. Many models feature an amazing 125 cubic feet of storage!

#### ·SOLID HARDWOOD CABINETRY·

Stainless steel ball bearing drawer hard-

ware is designed to open easily under a

full load and includes a drawer stop feature

to prevent drawers from opening during

travel.



Grand Junction's Hardwood Competitors Stiles, Slot & Screw Lumbercore Stiles, Construction Staple Construction

Grand Junction features solid ash cabinet stiles/frame, hardwood cabinet doors, drawers and slide room fascias. The wood is stained to match the solid hardwood cabinet stiles.

#### ·HEATED/ENCLOSED UNDERBELLY·



Heated, insulated & enclosed tanks, valves & underbelly are all standard on Grand Junction.

LAMINATED FLOOR CONSTRUCTIONPremium residential carpet
1/2" Rebond carpet padding
Residential vinyl flooring in galley
5/8" One-piece
Structurewood floor
Aluminum heat ducts
Polystyrene block foam insulation
1½" x 1½" Welded aluminum box
framed infrastructure
1/4" Backer board
Poly-flex 2000 vinyl vapor barrier

## ·INTRODUCING GRAND JUNCTION GCR·

Grand Junction GCR has taken luxury and value to the next level. Incorporating premium features, elegant interior design and premium amenities, Grand Junction GCR is sure to become the industry standard in luxury fifth wheels.



## **GCR** GRAND JUNCTION

Grand Junction GCR includes the same great features that make Grand Junction a best-selling high profile fifth wheel in addition to these GCR features:

• Two-tone wood cabinets with glazed finish - Tuscan Walnut

• Upgraded Corian<sup>®</sup> Signature Series countertops throughout with Corian<sup>®</sup> Signature Series sink covers

- 1.3 Cubic foot over-the-range Half Time<sup>®</sup> convection oven/microwave
- Sealed burner range top with glass front
- Ultra Leather swivel rocker recliners
- Rounded one-piece fiberglass shower surround with seat and glass shower doors

- Fantastic fans in galley and bedroom
- Central vacuum
- Premium Gel-Coat fiberglass exterior walls
- MOR/Ryde shear spring king pin hitch system
- Awning toppers over the standard power electric awning
- Recessed halogen puck lighting

100





## GRAND JUNCTION GCR 'FLOORPLANS'



	Unloaded Vehicle Weight	Dry Hitch Weight	Net Cargo Capacity	Exterior Length	Exterior Width	Exterior Height	Fresh Water Capacity	Grey Water Capacity	Black Water Capacity	Furnace Size	Awning Length
335TRL	11,535	2,341	2,989	36' 7"	8'	12'6"	69 Gal.	96 Gal.	48 Gal.	40,000 BTU	15'
3 4 Q R E	12,570	2,444	1,954	38' 10"	8'	12'6"	69 Gal.	114 Gal.	48 Gal.	40,000 BTU	19'
3 4 T R G	11,884	2,764	2,640	38' 4"	8'	12'6"	69 Gal.	144 Gal.	48 Gal.	40,000 BTU	17'
3 5 T M S	12,130	2,178	2,394	39' 6"	8'	12'6"	69 Gal.	114 Gal.	42 Gal.	40,000 BTU	18'
3 5 T R E	12,228	2,114	2,296	39' 6"	8'	12'6"	69 Gal.	114 Gal.	42 Gal.	40,000 BTU	18'
3 7 Q S B	12,507	2,268	2,017	39'11"	8'	12'6"	69 Gal.	96 Gal.	42 Gal.	40,000 BTU	18'
37TRL	12,189	2,355	2,768	39'11"	8'	12'6"	69 Gal.	90 Gal.	42 Gal.	40,000 BTU	21'
TIRE SIZE	(All Models): ST2	35/85R16									

Vehicle loading - Every effort has been made to provide the greatest number of options for the recreational vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle. Some optional equipment not included.

**35** T M S

Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only. Warning - This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions, "UVW and Hitch Dry Weight are base weights of units without options. Each unit includes a weight label which lists specific weight information for that unit.

## GRAND JUNCTION & GRAND JUNCTION GCR STANDARD & OPTIONAL FEATURES

**Plumbing System** 

**Climate Control** 

Sewer Hose Storage System Hot and Cold Water, Low Point Drains Convenient Access to Winterization System 69 Gallon Fresh Water Capacity Washer/Dryer Prep (Stackable Capability)

**Cabinetry & Countertops** 

Decorative Slideout Fascia

Oil-Rubbed Bronze Hardware

Window Treatments

Jensen 19" LCD TV in Bedroom Furniture & Appliances

Mini-Blinds in Kitchen Entertainment Systems

End Table with Lamp

**Dual Swivel Rocker Recliners** Ultra Leather Dual Swivel Rocker Recliners

8 cu.ft. Double Door Refrigerator Solid Ash, Raised Panel Refrigerator Inserts

12 Gallon Gas and Electric Quick Recovery Water Heater Outside Shower with Quick Disconnect, Coiled, 25ft. Hose and Sprayer Premium "PEX" Polyethylene Tubing and Metal Pressure Fittings

15K BTU Air Conditioner with Quick-Cool Vent 42" Reversible Ceiling Fan with Light Kit Pre-Wired and Prepped for 2nd AC Fantastic Fan with Rain Sensor in Galley and Bedroom

Corian® Solid Surface Countertops and Sink Covers

Stained Glass Inserts with Curio Frames Above Sofa Deep, Residential-Style Under-Mount Double-Bowl Galley Sink High-Profile Galley Faucet with Retractable Sprayer

Day/Night Fabric Shades and Designer Valances

Jensen 32" or 42" LCD HD Flat Screen TV - (see floorplans)

Satellite Prep, Cable Jack and TV Antenna with Power Booster

Free-Standing, Sliding-Top Dinette Table with Flip-Up Storage Four Designer Dinette Chairs with Below-Seat Storage

Amana Sealed 3-Burner Stove with 2 Piece Metal Cover

Mesa Oak or Canyon Cherry Stained Hardwood Cabinetry Tuscan Walnut Stained Hardwood Cabinetry **Pre-Drilled & Screwed Residential Cabinet Construction** 

40K BTU Furnace Forced Air Ducted Heat and Forced Air Heat in Underbelly

Corian® Signature Series Solid Surface Countertops and Sink Covers

6 Panel Passage Doors with Designer Oil-Rubbed Bronze Hardware Overhead Cabinets with Mini-Struts & Top Mount Hinges

Stainless Steel, Ball-Bearing Drawer Glides with Adjustable Drawer Latch

Premium Jensen Entertainment System - AM/FM/CD/DVD System (12-Volt Compatible)

Zone Switch, MP3/iPod Player Hookup On Stereo, Interior and Exterior Speakers

Comfort Air Hide-A-Bed Sofa with Large Storage Compartment Below Sofa

Large 1.3 cu.ft. Over-the-Range Microwave with Integrated Exhaust Fan Premium Half Time Microwave with Integrated Exhaust Fan

Solid Wood Cabinet Stiles/Frames Drawer Fronts and Raised Panel Cabinet Doors

GRAND

BCR

OPT

STANDARD FEATURES	~ W	Ŋ,
Frame/Chassis Construction	GRAND III	ß
10" Powder-Coated Steel I-Beam Chassis	<u> </u>	2
Drop-Frame, Stacked Rail Chassis for Additional Underbody Storage	•	
Electric Front Jacks with Quick Release Pull Pin	•	
Chassis-Mounted Dual Battery Trays with Battery Disconnect Switch	•	
MAXXGarage Storage Design with Rubber Anti-Slip Flooring, Finished Walls and Ceil-		
ing, Lighting, Outlet and Cable Connection		
Premium MOR/Ryde 4100 RE Rubber Shear Spring Suspension	•	
Premium MOR/Ryde Rubber Shock Absorbing Hitch Pin	OPT	
8 Lug Ultra-Lube Wheel Hubs	· ·	
ST235/80R 16" LRE Nitrogen Filled Tires with Deluxe Aluminum Alloy Rims	· ·	
Body/Coach Construction		_
6 Way Welded Aluminum Cage Construction	•	
5 Way Vacuum-Bonded Lamination - Walls and Floor	•	
High Gloss Gel Coat Fiberglass Exterior	•	
80% Dark Tint, Radius-Corner, 'Safety Glass,' UV-Rated Windows	·	
Gel-Coat Molded Fiberglass Front Cap & Rear Cap	•	
3" Thick Vacuum-Bonded, One-Piece Floor 5/8" Structurewood One-Piece Floor Decking	+ •	
Enclosed/Insulated and Heated Underbelly - Tanks and Knife Valves		
Premium Residential Carpet with Pad		
3" Vacuum-Bonded, Bath and Bedroom Deck	<u> </u>	
Triple Seal Slide Out System with 12 Volt Motor and Manual Override	•	
Roof/Ceiling		
Welded Aluminum 5" Truss Style Walk-On Roof with 3/8" Roof Decking	1	
R21 Roof Insulation with 2 Attic Vents	· ·	
Radius Aluminum Roof to Wall Transition		
EPDM Rubber Roof Membrane - 12 Year Manufacturer Warranty	•	
R-Values		-
Roof R21, Floor R17, Walls R-9	•	
Exterior Features		
Transom Window Above Main Slide	•	
Domed Tinted Skylight Above Shower	•	
30" Radius-Corner Entry Door with Dead Bolt Lock and Screen Door	•	
Power Electric Awning	•	
Pivoting, XL Entry-Assist Handle	•	
Rear Electric Stabilizer Jacks	·	
16" Steel Rim Spare Tire and Carrier Recessed into Frame with Lift Kit Mechanism	· ·	
Lighted Triple-Entry Steps Exterior Patio and Hitch Light	·	
Exterior Utility Station (includes - Gravity Water Fill, Exterior Hot & Cold Shower	+	
System, Black Tank Flush System, City Water Fill with Locking Protective Door, Utility		
Light, Cable and Phone Hook-Ups and Satellite Prep)		
Rear Ladder	•	
Electrical Systems & Lighting		
Centralized Interior Electrical Command Center Near Entry Door		
50 Amp Electrical Service with Detachable Marine-Grade Power Cord	· .	
75 Amp Convertor with Battery Charger with Overcharge Protection	•	
110 Volt GFI Exterior Receptacles	•	
Residential Wall Switches and Dimmer Switches	•	
Recessed Halogen Puck Lighting		
Fluorescent Lighting in Galley and Desk Areas		
Dome Pendant Light Above Dinette & Dome Light Above Sofa	•	

#### ONE YEAR LIMITED WARRANTY See Owner's Manual For Details

Decorative Wall Sconces in Living Room and Bedroom



**Entire Coach Water Filtration System** 

Central Vacuum System

Dutchmen Manufacturing, Inc. 2164 Caragana Court, Goshen, IN 46526 Ph. 574.534.1224 - Fax 574.975.0601

not intended for use as a primary residence. All product brand names used in this brochure are registered trademarks of Thor Industries, Inc. Unauthorized use of trademarks is prohibited by law. ©2009 Thor Industries. Inc.

•

	. 11	MC
Bath Area	GRAND .	9
One-Piece Neo-Angle Fiberglass Shower with Seat and Glass Door	•	
One-Piece Rounded Fiberglass Shower with Seat and Glass Door		
Oil-Rubbed Bronze Shower Hardware and Wand		
Large Medicine Cabinet with Vanity Lights & Mirror	•	
Corian Vanity Sink with Residential-Style Faucet	•	
Thetford Porcelain Bowl Toilet	•	
Power Vent	•	
Oil-Rubbed Bronze Towel Hooks, Towel Bar, Toilet Tissue Holder	•	
Bedroom Area		
Premium 80" Long King or Queen Size Pillow-Top Mattress	•	

Premium 80" Long King or Queen Size Pillow-Top Mattress	•	•		
Designer Headboard				
Night Stands	•	•		
Dresser with Overhead Cabinet	•	•		
Premium Bedspread Package & Window Coverings				
Front Wardrobe Ensemble With Sliding Mirror Doors, Hanging Space and Shelves				
Washer Dryer Prep with Louvered Doors				
Some features listed above may be part of a "Value Package" - Contact your local dealer for the details				

#### OPTIONAL FEATURES

MOR/ryde Rubber Hitch Pin	OPT	STD
Premium Half Time Microwave with Integrated Exhaust Fan	OPT	STD
Slide-Out Awning Toppers	OPT	STD
Fantastic Fan with Rain Sensor in Bedroom (NA with Dual AC)	OPT	STD
Fantastic Fan with Rain Sensor in Galley/Main Living Area	OPT	STD
Central Vacuum System	OPT	STD
Duo-Pane Windows	OPT	OPT
Generator Prep	OPT	OPT
Onan Marquis Gold 5.5 kW LP Generator	OPT	OPT
Low Profile 13.5K BTU Bedroom AC-Direct Feed	OPT	OPT
_Electric Fireplace	OPT	OPT
12 V Tank Pads	OPT	OPT
Granite Countertops	OPT	OPT
12 cu.ft. 4 Door Side-by-Side Refrigerator	OPT	OPT
Premium Select Comfort® Sleep Number™ 80" Long King or Queen Size Mattress	OPT	OPT

## Visit us on the web for MORE PHOTOS, NEW FLOORPLANS, WARRANTY INFORMATION & MORE!

## www.GRANDJUNCTION-RV.com

#### YOUR LOCAL DEALER

OPT

OPT ·