









# WHITE HAWK

#### **BROADEN YOUR HORIZONS**

Enjoy twice the expandable space—and the peace of mind—that comes with the industry's sturdiest slideouts. The White Hawk features impressive 36-inch-wide, ram-style slideouts with vacuum-bonded walls, double-bulb seals and a U-channel drip spout over all openings.



SHARE YOUR PHOTOS AND STORIES ON SOCIAL MEDIA WITH #LETSJAYCO



























#### WHITE HAWK | 23MRB

Ext. Lgth: 25' 11" Ext. Ht: 129" Unloaded Wt (lbs.): 5,075 Sleeps: 2-4



#### WHITE HAWK | 24RDB

Ext. Lgth: 26' 10" Ext. Ht: 132" Unloaded Wt (lbs.): 5,295 Sleeps: 3-4



#### WHITE HAWK | 25BHS

Ext. Lgth: 29' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 5,745 Sleeps: 7-8



#### WHITE HAWK | 27RBOK

Ext. Lgth: 31' 5" Ext. Ht: 131" Unloaded Wt (lbs.): 5,955 Sleeps: 4-6



#### WHITE HAWK | 28DSBH OPTION A

Ext. Lgth: 32' 9" Ext. Ht: 134" Unloaded Wt (lbs.): 6,020 Sleeps: 7-10

#### **OPTIONS:**

























MED MEDICINE CABINET

MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR WARD WARDROBE

#### WHITE HAWK | 24MBH

Ext. Lgth: 27' 10" Ext. Ht: 131' Unloaded Wt (lbs.): 5,455 Sleeps: 4-6



#### WHITE HAWK | 24RKS

Ext. Lgth: 28' 9" Ext. Ht: 131" Unloaded Wt (lbs.): 5,210 Sleeps: 4-6



WHITE HAWK | 27DSRL

OPTION A

Ext. Lgth: 31' 5" Ext. Ht: 132" Unloaded Wt (lbs.): 5,980 Sleeps: 4-6



#### WHITE HAWK | 28BHKS OPTION A


Ext. Lgth: 32' 11" Ext. Ht: 134" Unloaded Wt (lbs.): 6,685 Sleeps: 8-9



WHITE HAWK | 28RBKS OPTION A


Ext. Lgth: 31' 11" Ext. Ht: 131" Unloaded Wt (lbs.): 6,205 Sleeps: 4-6

#### FLOORPLAN LEGEND:



#### WHITE HAWK | 29MEC OPTIONS: A, D, F

Ext. Lgth: 32' 4" Ext. Ht: 127" Unloaded Wt (lbs.): 6,220 Sleeps: 3-4



#### WHITE HAWK | 32DSBH OPTION A

Ext. Lgth: 36' 7" Ext. Ht: 133" Unloaded Wt (lbs.): 7,140 Sleeps: 9-11



#### WHITE HAWK | 33RLBS OPTIONS: A, D

Ext. Lgth: 37' 11" Ext. Ht: 136" Unloaded Wt (lbs.): 7,235 Sleeps: 4-6



#### WHITE HAWK | 29REKS

OPTIONS: A, B

Ext. Lgth: 33' 9" Ext. Ht: 135" Unloaded Wt (lbs.): 7,025 Sleeps: 4-6



#### WHITE HAWK | 33BHBS

OPTION A

Ext. Lgth: 36' 7" Ext. Ht: 133" Unloaded Wt (lbs.): 7,135 Sleeps: 8-10



#### WHITE HAWK | 33RSKS

OPTIONS: A, E

Ext. Lgth: 37' 5" Ext. Ht: 135" Unloaded Wt (lbs.): 7,850 Sleeps: 4-6

#### WHITE HAWK SPECIFICATIONS

MODELS	DIMENSIONS				WEIGHT (LBS.)				TANKS (GALS.)		
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT WITH A/C	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GRAY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
23MRB	25' 11"	96"	129"	78"	5,075	630	6,500	1,425	48	30.5	30.5
24MBH	27' 10"	96"	131"	81"	5,455	580	6,750	1,295	48	30.5	30.5
24RDB	26' 10"	96"	132"	81"	5,295	585	6,750	1,455	48	30.5	30.5
24RKS	28' 9"	96"	131"	81"	5,210	605	6,500	1,290	48	45	30.5
25BHS	29' 5"	96"	131"	81"	5,745	680	7,250	1,505	48	30.5	30.5
27DSRL	31' 5"	96"	132"	81"	5,980	620	7,500	1,520	48	30.5	30.5
27RBOK	31' 5"	96"	131"	81"	5,955	715	7,750	1,795	48	45	30.5
28BHKS	32' 11"	96"	134"	81"	6,685	750	8,500	1,815	48	53	30.5
28DSBH	32' 9"	96"	134"	81"	6,020	655	7,500	1,480	48	45	30.5
28RBKS	31' 11"	96"	131"	81"	6,205	760	7,950	1,745	48	53	30.5
29MEC	32' 4"	96"	127"	81"	6,220	765	7,600	1,380	48	45	30.5
29REKS	33' 9"	96"	135"	81"	7,025	755	8,500	1,475	48	61	30.5
32DSBH	36' 7"	96"	133"	81"	7,140	750	8,750	1,610	48	45	30.5
33BHBS	36' 7"	96"	133"	81"	7,135	930	8,750	1,615	48	45	30.5
33RLBS	37' 11"	96"	136"	81"	7,235	695	9,000	1,765	48	61	30.5
33RSKS	37' 5"	96"	135"	81"	7,850	915	9,250	1,400	48	61	30.5

 $<sup>^{\</sup>star}$  The weights of certain options and/or option packages are not included in the UVW listed in the specifications chart.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.


Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.

# WE START WITH ONE OF THE INDUSTRY'S Strongest foundations

Many competitors modify or weld stock frames, which can weaken the integrity of your foundation. Jayco's custom-manufactured frames offer higher strength and durability.



**Norco® NextGen frame:** White Hawk features the industry's best strength-to-weight ratio thanks to a Norco NextGen frame made of high-strength, low-alloy sheet steel, Huck® bolts and an interlocking design.

Integrated A-frame: The A-frame runs through the main frame, preventing the hitch from buckling—a common issue in competing tack-welded designs.

Learn more at StrongFoundation.Jayco.com



### STANDARDS AND OPTIONS

#### **CUSTOMER VALUE PACKAGE**

13,500-BTU A/C

Spare tire and cover

Microwave

6-gallon gas/electric auto-ignition water heater

ABS propane bottle cover

Bath skylight

Outside shower

Oven

Tub surround

Aluminum rims

Power awning with LED light

Power tongue jack

#### **STANDARD EXTERIOR EQUIPMENT**

Aerodynamic, rounded front profile with front diamond plate

Deluxe graphics package
TuffShell™ vacuum-bonded, laminated side, rear and front
walls including slide walls

Magnum Truss™ Roof System with one-piece seamless DiFlex II material

5/8-inch tongue-and-groove, plywood-decked flooring

Fully enclosed underbelly
Norco NextGen frame with integrated A-frame

Frameless G20 dark-tinted windows

30-inch friction-hinged main entry doors

Swing-out grab handle

Exterior TV bracket with 110V and cable outlet

Outdoor camp kitchen (23MRB, 24MBH, 25BHS, 27RBOK, 28RBKS, 28BHKS, 29MEC, 32DSBH, 33RSKS, 33BHBS)

Slam-latch™ on front pass-through storage doors

Marine-grade exterior speakers (2)

Radial tires

Tracker-Wide™ axles with E-Z Lube® axles

Galvanized steel, impact-resistant wheel wells

Slideouts with double seals, barrier sponges and U-channel drip spout

Black tank flush system

Utility lighting system—entrance step, baggage compartment, hitch and dump station

30-amp service

Dual 20-pound propane bottles with auto regulator

Solar prep

Stabilizer jacks with sand pads (4)

Detachable power cord

#### **STANDARD INTERIOR EQUIPMENT**

Solid hardwood jointed cabinets

Screwed lumbercore cabinet stiles

Overhead cabinetry with etched-glass and bead board inserts Large residential countertops

Deep single-bowl acrylic sink with high-rise faucet and sink cover

6-cubic-foot (24RBD, 28RBKS and 28BHKS only) or 8-cubic-foot Norcold® refrigerator with magnet-friendly front panels

3-burner, 9,000-BTU range

Decorative backsplash

Ball-bearing drawer glides with 75-pound capacity

Arched interior ceiling

Crown molding and wood batten strips on ceiling

LED lighting throughout

Directional and closeable central A/C vents

24-inch or 32-inch LED TV

AM/FM/CD home-theater-style DVD player and Bluetooth® Tri-fold sofas (excluding 24RKS, 24RDB, 25BHS and Murphy

bed models)

Large MaxView tinted safety-glass window (60-inch on standard dinettes, 70-inch on U-shaped dinettes)

Booth dinettes with removable storage totes underneath (most models)

Plywood dinette, bunk and bed bases

Wood grain accent paneling on select interior walls

60-inch x 80-inch queen beds with built-in storage totes (60-inch x 74-inch in Murphy bed models only)

Jayco-exclusive pillow-top Denver Mattress® with bedspread

Full-height hanging wardrobes with adjustable shelves

Solid wood door enclosures for master bedroom (excluding Murphy bed models)

Jayco-exclusive Denver Mattress bunk mats and fixed bunks

with 110V outlet and corner shelf

Bathroom medicine cabinets

Porcelain foot-flush toilet

DiamondFlor® vinyl flooring with cold-crack resistance

High-output Atwood auto-ignition furnace with wall thermostat

#### **OPTIONS**

Customer Value Package with 15,000-BTU A/C

Ledgestone fireplace with 40-inch LED TV (29REKS only)

Entertainment center with fireplace

(29MEC, 33RLBS, 33RSKS)

Kitchen skylight with shade

Solid-surface kitchen countertops

Free-standing table with 4 chairs in place of booth dinette

(N/A 23MRB, 24MBH, 24RKS, 24RDB, 25BHS)

Second 13,500-BTU A/C (28BHKS, 29REKS, 32DSBH, 33BHBS, 33RLBS, 33RSKS)

50-amp service with second A/C prep (28BHKS, 29REKS,

32DSBH, 33BHBS, 33RLBS, 33RSKS)

30-pound propane bottles

Glacier Package—Astro-Foil™ insulation added to floor, slide floor and roof

Power stabilizer jacks

Front molded cap with LED headlights

(N/A 23MRB, 24MBH, 29MEC)

Chil N' Stor exterior refrigerator (N/A 23MRB, 24MBH,

29MEC, 33BHBS)

Exterior folding table (2 feet x 4 feet) in pass-through storage (N/A 23MRB, 24MBH, 29MEC)

Outside bumper-mount grill

Roof ladder

Power remote control for slides, power awning, awning light

and power stabilizer jacks


Tri-fold sofa bed (29MEC) Electronic sway control

## INTERIOR DÉCOR

COFFEE



**TWILIGHT** 



 ${\sf SHADOW}$ 



# LET'S JAYCO — AND LEAVE OUR WORRIES BEHIND.



When you go with Jayco, you get one of the industry's strongest frames and rock-solid construction.

- **1. Walls are vacuum-bonded** for 15-18 minutes using 144 tons of pressure to ensure a strong bond
- 2. Seamless DiamondFlor vinyl, laid over a 5/8-inch tongueand-groove plywood floor deck, stands up to family foot traffic and withstands cold, cracks and scratches
- 3. Lightweight materials and aerodynamic profile for easier towing

- **4. Extra-wide corner seals** on doors and windows to prevent leaks
- **5. Magnum Truss™ Roof System** withstands 4,500 pounds—50 percent more than other roofs
- 6. 3/8 inch roof decking secured at every seam
- One-piece, sidewall-wrapped DiFlex II material provides the ultimate in leak protection



Generations of family fun.





Travel with confidence, with our industry-leading, bumper-to-hitch limited warranty and a year's access to Coach-Net<sup>™</sup>—the country's largest RV emergency road service.

For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.

#### Meet your Jayco Dealer

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

# **CCO** advantage

#### Jayco's long-term commitment to generations of family fun

After four years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet.

Learn more at Jayco.com/EcoAdvantage

#### **Follow Jayco**

