






Our Wings Get You There

Family fun happens when you spread your wings. Thanks to Jayco's amenity-packed floorplans, rock-solid construction and two full camping seasons of warranty coverage, you can. Greater peace of mind and added comfort mean better memories and lasting bonds. So go ahead. Hit the road—and let the good times fly.

Generations of Family Fun







Jay Feather: Page 5



MEMORIES MADE EASY

Sleek linear graphics and completely redesigned interiors give the 2018 lineup a fresh new look. And thanks to Jayco's timeless craftsmanship and modern conveniences, Jay Feather is much more than just easy on the eyes.

THE JAY FEATHER 7: READY WHEN YOU ARE

Jay Feather 7 models are towable by most crossovers, SUVs, and mid-sized trucks.*

Crossovers -



Make	Model	Engine	Tow Limit (lbs.)
Buick**	Enclave FWD/AWD	3.6L V-6	4,500
Chevrolet**	Traverse FWD/AWD	3.6L V-6	5,200
Ford**	Explorer FWD/4WD	3.5L V-6	5,000
Ford**	Explorer 4WD	3.5L V-6 TC	5,000
Ford**	Flex	All	4,500
GMC**	Acadia (all)	3.6L V-6	4,000
Honda	Pilot 4WD	3.5L V-6	4,500
Hyundai	Santa Fe	3.3L V-6	5,000
Infiniti	QX60	3.5L V-6	5,000

Make	Model	Engine	Tow Limit (lbs.)
Kia	Sorento AWD	3.5L V-6	5,000
Toyota**	Highlander	3.5L V-6	5,000
Toyota	4Runner	4.0L V-6	5,000
Volkswagen	Touareg	All	7,700

^{*}Consult with your authorized automobile manufacturer or vehicle owner's manual

^{**}Towing package required



Scan the QR code for complete towing guide resources

EXPANDABLE TENTS DELIVER SPACE TO SPARE





ENJOY AN EASY FOUR-STEP SETUP:

- 1. Unlatch the bed platform (left).
- 2. Guide the bed platform down.
- 3. Insert the bed bow brace (right).
- 4. Make the bed and enjoy!

5-YEAR TENT WARRANTY

We also offer five-year (5) coverage on our tents, with parts, labor and freight covered the first two years; factory labor and return freight during years three, four and five.





















JAY FEATHER 7 FLOORPLANS



JAY FEATHER 7 | 16XRB

Ext. Lath: 18' 10" Ext. Ht: 120" Unloaded Wt. (lbs): 2,925 Sleeps: 6-7



JAY FEATHER 7 | 17XFD •

Ext. Lath: 20' 9" Ext. Ht: 123" Unloaded Wt. (lbs): 3,415 Sleeps: 7



JAY FEATHER 7 | 19BH

Ext. Lgth: 22' 2" Ext. Ht: 121" Unloaded Wt. (lbs): 3,060 Sleeps: 5



JAY FEATHER 7 | 19XUD •

Ext. Lath: 22' 5" Ext. Ht: 121" Unloaded Wt. (lbs): 3,700 Sleeps: 7-8



JAY FEATHER 7 | 20RL

Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt. (lbs): TBD Sleeps: 4



JAY FEATHER 7 | 22BHM

Ext. Lgth: 26' 6" Ext. Ht: 122" Unloaded Wt. (lbs): 4,020 Sleeps: 4-7



JAY FEATHER 7 | 23RD

Ext. Lgth: 27' 8" Ext. Ht: 123" Unloaded Wt. (lbs): 4,190 Sleeps: 4-5

JAY FEATHER FLOORPLANS



JAY FEATHER | X17Z •

Ext. Lgth: 18' 7" Ext. Ht: 120" Unloaded Wt. (lbs): 3,190 Sleeps: 6-7



JAY FEATHER | X19H •

Ext. Lgth: 20' 8" Ext. Ht: 123" Unloaded Wt. (lbs): 3,705 Sleeps: 6-7



JAY FEATHER | X23B

Ext. Lgth: 24' 5" Ext. Ht: 124" Unloaded Wt. (lbs): 4,250 Sleeps: 7-8



JAY FEATHER | X23E •

Ext. Lgth: 26' 9" Ext. Ht: 129" Unloaded Wt. (lbs): 5,035 Sleeps: 8-10



JAY FEATHER | X213

Ext. Lgth: 24' 0" Ext. Ht: 122" Unloaded Wt. (lbs): 4,315 Sleeps: 6-7



JAY FEATHER | 22RB

Ext. Lgth: 26' 4" Ext. Ht: 124" Unloaded Wt. (lbs): 4,280 Sleeps: 4-5



JAY FEATHER | 23BHM

Ext. Lgth: 26' 4" Ext. Ht: 128" Unloaded Wt. (lbs): 4,980 Sleeps: 4-6



JAY FEATHER | 23RBM

Ext. Lgth: 26' 4" Ext. Ht: 129" Unloaded Wt. (lbs): 4,895 Sleeps: 2-4



JAY FEATHER | 23RL

Ext. Lgth: 27' 3" Ext. Ht: 129" Unloaded Wt. (lbs): 4,850 Sleeps: 4-6



JAY FEATHER | 25BH

Ext. Lgth: 30' 4" Ext. Ht: 128" Unloaded Wt. (lbs): 5,330 Sleeps: 8-10



JAY FEATHER | 27RL

Ext. Lgth: 31' 6" Ext. Ht: 128" Unloaded Wt. (lbs): 5,670 Sleeps: 4-6



JAY FEATHER | 29QB

Ext. Lgth: 35' 0" Ext. Ht: 129" Unloaded Wt. (lbs): 6,215 Sleeps: 8-14



*Estimated

TENTED UNITS

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GWWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart on next page.

MOI	DELS		DIMEN	SIONS			WEIGHT (LBS.)			TANKS (GALS.)			
MODEL	FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY	
	16XRB	18' 10"	85"	120"	78"	2,925	325	3,900	975	31.6	25.4	25.4	
	17XFD	20' 9"	85"	123"	78"	3,415	335	4,500	1,085	31.6	25.4	25.4	
JAY	19BH	22' 2"	85"	121"	78"	3,060	305	3,975	915	31.6	25.4	25.4	
FEATHER 7	19XUD	22' 5"	85"	121"	78"	3,700	310	4,650	950	31.6	25.4	25.4	
FEATHER /	20RL	TBD	85"	TBD	78"	TBD	TBD	TBD	TBD	31.6	25.4	25.4	
	22BHM	26' 6"	85"	122"	78"	4,020	410	5,500	1,480	31.6	25.4	25.4	
	23RD	27' 8"	85"	123"	78"	4,190	475	5,500	1,310	31.6	25.4	25.4	
	X17Z	18' 7"	96"	120"	78"	3,190	415	3,950	760	28.5	30.5	22.5	
	X19H	20' 8"	96"	123"	78"	3,705	355	4,950	1,245	48	30.5	22.5	
	X23B	24' 5"	96"	124"	78"	4,250	445	5,350	1,100	48	30.5	22.5	
	X23E	26' 9"	96"	129"	78"	5,035	610	6,150	1,115	48	30.5	22.5	
	X213	24' 0"	96"	122"	78"	4,315	405	5,500	1,185	48	30.5	22.5	
JAY	22RB	26' 4"	96"	124"	78"	4,280	425	5,500	1,220	48	30.5	22.5	
FEATHER	23BHM	26' 4"	96"	128"	78"	4,980	570	6,250	1,270	48	30.5	30.5	
	23RBM	26' 4"	96"	129"	78"	4,895	505	5,995	1,100	48	30.5	30.5	
	23RL	27' 3"	96"	129"	78"	4,850	535	5,995	1,145	48	30.5	22.5	
	25BH	30' 4"	96"	128"	78"	5,330	645	6,750	1,420	48	30.5	22.5	
	27RL	31' 6"	96"	128"	78"	5,670	650	7,000	1,330	48	30.5	30.5	
	29QB	35' 0"	96"	129"	78"	6,215	730	7,500	1,285	48	61.0**	30.5	

*Estimated
**Split tank

STANDARDS AND OPTIONS

	Jay Feather 7	Jay Feather
Exterior Equipment		
All LED exterior lighting	S	S
Modern retro graphics package with 2-colored sidewall	S	S
American-made, nitro-filled Goodyear® radial tires with self-adjusting brakes	S	S
Tuff-Shell TM vacuum-bonded, laminated floor, side, rear and front walls including slideout room walls	S	S
Vacuum-bonded, laminated bed platforms with reverse-cambered support with 1,100-pound capacity (all expandables)	S	S
Norco® NextGen frame with integrated A-frame	S	S
Magnum Truss™ Roof System with one-piece seamless DiFlex II material	S	S
Equa-Flex® suspension (n/a on 16XRB, 19BH, X17Z)	S	S
Single axle (16XRB, 19BH, X17Z)	S	S
Double axle (17XFD, 19XUD, 22BHM, 23RD, X19H, X23B, X23E, X213, 22RB, 23BHM, 23RBM, 23RL, 25BH, 27RL, 29QB)	S	S
Marine-grade exterior speakers (2)	S	S
Super Lube™ axles	S	S
30-amp service	S	S
20-pound propane bottle(s) with auto-regulator	S	S
Outside grill propane quick-connect port	S	S
Water-repellent, scratch-resistant Jayco DuraTek™ vinyl tent material with zipper windows (expandable models)	S	S
Rear camera backup prep	S	S
Keyed-Alike™ lock system	S	S
Spare tire and cover	CVP	CVP
Power awning with LED lights	CVP	CVP
Black tank flush	CVP	CVP
Outside shower	CVP	CVP
Exterior TV bracket with 110V electric and cable outlets	CVP	CVP
Stabilizer jacks (4)	CVP	CVP
6-gallon gas/electric DSI water heater	CVP	CVP
Solar prep	CVP	CVP
Detachable power cord	CVP	CVP
Enclosed underbelly with Astro-Foil™ insulation in floor and roof	0	0
Aluminum rims (2) (16XRB, 19BH, X17Z)	0	0
Aluminum rims (4) (n/a on 16XRB, 19BH, X17Z)	0	0
Electric tongue jack	0	0
Outside cook kitchen (22BHM, 25BH, 29QB)	0	0
Exterior grill	0	0
Roof ladder (Jay Feather 7: n/a on 16XRB, 17XFD, 19XUD; Jay Feather: n/a on expandable or rear bed slide models)	0	0

	Jay Feather 7	Jay Feather
Fan-Tastic Vent powered roof vent (placement specific per model)	0	0
A-frame-mounted 2-bike carrier rack	0	0
Baja Edition: 15-inch off-road mud tires, aluminum rims, flip axle, enclosed underbelly with Astro-Foil (16XRB,19BH, 22BHM, X213)	0	0

Interior Equipment Screwed-and-glued cabinetry	S	S
· · · · · · · · · · · · · · · · · · ·	S	S
Smoked-glass decorative inserts (select overhead cabinets)	-	S
Ball-bearing drawer glides with 75-pound capacity	S	-
Crown molding on ceiling	S	S
LED lighting throughout	S	S
8,000-BTU side-mounted A/C	S	
13,500-BTU roof-mounted A/C (22BHM, 23RD)	S	
13,500-BTU A/C (std. on 22BHM, 23RD)	0	S
15,000-BTU roof-mounted A/C		0
4-, 5- or 6-cubic-foot refrigerator (model-specific)	S	S
2- or 3-burner cooktop (oven included on 3-burner models)	S	S
Microwave	S	S
4-inch high-density dinette cushions with vinyl backing	S	S
Plywood dinette, bunk and bed bases	S	S
Wood-grain accent paneling on select interior walls	S	S
Jayco-exclusive Simmons® mattress with bedspread (excluding bed slides, expandable tent beds and bunks)	S	S
Teddy bear soft-touch bunk mats (applicable models)	S	S
110V outlet and corner shelf in fixed bunks	S	S
Plastic foot flush toilet (all models)	S	S
Bath skylight and roof vent	S	S
Tub/shower surround	S	S
Solid shower enclosure (23RBM, 23RL, 27RL, 29QB)		S
AM/FM/CD/DVD/Bluetooth® stereo	CVP	CVP
24-inch LED TV (select models)	0	0
32-inch LED TV (select models)	0	0
Dry rack/sink cover (Jay Feather 7: 22BHM; Jay Feather: n/a in X17Z)	0	0
4-inch heated bed mats (2) (16XRB, 19XUD, X17Z, X19H, X23B)	0	0
4-inch heated bed mats (3) (17XFD, X23E)	0	0
Tri-fold sofa in lieu of jackknife sofa (23RL, 25BH, 27RL, 29QB)		0

S - Standard O - Optional CVP - Customer Value Package

INTERIOR DÉCOR

SADDLE



COCOA

FLOORING



DESERT



TAKE A RIDE ON THE CAREFREE SIDE

Designed for camping comfort and convenience, Jayco RVs provide an easy-going, family-fun experience that relieves your stress. With countless features and reliable construction, you'll breathe easy no matter where your adventures take you and yours.



JAYCO'S ROOF **VS** OTHER ROOFS





4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS

THE MAGNUM TRUSS™ROOFSYSTEM **50 percent stronger**

- American-made, nitro-filled Goodyear® radial tires with self-adjusting brakes
- 2. Main walls, slideout walls and floors are vacuum-bonded for better protection from the elements
- 3. Lightweight materials and aerodynamic profile for easier towing
- Extra-wide corner seals on doors and windows to prevent leaks
- **5. Durable, water-repellent vinyl tent** on expandable models with 5-year warranty

- 6. Hook tent frame for more headroom in the bunk area
- Permanent tent-to-bunk attachment system on expandable models offers easy setup; supports up to 1,100 pounds
- **8. Magnum Truss Roof System** withstands 4,500 pounds—50 percent more than other roofs
- 9. 3/8-inch plywood roof decking secured at every seam
- **10. One-piece, sidewall-wrapped DiFlex II roof** material provides the ultimate in leak protection
- 11. Norco® NextGen frame with integrated A-frame prevents the hitch from buckling



THE JAYCO DIFFERENCE

Generations of family fun.

Meet your Jayco Dealer

Travel with Confidence




At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for **2 camping seasons**. That's **730 days**. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited warranty with complete terms and conditions, please contact your local Jayco dealer.





Featuring Durawall® Technology—ENGINEERED to help you tow with confidence



Jayco's long-term commitment to generations of family fun

After six years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet. **Learn more at Jayco.com/EcoAdvantage**

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

Follow Jayco







