



Dating back to 1903, Starcraft was founded as a farm equipment manufacturer, then added marine manufacturing to its lineup, followed by tent campers in 1964. Since that time, Starcraft has earned its reputation as a well-established manufacturer of travel trailers and fifth wheels. It's a safe bet to say that a name dating back 117 years, and a leader in the RV industry for over 50 years, will continue to prosper. With leading-edge product innovation and a customer-first focus, we look forward to seeing what the future holds. Undoubtedly, it will include *Camping, Pure and Simple*.



AUTUMN RIDGE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Flooring (No Carpet)
- · Magnum Roof System
- PVC Roof Membrane (15 Year Limited Warranty)
- Power Awning with LED Lighting & Integrated Speakers
- · Residential High-Rise Kitchen Faucet

ALSO AVAILABLE IN MOSSY OAK® LEARN MORE ON PAGES 4 & 5

SUPER LITE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Flooring (No Carpet)
- PVC Roof Membrane (15 Year Limited Warranty)
- Power Awning with LED Lighting & Integrated Speakers
- 15,000 BTU A/C
- · Solid Swing-Down Step

ALSO AVAILABLE IN MOSSY OAK® ULTRA LITE LEARN MORE ON PAGES 8 & 9

TELLURIDE

KEY FEATURES

- Kid & Pet Friendly Residential-Style Flooring (No Carpet)
- · PVC Roof Membrane (15 Year Limited Warranty)
- Power Awning with LED Lighting & Integrated Speakers
- 15,000 BTU A/C
- · Solid Swing-Down Step

LEARN MORE ON PAGES 10 & 11

Autumn Ridge



| SPECIFICATIONS | 171RD* | 180BHS* | 182RB* | 19BH* | 20FBS | ZOMB | 21FB | 21RBS | 23RLS | 26BH | 26BHS | 27BHS | 27RLI | 282BH | 32BHS |
|------------------------------------|--------|---------|--------|--------|--------|--------|--------|---------|---------|--------|--------------|--------------|---------|--------|---------|
| Square Feet | 145 | 159 | 153 | 148 | 165 | 166 | 174 | 221 | 220 | 203 | 249 | 263 | 300 | 269 | 319 |
| Unloaded Vehicle Weight (lbs.) | 3,445 | 3,735 | 3,515 | 3,495 | 4,280 | 4,185 | 4,275 | 5,660 | 5,420 | 4,735 | 5,725 | 6,255 | 7,195 | 6,410 | 8,050 |
| Dry Hitch Weight (lbs.) | 395 | 375 | 345 | 320 | 400 | 490 | 545 | 575 | 690 | 585 | 720 | 775 | 1,035 | 610 | 740 |
| Gross Vehicle Weight Rating (GVWR) | 4,500 | 4,900 | 4,250 | 4,200 | 6,000 | 5,250 | 6,000 | 7,200 | 6,500 | 6,500 | 7,500 | 8,500 | 8,995 | 8,500 | 9,500 |
| Cargo (Gross) | 1,055 | 1,165 | 735 | 705 | 1,720 | 1,065 | 1,725 | 1,540 | 1,080 | 1,765 | 1,775 | 2,245 | 1,800 | 2,090 | 1,450 |
| Exterior Length (Pin to Rear) | 21' 8" | 22' 0" | 22' 9" | 22' 2" | 23' 6" | 24' 4" | 25' 7" | 27' 3" | 29'1" | 29' 4" | 30' 7" | 31' 9" | 33' 10" | 32' 5" | 36' 5" |
| Exterior Height | 10' 2" | 10' 3" | 10' 2" | 10' 2" | 10' 6" | 10' 6" | 10' 6" | 10' 9" | 11' 0" | 10' 6" | 11' 1" | 11' 4" | 11' 2" | 11' 3" | 11' 2" |
| Exterior Width | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" | 8' 0" |
| Exterior Width (Slides Out) | N/A | 10' 0" | N/A | N/A | 9' 5" | N/A | N/A | 10' 11" | 10' 11" | N/A | 11' 0" | 11' 0" | 13' 0" | 11' 0" | 10' 11" |
| Interior Height | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" |
| Fresh Water Capacity (gals.)** | 26 | 26 | 26 | 26 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| Gray Waste Water Capacity (gals.) | 19.9 | 19.9 | 19.9 | 32.5 | 32.5 | 32.5 | 32.5 | 65 | 32.5 | 32.5 | 32.5 | 32.5 | 40 | 65 | 32.5 |
| Black Waste Water Capacity (gals.) | 19.9 | 19.9 | 19.9 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 | 32.5 |
| LP Capacity (lbs.) | 20 | 20 | 20 | 20 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Tire Size | 14" | 15" | 14" | 15" | 14" | 14" | 14" | 14" | 14" | 14" | 15" | 15" | 15" | 15" | 15" |
| Awning Size | 9' | 11" | 111 | 13' | 12' | 15' | 16' | 19' | 19' | 19' | 16' | 18' | 20' | 20' | 20' |

^{*}Single Axle Models

INTERIOR AMENITIES

- Residential-Style Flooring Designer Carefree Congoleum®
- Bedspread (Dual Axle Models)
- Pocket-Screwed Lumbercore Cabinet Construction
- Gas DSI Water Heater
- 12V Powered Bathroom Vent
- Stainless Steel Appliances (Dual Axle Models)
- · 3-Burner Cooktop with Glass Cover
- 17" Oven (Dual Axle Models)
- Microwave
- Residential High-Rise Kitchen Faucet
- Shower Surround (Dual Axle Models)
- 600lb. Bunk Capacity on Double Bunks (Select Models)
- · Kid & Pet Friendly
- No Carpet
- No Floor Heat Registers
- MyPillow® Pet Bed (Dual Axle Models)

EXTERIOR CONVENIENCES

- Power Tongue Jack (Dual Axle Models)
- Self-Adjusting Brakes
- Spare Tire with Carrier
- Power Awning with LED Lighting & Integrated Speakers
- Docking Station with Tank Flush (Dual Axle Models)
- 2-30lb. LP Bottles with Bottle Covers (Dual Axie Models)
- 1-20lb. LP Bottle (Single Axle Models)
- Magnet Catches for Baggage Doors
- Pet Tie Out with Bottle Opener (Dual Axle Models)
- Magnum Roof System Fully Walkable
- PVC Roof Membrane (15 Year Limited Warranty)
- Heated & Enclosed Underbelly (Dual Axle Models)

[&]quot;Includes Water Heater




























SEE PAGES 4 & 5 FOR SPECS AND FLOORPLANS





SEE PAGES 8 & 9 FOR SPECS AND FLOORPLANS -



SUPER LITE



| SPECIFICATIONS | 212FB | 241BH | 242RL | 261BH | 262RL | 281BH | 2910B | 341BH |
|------------------------------------|---------|--------|--------|--------|--------|---------|--------|--------|
| Square Feet | 186 | 249 | 230 | 261 | 259 | 281 | 310 | 324 |
| Unloaded Vehicle Weight (lbs.) | 4,905 | 5,880 | 5,330 | 5,740 | 5,995 | 6,180 | 7,400 | 7,325 |
| Dry Hitch Weight (lbs.) | 450 | 655 | 675 | 750 | 650 | 740 | 800 | 1,120 |
| Gross Vehicle Weight Rating (GVWR) | 6,400 | 7,400 | 7,000 | 7,500 | 7,600 | 8,250 | 9,000 | 8,995 |
| Cargo (Gross) | 1,495 | 1,520 | 1,670 | 1,760 | 1,605 | 2,070 | 1,600 | 1,670 |
| Exterior Length (Pin to Rear) | 23' 6' | 29' 9" | 29' 5" | 30' 8" | 31' 7" | 32' 10" | 37' 3" | 36'1" |
| Exterior Height | 10" 11" | 11' 0" | 11' 5" | 11' 0" | 11' 4" | 11' 4" | 11' 5" | 11' 5" |
| Exterior Width | 8'1" | 8'1" | 8' 1" | 8' 1" | 8'1" | 8' 1" | 8'1" | 8' 1" |
| Exterior Width (Slides Out) | 11' 3" | 11' 3" | 11' 3" | 11' 3" | 11' 3" | 11' 3" | 11' 3" | 11' 3" |
| Interior Height | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" | 6' 9" |
| Fresh Water Capacity (gals.)* | 51 | 51 | 51 | 51 | 51 | 51 | 51 | 51 |
| Gray Waste Water Capacity (gals.) | 29 | 58 | 29 | 29 | 29 | 58 | 29 | 58 |
| Black Waste Water Capacity (gals.) | 29 | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| LP Capacity (lbs.) | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Tire Size | 14" | 14" | 14" | 14" | 15" | 15" | 15* | 15" |
| Awning Size | 12' | 18' | 18' | 20.5' | 21' | 20' | 20' | 20' |

*Includes Water Heater

INTERIOR AMENITIES

- 15,000 BTU A/C
- Bathroom Skylight
- Shower Surround
- Laundry Chute in Bedroom
- 81" Interior Ceiling Height
- 8 cu. ft. Refrigerator
- Stainless Steel Appliances
- Deep Single Bowl Stainless Steel Kitchen Sink with Covers
- 80" Queen Bed
- · Gas/Electric DSI Water Heater
- Kid & Pet Friendly
 - No Carpet
 - No Floor Heat Registers
 - MyPillow® Pet Bed (Dual Axle Models)

EXTERIOR CONVENIENCES

- Exterior Receptacle
- Bumper with Drain Hose Carrier & End Caps
- Power Tongue Jack
- Exterior LP Quick Connect
- Large Folding Grab Handle
- In-Frame Dual Battery Rack
- Magnetic Baggage Door Catches
- Oversized Pass-Through Storage with Lighting (52 cu. ft.)
- Radial Tires with Aluminum Wheels
- Rain Guttering with Molded Drip Spouts
- · Pet Tie Out with Bottle Opener
- Power Awning with LED Lighting & Integrated Speakers
- Door Side Spray Port
- Docking Station
- Solid Swing-Down Step
- PVC Roof Membrane
 (15 Year Limited Warranty)
- Roof Ladder
- 2-30lb. LP Bottles with Cover
- 3/4 Fiberglass Front Cap



212FB



241BH



DINETTE ACAYMIPE SOFA

CLOSET

STAND

STAND

OUTSIDE PHINGE

NICHE

NICHE

OUTSIDE PHINGE

NICHE

NICHE

OUTSIDE PHINGE

NICHE

261BH



262RL



281BH



291QB



311BH

TELLURIDE BY STARCHAFT



| SPECIFICATIONS | 251RES | 289RKS | 292RLS | 296BHS | 334RLS | 338MBH |
|------------------------------------|--------|--------|----------|--------|---------|---------|
| Square Feet | 284 | 283 | 322 | 322 | 362 | 383 |
| Unloaded Vehicle Weight (lbs.) | 7,380 | 7,625 | 8,170 | 8,070 | 8,550 | 9,535 |
| Dry Hitch Weight (lbs.) | 1,210 | 1,300 | 1,365 | 1,220 | 1,455 | 1,680 |
| Gross Vehicle Weight Rating (GVWR) | 9,200 | 9,760 | 9,995 | 9,995 | 10,500 | 11,500 |
| Cargo (Gross) | 1,820 | 2,135 | 1,825 | 1,925 | 1,950 | 1,965 |
| Exterior Length (Pin to Rear) | 29' 4" | 29'10" | 31' 6' | 34' 0" | 34' 11" | 36' 10" |
| Exterior Height | 12'5" | 12' 5" | 12' 5" | 12' 6" | 12' 7" | 12' 5" |
| Exterior Width | 8' 1" | 8' 1" | 8'1" | 8' 1" | 8' 1" | 8' 1" |
| Exterior Width (Slides Out) | 11' 4" | 11' 4" | 13' 0" | 11' 4" | 14' 3" | 14' 3" |
| Interior Height (Overall) | 8' 0" | 8, 0,, | 8' 0" | 8' 0" | 8' 2" | 8' 0" |
| Interior Height (Upper Deck) | 6'10" | 6' 10" | 6' 10" | 6" 10" | 6' 5" | 6' 10" |
| Fresh Water Capacity (gals.)* | 51 | 51 | 51 | 51 | 51 | 51 |
| Gray Waste Water Capacity (gals.) | 58 | 58 | 58 | 58 | 58 | 58 |
| Black Waste Water Capacity (gals.) | 29 | 29 | 29 | 29 | 29 | 29 |
| LP Capacity (lbs.) | 60 | 60 | 60 | 60 | 60 | 60 |
| Tire Size | 15* | 15" | 15" | 15* | 15* | 15" |
| Awning Size | 20' | 20' | 11' & 9' | 21' | 18' | 19' |
| | | | | | | |

*Includes Water Heater

INTERIOR AMENITIES

- Residential-Style Flooring Designer Carefree
 Congoleum®
- Residential Queen Mattress
- Pocket-Screwed Lumbercore Cabinet Construction
- Foldable Table Legs for Indoor/Outdoor Use
- Theater Seating
- · Porcelain Foot Flush Toilet
- Radius Corner Shower & Glass Shower Door
- 15,000 BTU A/C with Quiet Residential Return Air
- Fireplace
- Stainless Steel Appliances
- Glass Flush Mount Cooktop & 17" Oven
- 1 cu. ft. Microwave
- Solid Surface Countertops
- 12V AM/FM/BT Stereo with USB Input
- Wi-Fi Ready
- · Kid & Pet Friendly
- No Carpet Throughout Main Living Areas
- No Floor Heat Registers
- Pull-Out Pet Dishes
- MyPillow® Pet Bed

EXTERIOR CONVENIENCES

- LP Quick Disconnect
- Keyed-Alike[™] Entrance & Baggage Doors
- Rear Access Ladde
- Electric Awning with LED Lighting & Integrated
 Speakers
- Docking Station with Tank Flush
- 3-20lb. LP Bottles
- Friction Hinge Entrance Door with Window & Shade Prep
- · Solar Prep
- Pet Tie Out with Bottle Opener
- Solid Swing-Down Step
- PVC Roof Membrane (15 Year Limited Warranty)













QUALITY YOU CAN COUNT ON SINCE 1903.



Go the distance with our 3-Year Limited Structural Warranty plus a 1-Year Limited Manufacturer's Warranty freedom from worry is your best travel companion.









Welcome the weather. Extend your camping season with climate packages, featuring forced air heated and enclosed underbellies (most models).

CCO advantage

Protect the environment with Starcraft EcoAdvantage. Obtain peace of mind with our longstanding commitment to protecting the environment.



| NOTES | | |
|---------|--|--|
| <u></u> | | |
| 2 | | |
| | | |
| | | |
| ÷ | | |
| ·- | | |
| | | |



Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or deeler-instelled accessories. Hitch Weight [HVI]: The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, poptions or deeler-instelled accessories. Hitch Weight [HVI]: The hitch weight as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, poptions or deeler-instelled accessories. He addition of these types of thems will either add to or subtract from the stated hitch weight, it is important for your safety and enjoyment that your tow vehicle be deequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and refining of your tow weihicle and consists a competent advisor for questions or advise. Whether you are new to RVing or a veteran get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow and XV, you must drive differently them when you drive a single vehicle. Practice booking up, driving, bocking up and braking in a safe environment or seek out professional instruction. Starcraft affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart on the respective pages of this brochure.

Starcraft RV 1903 S. Main Street I Middlebury, IN 46540 See dealer for further information and prices. All information in this brochure and on www.StarcraftCamping.com is the latest evailable at the time of publication approval, Starcraft RV reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. Starcraft and the S are registered trademarks of Jayco, Inc. Phinted in U.S.A. 08/2019

LOCAL DEALER INFO