

NOMAD

TOYHAULER

THE TOY HAULER DESIGNED, ENGINEERED AND BUILT SO YOU NEVER HAVE TO LEAVE YOUR FAVORITE TOYS BEHIND.

STRONG



DURABLE



RUGGED




STANDARD FEATURES

- 5,000# Electric A Frame Tongue Jack
- Electric Brakes
- 2-5/16 A Frame Coupler
- (2) Roof Vents (Garage and Living Area)
- 12 Volt Roof Vent Bathroom
- 36" Front Slant Wedge
- 1 pair of Rear Stabilizer Jacks
- 53 Gallon Fresh Water Tank (FK 46 Gallon)
- (2)-43 Gallon Waste Holding Tanks
- Large Single Bowl Kitchen Sink
- Double 20# LP Bottles w/Cover on A Frame
- 12 Volt Water Pump
- 6 Gallon Gas/Electric Water Heater
- Outside Hot & Cold Shower
- Tank & Battery Monitor Panel
- 7 Way Electrical Plug
- LED Interior and Exterior Lighting
- TV Prep Package - Coax Cable Outlets Interior and Exterior w/TV Antenna
- 45 Amp RV Power Center w/12V Converter
- 30 Amp Motor Base Plug w/ Detachable Twist-lock Power Cord
- RV Microwave
- 35K BTU Furnace
- Smoke, CO, LP Detector
- Fire Extinguisher
- Polystyrene Foam Insulation – Walls & Ceiling
- 3/4" Drymax Floor
- ATP Rubber Floor Covering
- (6) 5,000# Recessed D-Rings
- (2) Aluminum Directional Sidewall Vents
- .040 Screwless Exterior Colored Aluminum
- ATP Fenders
- 24" Tall Slanted Diamond Plate Stone-guard
- Seamless Aluminum Flat Top Roof
- 26W x 78H Radius Corner Deluxe RV Door
- Double Fold Out RV Step
- 4,000# Rear Ramp Door w/Flap
- All Black Zinc Coated Door Hardware
- Window Coverings – Garage Area Only
- Black Steel Mod Wheels w/Radial Tires & Black Center Caps
- Limited 3 Year Structural Warranty

FRONT KITCHEN SPECIFICATION

★★★ HIGHLIGHTS ★★★




NOMAD

2022 NOMAD FRONT KITCHEN	FK 18 STEEL / ALUM	FK 20 STEEL / ALUM	FK 22 STEEL / ALUM	FK 24 STEEL / ALUM	FK 26 STEEL / ALUM	FK 28 STEEL / ALUM	FK 30 STEEL / ALUM
Overall Length	24'-2"	26'-2"	28'-2"	30'-2"	32'-2"	34'-2"	36'-2"
Interior Length	20'-8"	22'-8"	24'-8"	26'-8"	28'-8"	30'-8"	32'-8"
Cargo Length (Full width)	13'	15'	17'	19'	21'	23'	25'
Overall Height (Add 13" with AC)	9'-9"	9'-9"	9'-9"	9'-11"	9'-11"	10'-1"	10'-1"
Interior Height	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
Overall Width	102"	102"	102"	102"	102"	102"	102"
Interior Width	96"	96"	96"	96"	96"	96"	96"
Width Between Wheel Wells	82"	82"	82"	80"	80"	80"	80"
Unloaded Vehicle Weight Rating (UVWR)	5,995 # / 5,195 #	6,245 # / 5,435 #	6,495 # / 5,675 #	6,745 # / 5,915 #	6,995 # / 6,155 #	7,242 # / 6,395 #	7,495 # / 6,635 #
Gross Vehicle Weight Rating (GVWR)	9,990 #	9,990 #	9,990 #	12,000 #	12,000 #	14,000 #	14,000 #
Gross Axle Weight Rating (GAWR) X 2	5,200 #	5,200 #	5,200 #	6,000 #	6,000 #	7,000 #	7,000 #
Unloaded Tongue Weight	899 # / 779 #	937 # / 815 #	974 # / 851 #	1,012 # / 887 #	1,049 # / 923 #	1,086 # / 959 #	1,124 # / 995 #
Average Payload Capacity	3,995 # / 4,795 #	3,745 # / 4,555 #	3,495 # / 4,315 #	5,255 # / 6,085 #	5,005 # / 5,845 #	6,758 # / 7,605 #	6,505 # / 7,365 #
Tire Size / Load Range	ST225/75R15 LRD	ST225/75R15 LRD	ST225/75R15 LRD	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE

FRONT BATH SPECIFICATION

★★★ HIGHLIGHTS ★★★



COMPLETE DETAILS

stealthtrailer.com/nomad

2022 NOMAD FRONT BATH	FB 22 STEEL / ALUM	FB 24 STEEL / ALUM	FB 26 STEEL / ALUM	FB 28 STEEL / ALUM	FB 30 STEEL / ALUM
Overall Length	28'-2"	30'-2"	32'-2"	34'-2"	36'-2"
Interior Length	24'-8"	26'-8"	28'-8"	30'-8"	32'-8"
Cargo Length (Full width)	11'	13'	15'	17'	19'
Overall Height (Add 13" with AC)	9'-9"	9'-11"	9'-11"	10'-1"	10'-1"
Interior Height	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
Overall Width	102"	102"	102"	102"	102"
Interior Width	96"	96"	96"	96"	96"
Width Between Wheel Wells	82"	80"	80"	80"	80"
Unloaded Vehicle Weight Rating (UVWR)	6,760 # / 5,940 #	7,230 # / 6,400 #	7,480 # / 6,640 #	7,730 # / 6,880 #	7,980 # / 7,120 #
Gross Vehicle Weight Rating (GVWR)	9,990 #	12,000 #	12,000 #	14,000 #	14,000 #
Gross Axle Weight Rating (GAWR) X 2	5,200 #	6,000 #	6,000 #	7,000 #	7,000 #
Unloaded Tongue Weight	1,014 # / 891 #	1,085 # / 960 #	1,122 # / 996 #	1,160 # / 1,032 #	1,197 # / 1,068 #
Average Payload Capacity	3,230 # / 4,050 #	4,770 # / 5,600 #	4,520 # / 5,360 #	6,270 # / 7,120 #	6,020 # / 6,880 #
Tire Size / Load Range	ST225/75R15 LRD	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE

*** TOYHAULER ***
OPTIONS

PLATINUM NOMAD PACKAGE

INCLUDES:

Deluxe Stereo Package with: AM/FM/CD/DVD/USB/MP3/WMA Capable Stereo, (4) Hi Output Weatherproof Speakers: (2) Interior & (2) Exterior

43" TV w/ Swivel Bracket and Outside TV bracket, Rear Hide-A-Screen

Solar Prep

WHEEL OPTIONS

Black Aluminum Rims & Center Cap for 6-lug 15" tires (5200# Axles)

Black Aluminum Rims & Center Cap for 8-lug 16" tires (6000# & 7000# Axles)

Aluminum Star Wheel for 15" Tires (5200# Axles)

Aluminum Star Wheel for 16" Tires (6000# & 7000# Axles)

SPARE TIRE OPTIONS

ST225/75R15 LRD Radial Spare w/Black Steel Mod Wheel - 5200# - Ship Loose

ST225/75R15 LRD Radial Spare w/All Black Aluminum Wheel - 5200# - Ship Loose

ST225/75R15 LRD Radial Spare w/Aluminum Star Wheel - 5200#

- Ship Loose

ST235/80R16 LRE Radial Spare w/Black Steel Mod Wheel- 6000#/7000# - Ship Loose

ST235/80R16 LRE Radial Spare w/All Black Aluminum Wheel- 6000#/7000# - Ship Loose

ST235/80R16 LRE Radial Spare w/Aluminum Star Wheel- 6000#/7000# - Ship Loose

POWER AWNINGS w/HARDWARE & LED LIGHT KIT

16' (Use on 18', 20', & 22' Nomads Only)

18' (Use on 24' & 26' Nomads Only)

20' (Use on 28' & 30' Nomads Only)

AIR CONDITIONERS & VENTS

15,000 BTU Suburban Air Conditioner

2nd 15,000 BTU Suburban Air Conditioner & 50 amp Motorbase Hookup

DOUBLE BUNK SPECIFICATION

*** HIGHLIGHTS ***



2022 NOMAD DOUBLE BUNK	DB 24 STEEL / ALUM	DB 26 STEEL / ALUM	DB 28 STEEL / ALUM	DB 30 STEEL / ALUM
Overall Length	30'-2"	32'-2"	34'-2"	36'-2"
Interior Length	26'-8"	28'-8"	30'-8"	32'-8"
Cargo Length (Full width)	10'	12'	14'	16'
Overall Height (Add 13" with AC)	9'-11"	9'-11"	10'-1"	10'-1"
Interior Height	7'-6"	7'-6"	7'-6"	7'-6"
Overall Width	102"	102"	102"	102"
Interior Width	96"	96"	96"	96"
Width Between Wheel Wells	80"	80"	80"	80"
Unloaded Vehicle Weight Rating (UVWR)	7,445 # / 6,615 #	7,695 # / 6,855 #	7,945 # / 7,095 #	8,195 # / 7,335 #
Gross Vehicle Weight Rating (GVWR)	12,000 #	12,000 #	14,000 #	14,000 #
Gross Axle Weight Rating (GAWR) X 2	6,000 #	6,000 #	7,000 #	7,000 #
Unloaded Tongue Weight	1,117 # / 992 #	1,154 # / 1,028 #	1,192 # / 1,064 #	1,229 # / 1,100 #
Average Payload Capacity	4,555 # / 6,485 #	4,305 # / 5,145 #	6,055 # / 6,905 #	5,805 # / 6,665 #
Tire Size / Load Range	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE

QUEEN BED SPECIFICATION

*** HIGHLIGHTS ***



2022 NOMAD QUEEN BED	QB 24 STEEL / ALUM	QB 26 STEEL / ALUM	QB 28 STEEL / ALUM	QB 30 STEEL / ALUM
Overall Length	30'-2"	32'-2"	34'-2"	36'-2"
Interior Length	26'-8"	28'-8"	30'-8"	32'-8"
Cargo Length (Full width)	10'	12'	14'	16'
Overall Height (Add 13" with AC)	9'-11"	9'-11"	10'-1"	10'-1"
Interior Height	7'-6"	7'-6"	7'-6"	7'-6"
Overall Width	102"	102"	102"	102"
Interior Width	96"	96"	96"	96"
Width Between Wheel Wells	80"	80"	80"	80"
Unloaded Vehicle Weight Rating (UVWR)	7,780 # / 6,950 #	8,030 # / 7,190 #	8,280 # / 7,430 #	8,530 # / 7,670 #
Gross Vehicle Weight Rating (GVWR)	12,000 #	12,000 #	14,000 #	14,000 #
Gross Axle Weight Rating (GAWR) X 2	6,000 #	6,000 #	7,000 #	7,000 #
Unloaded Tongue Weight	1,167 # / 1,043 #	1,205 # / 1,079 #	1,242 # / 1,115 #	1,280 # / 1,151 #
Average Payload Capacity	4,220 # / 5,050 #	3,970 # / 4,810 #	5,720 # / 6,570 #	5,470 # / 6,330 #
Tire Size / Load Range	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE	ST235/80R16 LRE

*** TOYHAULER ***
OPTIONS

BED & SOFA OPTIONS

68" Wall Mount Sofa (Up to (2) on 18 to 26 models, up to (4) on 28 & 30 Models)

Double Happi-Jac system (included (1) Queen Mattress) (22' & Longer Nomads Only)

Double Happi-Jac Fold Down 55" Sofa's (2) (Requires Double Happi-Jac System)

NOTE: ON 24 & 26 QB MODELS ONLY --- EITHER HAPPI-JAC OR WALL SOFAS CAN BE INSTALLED

EXTERIOR / CARGO OPTIONS

Two-Tone Exterior with 4" Black Accent Divider Strip

Beavertail

ATP Transition Flap (Floor to Ramp)

E-Track Recessed in Floor - (3) 10' Sections (ALL MODELS & LENGTHS)

E-Track Recessed in Floor - (3) 20' sections (26' thru 30' NOMAD FK Only)

E-Track Recessed in Floor - (3) 10' Sections (ALL MODELS & LENGTHS) ALUMINUM MODELS

E-Track Recessed in Floor - (3) 20' sections - (26' thru 30' NOMAD FK Only) ALUMINUM MODELS

54" x 60" h Escape Door (26' thru 30' FK Nomad's Only) *** Note: R/S Sofa Not Available

54" x 60" h Escape Door (26' thru 30' DB & FB Only) N/A ON QB Model *** Note: R/S Sofa Not Available

NOMAD

COMPLETE DETAILS
stealthtrailer.com/nomad

STEALTH NOMAD UNLIKE ANY OTHER RV TOY HAULER



The Nomad is designed, engineered and built to haul the larger and heavier toys that traditional RV Toy Haulers do not have the capacities to haul. The Nomad can haul your Jeeps, Show Cars, Race Cars, Side by Sides, ATV's, Motorcycles, Construction Equipment, etc. The Nomad is the Toy Hauler that allows you take your favorite toys to your favorite destinations.



The Nomad uses .040 Exterior Colored Aluminum which offers 11 different exterior colors that gives a full body paint look and allows the customer to match their tow vehicles and/or toys. For an even more dynamic exterior look the customer can choose a two tone exterior option by choosing two of the 11 exterior vibrant colors which really gives the Nomad Toy Hauler a unique look.



• Your choice of heavy duty steel or aluminum frames—Fully welded 6-sided cage construction for superior strength and durability.



• Wider than most RVs the 8.5 wide Nomad is ready to handle side-by-sides as well as full size-cars and jeeps with a ramp-door opening of 80.5" high by 94" wide.

*** AVAILABLE COLORS ***



THREE YEAR LIMITED STRUCTURAL WARRANTY INITIAL RETAIL PURCHASER

Stealth Trailers warrants to the original owner that your trailer will be free from structural defects in materials and workmanship for period of 1 or 3 years from retail purchase providing all conditions have been met. The warranty obligation consists of and is limited to repairing and replacing any part, or parts, which in the opinion of the factory are defective under normal use during the 1 or 3 year period, starting at the date of retail purchase. See your Stealth Trailers dealer for more details.



STEALTH NOTICE

Due to constant product improvements, and changes in specifications, component parts and standard/optional equipment, all Stealth Trailers products are subject to change without notice or obligation. Product photography or diagrams may show equipment that is optional. Stealth Trailers reserves the right to make changes in pricing and models and to discontinue models without notice or obligation. Components, parts or chassis may have been manufactured at times other than the model year indicated. All capacities are approximate and dimensions are nominal. All dry weights are based on standard models with basic features and do not include optional features or equipment. Various components and features may differ to conform to local codes. The individual manufacturers not Stealth Trailers warrant appliances and other components.

VISIT stealthtrailer.com AND SEE OUR ENTIRE LINE OF PRODUCTS.

★ ★ ★ CONSTRUCTION FEATURES ★ ★ ★

- Steel or Aluminum Frame Construction
- 16" On Center Tubular Steel or Aluminum Floor Cross Members
- 16" On Center Tubular Steel or Aluminum Wall Studs
- 24" On Center Tubular Steel or Aluminum Roof Bows
- 18" Extended Triple Tubular Steel or Aluminum A Frame
- 5,200# Axles w/ST225/75R15 Tires
- 6,000# Axles w/ST235/80R 16 Tires
- 7,000# Axles w/ST235/80R 16 Tires
- Lippert Torsion / Spread Axles
- 7' 6" Interior Height
- 96" Interior Width / 102 inch Overall Width
- 94" x 80.5" Ramp Door rated at 4,000#
- Platform / Ramp Height 25.25" to 28.25" depending upon axles (and Optional Beaver Tail)
- Fresh Water Tank 53 Gallons (FK 46 Gallons)
- Grey Holding Tank 43 Gallons
- Black Holding Tank 43 Gallons
- Limited 3 Year Structural Warranty

STEALTH



910 Maple Street / Bristol, IN 46507 / (866) 886-5757

stealthtrailer.com

YOUR LOCAL STEALTH DEALER: