

WOLF PUP, GREY WOLF, & WOLF DEN
TRAVEL TRAILERS

CHER^{KEE}

FOREST
RIVER

CHER^{KEE}

WOLF PUP, GREY WOLF & WOLF DEN
TRAVEL TRAILERS




JOIN THE PACK.

14CCW



16BHSW



16CM



16EV



16FQW



16KHW



16LP



17EV




17JW



17SC



18RJBW







WOLF PUP

REAR RAMP & TRAVEL TRAILERS

	14CCW	16BHSW	16CM	16EV	16FQW	16KHW	16LP	17EV	17JW	17SC	18RJBW
Dry Hitch Weight	375-LBS	475-LBS	426-LBS.	393-LBS.	445-LBS.	535-LBS.	403-LBS	350-LBS.	607-LBS.	460-LBS.	655-LBS.
Ship Weight	3295-LBS.	3575-LBS	3801-LBS.	3037-LBS.	3600-LBS.	3970-LBS.	3045-LBS	3030-LBS	4292-LBS.	4145-LBS.	3860-LBS.
Unloaded Vehicle Weight	3314-LBS.	3594-LBS.	3820-LBS	2995-LBS.	3619-LBS.	3989-LBS.	3064-LBS	3030-LBS	4311-LBS.	4164-LBS.	3879-LBS.
Cargo Carrying Capacity	2161-LBS.	1981-LBS.	1706-LBS.	2498-LBS.	1926-LBS.	1646-LBS.	839-LBS	2420-LBS.	1396-LBS.	1396-LBS.	1876-LBS.
Axle Weight	2920-LBS.	3100-LBS.	3375-LBS.	2644-LBS.	3155-LBS.	3435-LBS.	2642-LBS	2680-LBS.	3685-LBS.	3685-LBS.	3205-LBS.
Exterior Length	19'-3"	21'-9"	23'10"	21'-9"	21'-10"	23'-9"	21'-9"	21'-10"	23'-11"	23'10"	22'-8"
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"	7'-6"
Grey Capacity	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.
Black Capacity	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.	28-GAL.
Fresh Capacity	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.	26-GAL.





GREY WOLF TRAVEL TRAILERS

	19SM	20RDSE	22CE	22MKSE	23DBH	23MK
Dry Hitch Weight	526-LBS.	450-LBS.	615-LBS.	585-LBS.	621-LBS.	608-LBS.
Ship Weight	4788-LBS.	4015-LBS.	4915-LBS.	4303-LBS.	5342-LBS.	5025-LBS.
Unloaded Vehicle Weight	4826-LBS.	4053-LBS.	4953-LBS.	4341-LBS.	5380-LBS.	5063-LBS.
Cargo Carrying Capacity	2700-LBS.	3397-LBS.	2662-LBS.	3244-LBS.	2241-LBS.	2545-LBS.
Axle Weight	4262-LBS.	3565-LBS.	4300-LBS.	3718-LBS.	4721-LBS.	4417-LBS.
Exterior Length	24'-5"	25'-4"	26'-2"	26'-9"	29'-5"	29'-0"
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	97"	97"	97"	97"	97"	97"
Grey Capacity	38 GAL					
Black Capacity	38 GAL	28 GAL	38 GAL	28 GAL	38 GAL	38 GAL
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL



26BRB




26DBH



26EV



26DJSE



26LK



26PS




GREY WOLF TRAVEL TRAILERS

	26BRB	26DBH	26EV	26DJSE	26LK	26PS
Dry Hitch Weight	811-LBS.	725-LBS.	605-LBS	574-LBS	815- LBS	TBD
Ship Weight	6768-LBS.	5757-LBS.	4425-LBS	4558-LBS	5735-LBS	TBD
Unloaded Vehicle Weight	6730-LBS.	5795-LBS.	4425-LBS	4596-LBS	5773 LBS	TBD
Cargo Carrying Capacity	1043-LBS.	1930-LBS.	3180-LBS.	2978-LBS	2042 -LBS	TBD
Axle Weight	5919-LBS.	5032-LBS.	3820-LBS.	3984-LBS	4920 -LBS	TBD
Exterior Length	32'-7"	31' 9"	29'-6"	29'-6"	31'- 9"	TBD
Exterior Height w/A/C	10'-6"	10'-6"	10'-6"	10'-6"	10'- 8"	10'-8"
Exterior Width	97"	97"	97"	97"	96"	96"
Grey Capacity	38 GAL	38 GAL	38 GAL	38 GAL	38-GAL	38-GAL
Black Capacity	28 GAL.	28 GAL	28 GAL	28 GAL	28-GAL.	28-GAL.
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL.	52-GAL .	52-GAL.






26SS




27GH




27LH



29NM



29QB



29TE


GREY WOLF TRAVEL TRAILERS

	26SS	27GH	27LH	29NM	29QB	29TE
Dry Hitch Weight	700- LBS	905- LBS	755- LBS	905- LBS	977- LBS	837- LBS
Ship Weight	6145- LBS	6260- LBS	5915- LBS	6820- LBS	6580- LBS	6390- LBS
Unloaded Vehicle Weight	6183- LBS	6298- LBS	5953- LBS	6858- LBS	6618- LBS	6428- LBS
Cargo Carrying Capacity	1517- LBS	1607- LBS	1802- LBS	1047- LBS	1,359- LBS	1409- LBS
Axle Weight	5445- LBS	5355- LBS	5160- LBS	5915- LBS	5603- LBS	5553- LBS
Exterior Length	30'-11"	31'-0"	33'-6"	37'-7"	36'-8"	36'-8"
Exterior Height w/A/C	10'-6"	10'-8"	10'-8"	10'-8"	10'-8"	10'-8"
Exterior Width	97"	97"	97"	97"	97"	97"
Grey Capacity	38- GAL.	38 GAL	38- GAL.	38- GAL.	38- GAL	38- GAL.
Black Capacity	38- GAL.	38 GAL	38- GAL.	38- GAL.	38- GAL	38- GAL.
Fresh Capacity	52- GAL.	52- GAL.				



26DBH

18RR




22RR




24RR



25RR



27RR




GREY WOLF

	18RR	22RR	24RR	25RR	27RR
Dry Hitch Weight	550-LBS.	686-LBS.	995-LBS.	690-LBS.	1159-LBS.
Ship Weight	4425-LBS.	4833-LBS.	5815-LBS.	5065-LBS.	6533-LBS.
Unloaded Vehicle Weight	4463-LBS.	4871-LBS.	5853-LBS.	5103-LBS.	6571-LBS.
Cargo Carrying Capacity	3087-LBS.	2815-LBS.	2142-LBS.	2587-LBS.	1588-LBS.
Axle Weight	3875-LBS.	4147-LBS.	4820-LBS.	4375-LBS.	5374-LBS.
Exterior Length	24'-1"	29'-0"	33'-4"	30'-10"	34'-2"
Exterior Height w/ AC	10'-6"	10'-6"	10'-6"	10'-6"	10'-6"
Exterior Width	97"	96"	97"	97"	97"
Grey Capacity	28 GAL	38 GAL	38 GAL	38 GAL	38 GAL
Black Capacity	28 GAL	28 GAL	38 GAL	38 GAL	38 GAL
Fresh Capacity	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL




271RK

273XLK





294GEBG

301BH



304SR

306MM



WOLF DEN

	271RK	273XLK	294GEBG	301BH	304SR	306MM
Dry Hitch Weight	TBA	865-LBS.	785-LBS.	830-LBS.	1150-LBS.	900-LBS.
Ship Weight	TBA	7180-LBS.	6940-LBS.	7750-LBS.	8910-LBS.	8540-LBS.
Unloaded Vehicle Weight	TBA	7218-LBS.	6978-LBS.	7788-LBS.	8948-LBS.	8578-LBS.
Cargo Carrying Capacity	TBA	2781-LBS.	4007-LBS.	3242-LBS.	2402-LBS.	2522-LBS.
Axle Weight	TBA	6315-LBS.	6155-LBS.	5220-LBS.	7760-LBS.	7640-LBS.
Exterior Length	TBA	33'-4"	36'-8"	37'-6"	38'-11"	40'-1"
Exterior Height w/ AC	TBA	11'-1"	11'-1"	11'-1"	11'-1"	11'-1"
Exterior Width	TBA	97"	97"	97"	97"	97"
Grey Capacity	TBA	38-GAL	76-GAL	38-GAL	38-GAL	38-GAL
Black Capacity	TBA	38-GAL	38-GAL	38-GAL	38-GAL	38-GAL
Fresh Capacity	TBA	52-GAL	52-GAL	52-GAL	52-GAL	52-GAL



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

- TOWING
- JUMP-STARTS
- TIRE CHANGES
- FLUID DELIVERY
- LOCKOUT SERVICE
- WINCH-OUT
- MOBILE MECHANIC
- TECHNICAL SUPPORT
- DEALER LOCATOR SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

EXTERIOR	WP	GW	WD	INTERIOR	WP	GW	WD
26" Wide Door IPO 22" Door	S	S	S	12V High Efficiency Refrigerator	7.1 CF	10.7 CF	10.7 CF
Adventure Package incl. Aggressive Off-Road Tires, Diamond Plated Skirting and Lifted Frame (NA on EV or LP Models)	S	#	#	Air Fryer Convection Microwave Oven	NA	S	S
Aerodynamic Smooth Radius Front Profile	S	S	S	Bathroom Fan	S	S	S
Blackout Glass, Safety Slam, Friction Hinge Entry Door with Window and Shade Prep	S	S	S	Bedside Inverter (NA on EV or LP models)	S	S	S
Cherokee Exclusive Stable Step with Oversized Landing (NA on EV and LP Models)	S	S	S	Electric Fireplace (where applicable)	NA	S	S
Flip Down Travel Rack (NA on RR models)	O	S	S	Farm Sink with Cutting Board, Drying Rack, Strainer and Cup Washer	NA	S	S
Four Stabilizer Jacks (NA on EV and LP models)	S	S	S	Flush mount Range with Cover (NA on EV models)	S	S	S
Full Length Power Awning	S	S	S	High Output Cooktop	S	S	S
High Impact Front Metal IPO Corrugated Metal	S	S	S	Air Conditioner (BTU)	13.5K	15K	15K
Ladder Prep	S	S	S	Furnace (BTU)	20K	30K	30K
Large Exterior Folding Assist Handle (NA on EV or LP models)	S	S	S	Black Tank Flush Out Kit	S	S	S
Moonshade Patio Cover (RR's only)	#	#	#	Gauche Brackets for Easy Flip Down Cushion Removal (RR's only)	#	#	#
One Piece, Walkable Decked Roof	S	S	S	Inside and Outside Speakers	S	S	S
Outdoor Shower with Hot and Cold Water	S	S	S	LED Interior Lights	S	S	S
Outside Kitchen - Largest Available based on Space	S	S	S	Light Filtering Sheer Shading Premium Blackout Zebra Blinds	NA	S	S
Outside Storage Door	S	S	S	Oversized Dinette and Removable Table	S	S	S
Ramp Door Patio System (RR's Only)	#	#	#	Premium Bedding and Comforter	NA	S	S
RV Grill LP Quick Connect (NA on EV models)	S	S	S	Range Hood with Light and Fan	S	S	S
Solar Reflective Thermo Controlled Tinted Safety Glass Windows	S	S	S	RV King Bed (where applicable)	NA	S	S
Spare Tire (Optional on EV and LP models)	S	S	S	Seamless Countertop	S	S	S
Tufflex PVC Seamless Roof Membrane with Heat Reflectivity	S	S	S	Shower Tub Surround	S	S	S
TV Antenna and Hookups	S	S	S	USB-C Charging Stations	S	S	S
Juice Pack * 200W Roof Mounted Solar Panel, 30 Amp Charge Controller, Volt Meter & Battery Disconnect (NA on EV or LP Models)	S	S	S	ENHANCED FEATURES			
Power Gear Frame Technology and Space Saver Rail Design	S	S	S	Deep Tinted Frameless Automotive Glass Windows	BL	BL	BL
Tongue and Groove Plywood Flooring (5/8")	S	S	S	High Gloss Gel Coat Exterior Sidewalls	BL	BL	BL
Power Tongue Jack (Wolf Pup Quick Drop Jack)	NA	S	S	Multicolor Reading Lights	BL	BL	BL
Cherokee Backup Camera System	S	S	S	Pillowtop Mattress Upgrade	BL	BL	BL
Exterior LED Light Strip at Awning	S	S	S	Power Tongue Jack	BL	S	S
External Scare Light	S	S	S	Pull Out Sprayer Faucet	BL	S	S
				Solid Surface Countertops	BL	BL	BL
				Thermo Foil Arctic Insulation	BL	BL	BL
				Upgraded Shower Head w/Rain Feature	BL	BL	BL

S = Standard Feature O = Optional Feature NA = Not Applicable or Not Available # = Standard on Ramp Models BL = Black Label Package Feature



YOUR CHEROKEE DEALER



VISIT US ONLINE

Learn More:
Scan this barcode using a QR reader on your smart phone to learn more about Forest River.

FOREST RIVER
A Berkshire Hathaway Company

WWW.FORESTRIVERINC.COM/CHEROKEE 574.264.6664



FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



SPECIFICATION DEFINITIONS **GVWR (Gross Vehicle Weight Rating)** is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. // **GAWR (Gross Axle Weight Rating)** is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. // **UVW (Unloaded Vehicle Weight)** is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated average based on standard build optional equipment. // **CCC (Cargo Carrying Capacity)**** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 2486 P8W: 2024.08.28