

02/14/2025

004642996

VEHICLE IDENTIFICATION NO 1UJBC0AJ1S1YH0338

YEAR **2025** Jay Flight

BODY TYPE

SHIPPING WEIGHT 3,694

Jayco Travel Trailer

NO CYLS

HP (SAE) N/A

G V W R 4,750

SERIES OR MODEL

160LK JAY FLIGHT SLX TT

Length w/ Hitch 257"

Length (Net) 213"

Width 96"

Sq. Ft. 150

I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle described above is the property of the said company, firm or corporation and is transferred on the above date and under the Invoice Number indicated to the following distributor or dealer.

NAME OF DISTRIBUTOR, DEALER, ETC.

BRV TRAVERSE CITY LLC DBA;
BISH'S RV OF TRAVERSE CITY
705 US-31 S
TRAVERSE CITY MI 40695

TRAVERSE CITY, MI 49685

If the vehicle described hereon is a motor home the undersigned certifies that it is equipped with at least four of the following life support systems; cooking, refrigeration or ice box, self-contained toilet, heating and/or air conditioning, a potable water supply system including a faucet and sink, separate 110-115 volt electrical power supply and/or an LP gas supply, all of which meet the ANSI A119.2 standards.

It is further certified that this was the first transfer of such new vehicle in ordinary trade and commerce

JAYCO, INC.

PRESIDENT

(SIGNATURE OF AUTHORIZED REPRESENTATIVE)

(AGENT)

JA1117487

MIDDLEBURY, INDIANA 46540

CITY - STATE

	Each undersigned seller certifies to the best of run knowledge, information	on and ballet under penalty of law that the vehicle is new and has not been redistered in
	FOR VALUE RECEIVED I TRANSFER THE VE	any scoring indicate of the than those disclosed naterin and warrant title to the vehicle.  HIGLE DESCRIBED ON THE FACE OF THIS CERTIFICATE TO.
# =	NAME OF	
DISTRIBUTION-DEALER ASSIGNMENT NUMBER	PURCHASER(S) ADDRESS	
OM	I certify to the best of my knowledge that the odometer reading is	
NO E		
54	DEALER NAME OF CHAIRMENT DEALERS LICENSE NO.	DAMBER Being duly sworn upon oath says that the statements
E S	State ofCounty of	set forth are true and correct. Subscribed and swom before me
IST	County of	on this date
D &	USE NOTARIZATION ONL	Y IF REQUIRED IN TITLING JURISDICTION Notary Public
E O	NAME OF	
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 2	PURCHASER(S) ADDRESS	
JAR JAR		
ZZ	I certify to the best of my knowledge that the odometer reading is DEALER	
EE	NAME OF DEALERS OF DEA	BY: Super turb sweep upon only all that the statements
MM		Being duly sworn upon oath says that the statements set out are true and correct. Subscribed and swom before me
SIG	State of County of	on this date
ASS	LISE NOTARIZATION ONLY	Notary Public
	NAME OF	7 IF HEQUIRED IN TITLING JURISDICTION
E #	NAME OF PURCHASER(S)	
MBI	ADDRESS	
25	I certify to the best of my knowledge that the odometer reading is	No Tenths
흔날	DEALER NAME OF CHARREST DEALERS LICENSE NU	BY:
E H	DEALERS LICENSE NO	Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and swom before me
E S	State of	on this data
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 3	County of	Notary Public
-		(F REQUIRED IN TITLING JURISDICTION
E 4	NAME OF	
ALI BE	PURCHASER(S) ADDRESS	
무증	I certify to the best of my knowledge that the odometer reading is $\_$	
OF	DEALER	No Tenths
が高	DEALER TUME OF DEVICE NO.	Seing only swom upon oath says that the statements
	State of	set forth are true and correct. Subscribed and swom below me
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 4	County of	on this date
_ A	USE NOTAPIZATION ONLY	/ IF REQUIRED IN TITLING JURISDICTION Notary Public
	Pederal Law requires you to state the odometer missage in connection violation lines and/or imprisonment.	with the transfer of ownership. Failure to complete or providing a talse statement may
분	cedity to the best of the knowledge that the occumular residence the sets	this miles on the unbide unless on the fallow
중백	No leases of the unreade states i	in excess of its mechanical limits. Lathe odometer rending is not the lictual mileage.
SPC	Signature(s) of Seller(s)	WARNING ODOMETER DISCREPANCY  Date of Statement Date of Sale
불분	Printed Name(s) of Seller(s) Dealer's No	Date of Statement Date of Sale  Being duly sworn upon outh bays that the statements
	Signature of Purchaser(s)	set forth are true and correct. Swarphint and swom before me
	Printed Name(s) of Purchaser(s)	on this deta
ODOMETER DISCLOSURE FOR RETAIL SALE	Company Name (If Applicable)	Notary Public
ŏ	Address of Purchaser(s)	County of
	USE NOTARIZATION ONLY	IF REQUIRED IN TITLING JURISDICTION
Œ.	1st lièn in fayor of	
9	whose address in the second se	
후	2nd lien in layor of	
LIENHOLDER	whose address is	
	whose dudiess is	

## Ready to Ship Advice

KL: Lane

					, 4 - (11 - )	
Load/trip #: <u>421</u>	960	PS ORD. #:		<b>▼</b>		
Driver:	ld #:	Truck:	Trai	ler:	Dispatch Date:	
SHIP TO			Point of Dispatch:	MIDDLEBURY	-	
Dealer name:	BISH'S RV OF TRAVE	ERSE CITY	Ship Instructions:			
Address: City/State/Zip:	705 US-31 S TRAVERSE CITY, MI USA	49685	Dealer PO: 89706 Dealer Notes:	1		
Dealer contact: Phone:		E	A EXCLUSIVE DEA	LER		
Equipment Type Shipment Metho	e: DPU od:DPU DPU/C	PU Pickup date:_				
Order#	Serial#	Model	Description	Retail So	ld Wh	1
004642996	1UJBC0AJ1S1YH0338	160LK JAY	FLIGHT SLX TT	UNIT	05	5
	<u> </u>	DELIVE	RY INSTRUCTIONS			
Business Hours	Contacts		CHARGE:	.00		
Credit 800-825-		*****	0.11.132.	.00		
	2			*		
<b>P</b> )						
The driver must s	sign and leave copy of thi	s form.				
THEREFORE, T SIGNED BELOW TRANSFERRED	PAYMENT: DELIVERY C HE DEALER IS CONSID / BY THE NAMED TRAN TO THE TRANSPORTE DRING SOURCE TO JAY	ERED TO HAVE SPORTER, AN A R, THE DEALER	ACCEPTED DELIVE AGENT OF THE DEA AUTHORIZES RELI	RY OF THIS UNIT AS LER. AT THE TIME TH EASE OF PAYMENT F	IE UNIT IS	
DRIVER SIGNAT	TURE: While &	Office	) (i) (i) (i) (i) (i) (i) (i) (i) (i) (i	DATE: <u></u>	3/22/25	

JAYCO INC Dealer Name: BISH'S RV OF TRAVERSE CITY 160LK JAY FLIGHT SLX TT Description: Serial Number: 1UJBC0AJ1S1YH0338 State: You have 72 hours to complete and return this form to the Manufacturer. To the Dealer: This unit was shipped with the items noted in the left hand column listed below. Dealer Acceptance Form Area Note non-transportation damage or shortages **Unit Options USA STANDARDS** CUSTOMER VALUE PACKAGE NO STX EDITION OVERLANDER SOLAR PACKAGE 13,500 BTU ROOF MOUNTED AC METAL SIDEWALL IENCLOSED UNDERBELLY **BLACK SPOKE RIMS** Dealer delivery acceptance declaration. Received by: (Please print) Signature: Date: James Edylardson Jiz. 3-22-25

Serial Number: 1UJBC0AJ1S1YH0338

This updated wheel torque chart replaces the wheel torque chart printed in your Owner's manual. The information in this new wheel torque chart MUST BE USED due to newly available vendor component parts that may be incorporated on your new RV."

**DATE EFFECTIVE: JULY 2018** 

Thank you for purchasing your new RV! Our goal is to continuously improve our products and maintain our reputation as the premier manufacturer


of recreation vehicles.

### WHEEL LUG NUT DIAGRAMS:









4-Lug Nuts

5-Lug Nuts

Criss-cross "star" patterns, as shown, must be followed during the tightening sequence.

## WHEEL TORQUE INSTRUCTIONS:

- 1. Startlug nuts with fingers on study to avoid cross threading.
- 2. Stage 1, Torque: Impact lug nuts in a star pattern\* until snug to rim w/appropriate torque stick. -- See Wheel Lug Nut Diagram
- 3. Stage 2, Torque: Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torquing process for control purposes. --See Wheel Lug Nut Torque Chart and Wheel Lug Nut Diagram
- 4. Stage 3 & 4 Torque: Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torqueing process for control purposes. —See Wheel Lug Nut Torque Chart and Wheel Lug Nut Diagram
- Confirmation Torque Audit: Every 10th unit produced must be verified for torque using a calibrated torque wrench.

wneel r	uq Nut 10	i que Ci	Idit.				
Lug Nuts	Stud Size Grade 8	Rim	Туре	Stage 1 PRE Assembly Impact torque Stick To allow for 45 to 90 Degrees rotation to click.  At wheel install (Floor Dept.)	Stage 2 FINAL Assembly Torque Wrench Approx. 45 to 90 degrees of rotation Tires on Floor (Floor Dept.)	Stages 3 & 4 Intermediate/Final Set Torque Wrench Tires on Floor (Midline & End of Line)	Acceptable Torque Audit Range ftlbs.
4-Lug	1⁄2"-20	12"	Steel /Alum	45 ftlbs. Torque Stick	70 ftlbs.	70 ftlbs.	65 - 85
5-Lug	1⁄2"-20	13"	Steel / Alum_	45 ftlbs. Torque Stick	70 ftlbs.	70 ftlbs.	65 - 85
5-Lug	1/2"-20	14"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
5-Lug	1⁄2"-20	15"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
6-Lug	1/2"-20	15"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
6-Lug	1⁄2"-20	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
8-Lug	1⁄2"-20	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
8-Lug	9/16"-18	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150


## Transportation Instructions:

- Digital or Dial Torque Wrenches are recommended. Also applies to any service involving wheel or lug removal, during the life of the recreational vehicle.
- Prior to travel and after excessive braking, all wheel lug nuts must be checked for torque. Torque readings must fall within the Acceptable Torque Range. -See Wheel Lug Nut Torque Chart
- Torque specifications, must be checked by using a torque wrench.
- If Torque falls below the "Torque Audit Range", additional torque is required. -- See Wheel Torque Instructions and Wheel Lug Nut Diagram for the correct pattern and recommended final torque value. Repeat torque one more time.
- During travel, wheel lug nuts must be checked and re-torqued, as required, after the first, 10 miles, 25 miles, 50 miles, then periodically during travel (16 kilometers, 40 kilometers, 80 kilometers, then periodically during travel).-- See Wheel Torque Instructions and Wheel Lug Nut Diagram for the correct pattern and recommended final torque value.

Failure to follow these instructions may result in wheel loss, an accident, or loss of control, resulting in death or serious injury.

Please note: Information on this flier is the latest available at the time of printing. The manufacturer reserves the right to make changes and to discontinue models without notice or obligation. Nothing in this flier creates any warranty, either expressed or implied, nor does it cover every possible detail of equipment, standard or option, installed on or in your RV. Contact your dealer for further assistance.

## Jay Flight SLX





Model Year: 2025 Dealer Name: BISH'S RV OF TRAVERSE CITY

705 US-31 S

TRAVERSE CITY, MI 49685

## **Standard Equipment**

quides

## THE FOLLOWING ITEMS ARE STANDARD ON THIS MODEL

## STANDARD EXTERIOR EQUIPMENT

- 30-amp service 8,000 BTU wall mount A/C (single axle models)
- Axles with electric, self-adjusting brakes and
- easy-lube hubs
   Exterior cable TV hookup
- Fully-integrated A-frame
- Galvanized-steel, impact resistant wheel wells Large exterior downspouts
- LP quick connect (outside grill prep) Magnum Truss™ Roof System Nitrogen filled radial tires

- PVC roofing membrane (limited lifetime warranty)

## OPTIONAL EQUIPMENT INSTALLED ON THIS VEHICLE BY MANUFACTURER

Base price	23,993.00
USA STANDARDS	n/c
CUSTOMER VALUE PACKAGE	5,250.00
NO STX EDITION	n/c
OVERLANDER SOLAR PACKAGE	593.00
13,500 BTU ROOF MOUNTED	
AC	593.00
METAL SIDEWALL	n/c
ENCLOSED UNDERBELLY	210.00
BLACK SPOKE RIMS	n/c

## CUSTOMER VALUE PACKAGE (MANDATORY)

Residential-style hidden cabinet door hinges
 Residential-style kitchen countertops

- 8 cu. ft. 12V refrigerator - AM/FM/Bluetooth® stereo

Digital TV antenna

Queen mattress

High rise kitchen faucet

- Backup camera prep
- Bathroom skylight
   Bathroom vent
- Detachable power cord
- Entry door with window and shade prep Fitted bed sheet

STANDARD INTERIOR EQUIPMENT - 300 lb. rated single bunk beds - 600 lb. rated double bunk beds

Marine-grade toilet with foot flush
 Plywood bed platforms

Vinyl flooring throughout
 Wood-trimmed mirror in bathroom

- Heavy-duty, 75 lb., full-extension, steel ball-bearing drawer

Shower curtain with curved shower track (select models) Solid hardwood cabinet doors with screwed stile construction and hidden hinges

- Filed bed sirelt
   G20 dark tinted privacy windows
   Keyed-Alike™ entry and baggage doors
   Large folding entry door grab handle
   LED interior and exterior lights
   Marine grade exterior stereo speakers

- On-demand tankless water heater
   Power awning with LED lights
- Range hood Solid Step® entry steps Spare tire with cover

- Tub/shower surround
- Window shades

## **Optional Equipment**

**UNIT TOTAL** 

30.639.00

DEALER INSTALLED OPTIONS

# Manufacturer's Suggested Retail Price

\$30,639.00

TOTAL AMOUNT DOES NOT INCLUDE STATE AND LOCAL TAXES OR LICENSE FEES. THE PRICE SHOWN ABOVE MAY OR MAY NOT BE REPRESENTATIVE OF THE ACTUAL SELLING PRICE OF SIMILAR RECREATIONAL VEHICLES IN YOUR AREA.





## UVW 3694 lbs



# **Sleeps**

**CAPACITIES** 



### DIMENSIONS

	0711 71011120
Exterior height:123.00"	Fresh water tank (gals.):30.00
Exterior width:96.00"	Gray water tank (gals.):19.90
WEIGHTS	Black water/toilet tank
GVWR:4750	(gals):19.90
GAWR (front):	Propane (lbs.):20
GAWR (rear):0	Propane (gals.):4
Approx. Gross Cargo Carrying	Water heater (gals.):0.25
Capacity(GCCC):	SEATING & SLEEPING

## **TIRES**

Tire size	(front):ST225/75R15E
Tire size	(mid):
	(rear):
Tire size	(spare):ST225/75R15E



<sup>\*\*\*</sup>Some dimensions may be rounded and may vary from the acutal dimensions\*\*\* \*\*\*Weights may be estimated calculations and may vary from the actual weight

Floorplans, features and specifications are subject to change without notice.

<sup>-</sup> refer to the vehicle weight labels for actual weights\*\*\*