

**CERTIFICATE OF ORIGIN FOR A VEHICLE**



DATE  
**02/14/2025**

INVOICE NO.  
**004643000**

VEHICLE IDENTIFICATION NO.  
**1UJBC0AJXS1YH0337**

YEAR MAKE  
**2025 Jay Flight**

BODY TYPE  
**Jayco Travel Trailer**

SHIPPING WEIGHT  
**3,694**

H.P. (S.A.E.)  
**N/A**

G.V.W.R.  
**4,750**

NO. CYLS.  
**N/A**

SERIES OR MODEL  
**160LK JAY FLIGHT SLX TT**

Length w/ Hitch  
**257"**

Length (Net)  
**213"**

Width  
**96"**

Sq. Ft.  
**150**

I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle described above is the property of the said company, firm or corporation and is transferred on the above date and under the Invoice Number indicated to the following distributor or dealer.  
NAME OF DISTRIBUTOR, DEALER, ETC.

**BRV TRAVERSE CITY LLC DBA;  
BISH'S RV OF TRAVERSE CITY  
705 US-31 S  
TRAVERSE CITY, MI 49685  
USA**

If the vehicle described hereon is a motor home the undersigned certifies that it is equipped with at least four of the following life support systems; cooking, refrigeration or ice box, self-contained toilet, heating and/or air conditioning, a potable water supply system including a faucet and sink, separate 110-115 volt electrical power supply and/or an LP gas supply, all of which meet the ANSI A119.2 standards.

It is further certified that this was the first transfer of such new vehicle in ordinary trade and commerce.

**JAYCO, INC.**

BY:  \_\_\_\_\_ PRESIDENT  
(SIGNATURE OF AUTHORIZED REPRESENTATIVE) (AGENT)

**JA1117488**

**MIDDLEBURY, INDIANA 46540**

CITY STATE

	<p>Each undersigned seller certifies to the best of his knowledge, information and belief under penalty of law that the vehicle is new and has not been registered in this or any state at the time of delivery and the vehicle is not subject to any security interests other than those disclosed herein and warrant title to the vehicle.</p> <p><b>FOR VALUE RECEIVED I TRANSFER THE VEHICLE DESCRIBED ON THE FACE OF THIS CERTIFICATE TO:</b></p>
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 1	<p>NAME OF PURCHASER(S) _____</p> <p>ADDRESS _____</p> <p>I certify to the best of my knowledge that the odometer reading is _____ No Tenths</p> <p>DEALER _____ BY: _____</p> <p><small>NAME OF DEALERSHIP DEALER LICENSE NUMBER</small></p> <p>Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me on this date _____</p> <p>State of _____ Notary Public</p> <p>County of _____</p> <p><b>USE NOTARIZATION ONLY IF REQUIRED IN TITLING JURISDICTION</b></p>
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 2	<p>NAME OF PURCHASER(S) _____</p> <p>ADDRESS _____</p> <p>I certify to the best of my knowledge that the odometer reading is _____ No Tenths</p> <p>DEALER _____ BY: _____</p> <p><small>NAME OF DEALERSHIP DEALER LICENSE NUMBER</small></p> <p>Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me on this date _____</p> <p>State of _____ Notary Public</p> <p>County of _____</p> <p><b>USE NOTARIZATION ONLY IF REQUIRED IN TITLING JURISDICTION</b></p>
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 3	<p>NAME OF PURCHASER(S) _____</p> <p>ADDRESS _____</p> <p>I certify to the best of my knowledge that the odometer reading is _____ No Tenths</p> <p>DEALER _____ BY: _____</p> <p><small>NAME OF DEALERSHIP DEALER LICENSE NUMBER</small></p> <p>Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me on this date _____</p> <p>State of _____ Notary Public</p> <p>County of _____</p> <p><b>USE NOTARIZATION ONLY IF REQUIRED IN TITLING JURISDICTION</b></p>
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 4	<p>NAME OF PURCHASER(S) _____</p> <p>ADDRESS _____</p> <p>I certify to the best of my knowledge that the odometer reading is _____ No Tenths</p> <p>DEALER _____ BY: _____</p> <p><small>NAME OF DEALERSHIP DEALER LICENSE NUMBER</small></p> <p>Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me on this date _____</p> <p>State of _____ Notary Public</p> <p>County of _____</p> <p><b>USE NOTARIZATION ONLY IF REQUIRED IN TITLING JURISDICTION</b></p>
ODOMETER DISCLOSURE FOR RETAIL SALE	<p>Federal Law requires you to state the odometer mileage in connection with the transfer of ownership. Failure to complete or providing a false statement may result in fines and/or imprisonment.</p> <p>I certify to the best of my knowledge that the odometer reading is the actual mileage of the vehicle unless one of the following statements is checked. Odometer Reading _____ No Tenths. <input type="checkbox"/> The mileage stated is in excess of its mechanical limits. <input type="checkbox"/> The odometer reading is not the actual mileage.</p> <p><b>WARNING ODOMETER DISCREPANCY</b></p> <p>Signature(s) of Seller(s) _____ Date of Statement _____ Date of Sale _____</p> <p>Printed Name(s) of Seller(s) _____ Dealer's No. _____</p> <p>Signature of Purchaser(s) _____ Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me on this date _____</p> <p>Printed Name(s) of Purchaser(s) _____ Notary Public</p> <p>Company Name (If Applicable) _____ State of _____</p> <p>Address of Purchaser(s) _____ County of _____</p> <p><b>USE NOTARIZATION ONLY IF REQUIRED IN TITLING JURISDICTION</b></p>
LIENHOLDER	<p>1st lien in favor of _____</p> <p>whose address is _____</p> <p>2nd lien in favor of _____</p> <p>whose address is _____</p>

Description: 160LK JAY FLIGHT SLX TT  
 Serial Number: 1UJBC0AJXS1YH0337

Dealer Name: BISH'S RV OF TRAVERSE CITY  
 State: MI

You have 72 hours to complete and return this form to the Manufacturer. To the Dealer: This unit was shipped with the items noted in the left hand column listed below.

Dealer Acceptance Form Area

Unit Options	Note non-transportation damage or shortages
USA STANDARDS	- Coupler paint needs touch-up
CUSTOMER VALUE PACKAGE	- wires loose at DC breakers
NO STX EDITION	- bubble in "y" letter decal on front of unit
OVERLANDER SOLAR PACKAGE	- paint scratch inside rear DS compartment
13,500 BTU ROOF MOUNTED AC	- Clearance lights lacking sealant on both sides of unit
METAL SIDEWALL	- ODS rear corner molding lacking sealant
ENCLOSED UNDERBELLY	- Dent on ODS siding below slide-out above wheel arch from inside-out
BLACK SPOKE RIMS	- Cord on side of couch should be re-located
	- Trim not fully seated on RH side of fridge
	- Trim not fully seated on exterior of cabinet below kitchen sink
	- Lower RH side of shower surround bulged out
	- Trim on front face of bathroom sink not fully seated in corners
	- Trim on LH side of shower not fully seated at top or bottom
	- Trim not fully seated on lower outside edge of kitchen counter behind drawers

Dealer delivery acceptance declaration. Received by: (Please print)

Daniel Mills

Date:

3/26/25

Signature:

D. King

Serial Number: 1UJBC0AJXS1YH0337

Upload on dealer portal

LANE

Load/trip #: 421961 PS ORD. #: \_\_\_\_\_

Driver: \_\_\_\_\_ Id #: \_\_\_\_\_ Truck: \_\_\_\_\_ Trailer: \_\_\_\_\_ Dispatch Date: \_\_\_\_\_

SHIP TO

Dealer name: BISH'S RV OF TRAVERSE CITY

Point of Dispatch: MIDDLEBURY

Ship Instructions: \_\_\_\_\_

Address: 705 US-31 S  
City/State/Zip: TRAVERSE CITY, MI 49685  
USA

Dealer PO: 89707

Dealer Notes:

Dealer contact:

EA EXCLUSIVE DEALER

Phone:

Equipment Type: DPU

Shipment Method: DPU

DPU/CPU Pickup date: \_\_\_\_\_

Order#	Serial#	Model Description	Retail Sold	WH
004643000	1UJBC0AJXS1YH0337	160LK JAY FLIGHT SLX TT	UNIT	05

DELIVERY INSTRUCTIONS

Business Hours Contacts  
Credit 800-825-8411

WASH CHARGE: .00

The driver must sign and leave copy of this form.

**LIABILITY AND PAYMENT: DELIVERY OF UNIT SHALL BE FOB MANUFACTURING FACILITY.**  
THEREFORE, THE DEALER IS CONSIDERED TO HAVE ACCEPTED DELIVERY OF THIS UNIT AS OF THE DATE SIGNED BELOW BY THE NAMED TRANSPORTER, AN AGENT OF THE DEALER. AT THE TIME THE UNIT IS TRANSFERRED TO THE TRANSPORTER, THE DEALER AUTHORIZES RELEASE OF PAYMENT FROM THE DEALER'S FLOORING SOURCE TO JAYCO/STARCRAFT/HIGHLAND RIDGE.

DRIVER SIGNATURE: 

DATE: 3-26-25

# IMPORTANT NOTICE

This updated wheel torque chart replaces the wheel torque chart printed in your Owner's manual. The information in this new wheel torque chart **MUST BE USED** due to newly available vendor component parts that may be incorporated on your new RV."

**DATE EFFECTIVE: JULY 2018**

## WHEEL LUG NUT DIAGRAMS:




4-Lug Nuts



5-Lug Nuts



6-Lug Nuts



8-Lug Nuts

*Criss-cross "star" patterns, as shown, must be followed during the tightening sequence.*

Thank you for purchasing your new RV! Our goal is to continuously improve our products and maintain our reputation as the premier manufacturer of recreation vehicles.

## WHEEL TORQUE INSTRUCTIONS:

1. Start lug nuts with fingers on studs to avoid cross threading.
2. **Stage 1, Torque:** Impact lug nuts in a star pattern\* until snug to rim w/appropriate torque stick. -- See *Wheel Lug Nut Diagram*
3. **Stage 2, Torque:** Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torquing process for control purposes. --See *Wheel Lug Nut Torque Chart* and *Wheel Lug Nut Diagram*
4. **Stage 3 & 4 Torque:** Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torquing process for control purposes. --See *Wheel Lug Nut Torque Chart* and *Wheel Lug Nut Diagram*
5. **Confirmation Torque Audit:** Every 10th unit produced must be verified for torque using a calibrated torque wrench.

### Wheel Lug Nut Torque Chart:

Lug Nuts	Stud Size Grade 8	Rim	Type	Stage 1 PRE Assembly Impact torque Stick To allow for 45 to 90 Degrees rotation to click.  At wheel install (Floor Dept.)	Stage 2 FINAL Assembly  Torque Wrench Approx. 45 to 90 degrees of rotation Tires on Floor (Floor Dept.)	Stages 3 & 4 Intermediate/Final Set  Torque Wrench  Tires on Floor (Midline & End of Line)	Acceptable Torque  Audit Range ft.-lbs.
4-Lug	½"-20	12"	Steel / Alum	45 ft.-lbs. Torque Stick	70 ft.-lbs.	70 ft.-lbs.	65 - 85
5-Lug	½"-20	13"	Steel / Alum	45 ft.-lbs. Torque Stick	70 ft.-lbs.	70 ft.-lbs.	65 - 85
5-Lug	½"-20	14"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150
5-Lug	½"-20	15"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150
6-Lug	½"-20	15"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150
6-Lug	½"-20	16"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150
8-Lug	½"-20	16"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150
8-Lug	9/16"-18	16"	Steel / Alum	65 ft.-lbs. Torque Stick	120 ft.-lbs.	120 ft.-lbs.	100 - 150

## Transportation Instructions:

\*Digital or Dial Torque Wrenches are recommended. Also applies to any service involving wheel or lug removal, during the life of the recreational vehicle.

1. Prior to travel and after excessive braking, all wheel lug nuts must be checked for torque. Torque readings must fall within the Acceptable Torque Range. --See *Wheel Lug Nut Torque Chart*
2. Torque specifications, must be checked by using a torque wrench.
3. If Torque falls below the "Torque Audit Range", additional torque is required. -- See *Wheel Torque Instructions* and *Wheel Lug Nut Diagram* for the correct pattern and recommended final torque value. Repeat torque one more time.
4. During travel, wheel lug nuts must be checked and re-torqued, as required, after the first, 10 miles, 25 miles, 50 miles, then periodically during travel (16 kilometers, 40 kilometers, 80 kilometers, then periodically during travel).-- See *Wheel Torque Instructions* and *Wheel Lug Nut Diagram* for the correct pattern and recommended final torque value.

Failure to follow these instructions may result in wheel loss, an accident, or loss of control, resulting in death or serious injury.

Please note: Information on this flier is the latest available at the time of printing. The manufacturer reserves the right to make changes and to discontinue models without notice or obligation. Nothing in this flier creates any warranty, either expressed or implied, nor does it cover every possible detail of equipment, standard or option, installed on or in your RV. Contact your dealer for further assistance.



# Jay Flight SLX



Serial #: 1UJBC0AJXS1YH0337  
 Model: 160LK JAY FLIGHT SLX TT

Model Year: 2025 Dealer Name: BISH'S RV OF TRAVERSE CITY  
 705 US-31 S  
 TRAVERSE CITY, MI 49685  
 USA

**Manufacturer's Suggested Retail Price \$30,639.00**

TOTAL AMOUNT DOES NOT INCLUDE STATE AND LOCAL TAXES OR LICENSE FEES. THE PRICE SHOWN ABOVE MAY OR MAY NOT BE REPRESENTATIVE OF THE ACTUAL SELLING PRICE OF SIMILAR RECREATIONAL VEHICLES IN YOUR AREA.



**UVW** 3694 lbs **Sleeps** 2 **Length** 21' 5"

### DIMENSIONS

Exterior height:.....123.00"  
 Exterior width:.....96.00"

### WEIGHTS

GVWR:.....4750  
 GAWR (front):.....4400  
 GAWR (rear):.....0  
 Approx. Gross Cargo Carrying Capacity(GCCC):.....1056

### TIRES

Tire size (front):.....ST225/75R15E  
 Tire size (mid):.....  
 Tire size (rear):.....  
 Tire size (spare):.....ST225/75R15E

### CAPACITIES

Fresh water tank (gals.):...30.00  
 Gray water tank (gals.):...19.90  
 Black water/toilet tank (gals.):...19.90  
 Propane (lbs.):.....20  
 Propane (gals.):.....4  
 Water heater (gals.):.....0.25

### SEATING & SLEEPING

## Standard Equipment

THE FOLLOWING ITEMS ARE STANDARD ON THIS MODEL

## Optional Equipment

OPTIONAL EQUIPMENT INSTALLED ON THIS VEHICLE BY MANUFACTURER

- STANDARD EXTERIOR EQUIPMENT**
- 30-amp service
  - 8,000 BTU wall mount A/C (single axle models)
  - Axles with electric, self-adjusting brakes and easy-lube hubs
  - Exterior cable TV hookup
  - Fully-integrated A-frame
  - Galvanized-steel, impact resistant wheel wells
  - Large exterior downspouts
  - LP quick connect (outside grill prep)
  - Magnum Truss™ Roof System
  - Nitrogen filled radial tires
  - PVC roofing membrane (limited lifetime warranty)

- STANDARD INTERIOR EQUIPMENT**
- 300 lb. rated single bunk beds
  - 600 lb. rated double bunk beds
  - Digital TV antenna
  - Heavy-duty, 75 lb., full-extension, steel ball-bearing drawer guides
  - High rise kitchen faucet
  - Marine-grade toilet with foot flush
  - Plywood bed platforms
  - Queen mattress
  - Residential-style hidden cabinet door hinges
  - Residential-style kitchen countertops
  - Shower curtain with curved shower track (select models)
  - Solid hardwood cabinet doors with screwed stile construction and hidden hinges
  - Vinyl flooring throughout
  - Wood-trimmed mirror in bathroom

- CUSTOMER VALUE PACKAGE (MANDATORY)**
- 8 cu. ft. 12V refrigerator
  - AM/FM/Bluetooth® stereo
  - Backup camera prep
  - Bathroom skylight
  - Bathroom vent
  - Detachable power cord
  - Entry door with window and shade prep
  - Fitted bed sheet
  - G20 dark tinted privacy windows
  - Keyed-Alike™ entry and baggage doors
  - Large folding entry door grab handle
  - LED interior and exterior lights
  - Marine grade exterior stereo speakers
  - Microwave oven
  - On-demand tankless water heater
  - Power awning with LED lights
  - Range hood
  - Solid Step® entry steps
  - Spare tire with cover
  - Stabilizer jacks
  - Tub/shower surround
  - Window shades

Base price	23,993.00
USA STANDARDS	n/c
CUSTOMER VALUE PACKAGE	5,250.00
NO STX EDITION	n/c
OVERLANDER SOLAR PACKAGE	593.00
13,500 BTU ROOF MOUNTED AC	593.00
METAL SIDEWALL	n/c
ENCLOSED UNDERBELLY	210.00
BLACK SPOKE RIMS	n/c

UNIT TOTAL **30,639.00**

DEALER INSTALLED OPTIONS

\*\*\*Some dimensions may be rounded and may vary from the actual dimensions\*\*\*

\*\*\*Weights may be estimated calculations and may vary from the actual weight - refer to the vehicle weight labels for actual weights\*\*\*

Floorplans, features and specifications are subject to change without notice.

