

DATE /28/2025

004755026

VEHICLE IDENTIFICATION NO. 1UJBC0BP8T16X0145

Jay Flight 2026

Jayco Travel Trailer

SHIPPING WEIGHT 6,374

261BHS JAY FLIGHT SLX TT

Length w/ Hitch 364"

Length (Net) 324"

Width 96"

Sq. Ft.

I, the undersigned authorized representative of the company firm or corporation named below, hereby certify that the new vehicle described above is the property of the said company, firm or corporation and is transferred on the above date and under the Invoice Number indicated to the following distributor or dealer.

BRV TRAVERSE CITY LLC DBA;
BISH'S RV OF TRAVERSE CITY
705 US-31 S
TRAVERSE CITY, MI 49685

USA

If the vehicle described hereon is a motor home the undersigned certifies that it is equipped with at least four of the following life support systems; cooking, refrigeration or ice box, self-contained toilet, heating and/or air conditioning, a potable water supply system including a faucet and sink, separate 110-115 volt electrical power supply and/or an LP gas supply, all of which meet the ANSI A119.2 standards.

It is further certified that this was the first transfer of such new vehicle in ordinary trade and commerce.

JAYCO, INC.

PRESIDENT

(SIGNATURE OF AUTHORIZED REPRESENTATIVE)

(AGENT)

JA1121919

MIDDLEBURY, INDIANA 46540

CITY - STATE

	Each undersigned seller conflict to the best	of his knowledge, information and	belief under penalty of law that the vahicle is new and has not be- way interests other then those discloped herein and warrant tills to	in registered in
	FOR VALUE RECEI	VED I TRANSFER THE VEHICLE	DESCRIBED ON THE FACE OF THIS CERTIFICATE TO:	and venicle.
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 1	NAME OF PURCHASER(S)			
	ADDRESS			
무등	I certify to the best of my Knowledge tha	the odometer reading is		No Tenths
Ž L	DEALED.		BY	140 tennis
55	DENLESS KAME OF DEAL ENGINE	CRACEMETICEAUSE NOMBER	Being duly sworn upon oath says that the statements	
EN S	State of		set forth are true and consci. Subscribed and swom before one	
SSI	County of		on this deto	
□ 4		USE NOTARIZATION CINLY IF REC	DUIRED IN TITLING JURISDICTION Notary Public	
E 2	NAME OF PURCHASER(S)			-
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 2	ADDRESS			
O W	I certify to the best of my knowledge that	the adometer reading in		No Tenths
Z Z			97	No lemms
58	DEALER NUME OF DEALERS OF	THE RESIDENCE OF THE PARTY OF T	Being duly swom upon oath says that the statements	TV VIE
	State of		net forth are true and correct. Subscribed end swom before me	
SS	County of		on this date	
A C		USE NOTABIZATION ONLY IF REC	DUIRED IN TITUNIA SURISDICTION	
E 60	NAME OF			V. X.
	PURCHASER(S)			
38	ADDRESS			
ZZ	I certify to the best of my knowledge that		BV:	No Tenths
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 3	NAME OF DEALERSHIP	DENLERS LICENSE NUMBER	Being duly sworn upon only says that the statements	
	State of		set firm in true and correct. Superibled and swom before me	
	County of		on this date	
AS		USE NOTARIZATION ONLY IF REC	Motin Public Pub	
w 4	NAME OF			
DISTRIBUTION-DEALER ASSIGNMENT NUMBER 4	PURCHASER(S)			
MB	ADDRESS			
ŽŽ	I certify to the best of my knowledge that			No Tenths
	DEALER NAME OF DEALERSHIP	DEALERS LICENSE NUMBER	BY:	
			Being duly sworn upon oath says that the statements set forth are true and correct. Subscribed and sworn before me	
SIG	State of		on this date	
S D	County of	LIGHTANIZATION ON VISION	Notary Public	
	Federal Law requires you to state the odors	USE NOTARIZATION ONLY IF REC	transfer of ownership. Failure to complete or providing in false is	Officeration would
	make the law files of the state			
	esam to lifere arabete in observation			
	l certify to the best of my incided as the	obornater resorn; is the adular mee offini. Cl'The milicage stated in in exc	and they are restricted in restricted in the control of the same and the same	divisi souther bearing
	l certify to the best of my incided as the	ocomage resum is the actual rise within El The milicage stated in in axi	Ress of 48 milichtwical limits. (2) The odomister reliding is not the 46 WARNING ODOMETER DIS	divisi souther bearing
	l cestifición de la conferencia del la conferenci	effol, LETTRE milicage stated in in exc	Date of Statement	divisi souther bearing
	Locally to the best of my knowledge that the Reading No Tell Signature(s) of Seller(s)  Printed Name(s) of Seller(s)	effol, LETTRE milicage stated in in exc	Ress of 49 milichtwical limits. (2) The odomister residing is not the 46 WARNING ODOMETER DIS	divisi souther bearing
	Frinted Name(s) of Seller(s)  Signature of Purchaser(s)	Dealer's No	Date of Statement Date of Sale	divisi souther bearing
	locally to the best of my showledge that the Reaching No Te Sign Mure(s) of Seller(s) Printed Name(s) of Seller(s) Signature of Purchaser(s) Printed Name(s) of Purchaser(s)	Dealer's No	Date of Statement Date of Sale	divisi souther bearing
	Printed Name(s) of Purchaser(s)  Printed Name(s) of Seller(s)  Signature of Purchaser(s)  Printed Name(s) of Purchaser(s)  Company Name (If Applicable)	Dealer's No	Date of Statement	divisi souther bearing
	I result to the best of my solvedge that he Reading.  Sign studies of Seller(s).  Printed Name(s) of Seller(s).  Signature of Purchaser(s).  Printed Name(s) of Purchaser(s).  Company Name (If Applicable).  Address of Purchaser(s).	Dealer's No	Date of Statement Date of Statements set forth are true and correct. Subscribed and swom before me on this date    Notice   Notic	divisi souther bearing
ODOMETER DISCLOSURE FOR RETAIL SALE	Printed Name(s) of Purchaser(s) Printed Name(s) of Seller(s) Signature of Purchaser(s) Printed Name(s) of Purchaser(s) Printed Name(s) of Purchaser(s) Company Name (If Applicable) Address of Purchaser(s)	Dealer's No	Date of Statement Date of Statements set forth are true and correct. Subscribed and swom before me on this date    Notice   Notic	divisi souther bearing
ODOMETER DISCLOSURE FOR RETAIL SALE	Printed Name(s) of Purchaser(s) Printed Name(s) of Seller(s) Signature of Purchaser(s) Printed Name(s) of Purchaser(s) Company Name (If Applicable) Address of Purchaser(s)	Dealer's No	Date of Statement Date of Statements set forth are true and correct. Subscribed and swom before me on this date    Notice   Notic	divisi souther bearing
ODOMETER DISCLOSURE FOR RETAIL SALE	I result to the best of my sookedes that he Reading.  Sign thre(s) of Seller(s).  Printed Name(s) of Seller(s).  Signature of Purchaser(s).  Printed Name(s) of Purchaser(s).  Company Name (If Applicable).  Address of Purchaser(s).	Dealer's No  Dealer's No  USE NOTARIZATION ONLY IF REC	Date of Statement Date of Statements set forth are true and correct. Subscribed and swom before me on this date    Notice   Notic	divisi souther bearing
HE.	I result to the best of my sookedes that he Reading.  Sign thre(s) of Seller(s).  Printed Name(s) of Seller(s).  Signature of Purchaser(s).  Printed Name(s) of Purchaser(s).  Company Name (If Applicable).  Address of Purchaser(s).	Dealer's No	Date of Statement Date of Statements set forth are true and correct. Subscribed and swom before me on this date    Notice   Notic	divisi souther bearing

JAYCO INC

97108

Description: 261BHS JAY FLIGHT SLX TT Dealer Name: BISH'S RV OF TRAVERSE CITY Serial Number: 1UJBC0BP8T16X0145 State: You have 72 hours to complete and return this form to the Manufacturer. To the Dealer: This unit was shipped with the items noted in the left hand column listed below. Dealer Acceptance Form Area **Unit Options** Note non-transportation damage or shortages USA STANDARDS door under couch CUSTOMER VALUE PACKAGE OVERLANDER SOLAR PACKAGE ELITE PACKAGE 15,000 BTU ROOF MOUNTED AC NO 2ND AC 130 AMP SERVICE JACK KNIFE SOFA Gouge in facia on side out Dealer delivery acceptance declaration. Received by: (Please print) Signature: Serial Number: 1UJBC0BP8T16X0145

Upload on dealer portal

# Ready to Ship Advice

   Load/trip #: 4790	069	PS ORD. #:		<b>-</b> 8		
	ld #:			iler:	Dispatch Date: _	
SHIP TO				Middlebury		
Dealer name:	BISH'S RV OF TRAVE	ERSE CITY				
Address: City/State/Zip:	705 US-31 S TRAVERSE CITY, MI USA	49685	Dealer PO: 97108 Dealer Notes:	8		
Dealer contact: Phone: Equipment Type Shipment Metho		EA PU Pickup date:	EXCLUSIVE DEA	ALER		
Order#	Serial#	Model D	escription	Retail So	old	WH
004725026	1UJBC0BP8T16X0145	261BHS JAY F	FLIGHT SLX TT	UNIT		04
		DELIVE	RY INSTRUCTIONS	S		
Business Hours Credit 800-825-8		WASH (	CHARGE:	.00		
<u>LIABILITY AND F</u> THEREFORE, TH SIGNED BELOW TRANSFERRED	PAYMENT: DELIVERY CHE DEALER IS CONSIDER THE NAMED TRANTOTHE TRANSPORTED FING SOURCE TO JAY	DE UNIT SHALL BI ERED TO HAVE A SPORTER, AN AGEN, THE DEALER-	ACCEPTED DELIVE GENT OF THE DEA AUTHORIZES REL	ERY OF THIS UNIT AS ALER. AT THE TIME TH EASE OF PAYMENT F E.	IE UNIT IS	`

	*			

This updated wheel torque chart replaces the wheel torque chart printed in your Owner's manual. The information in this new wheel torque chart MUST BE USED due to newly available vendor component parts that may be incorporated on your new RV."

## **DATE EFFECTIVE: JULY 2018**

Thank you for purchasing your new RV! Our goal is to continuously improve our products and maintain our reputation as the premier manufacturer

of recreation vehicles.

## WHEEL LUG NUT DIAGRAMS:









4-Lug Nuts

5-Lug Nuts

Criss-cross "star" patterns, as shown, must be followed during the tightening sequence.

## WHEEL TORQUE INSTRUCTIONS:

- 1. Startlug nuts with fingers on study to avoid cross threading.
- 2. Stage 1, Torque: Impact lug nuts in a star pattern\* until snug to rim w/appropriate torque stick. -- See Wheel Lug Nut Diagram
- 3. Stage 2, Torque: Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torquing process for control purposes. --See Wheel Lug Nut Torque Chart and Wheel Lug Nut Diagram
- 4. Stage 3 & 4 Torque: Use calibrated torque wrench to torque each lug nut, in a star pattern, to the values indicated. Wheels must remain stationary during torqueing process for control purposes. —See Wheel Lug Nut Torque Chart and Wheel Lug Nut Diagram
- 5. Confirmation Torque Audit: Every 10th unit produced must be verified for torque using a calibrated torque wrench.

### Wheel Lug Nut Torque Chart:

Lug Nuts	Stud Size Grade 8	Rim	Туре	Stage 1 PRE Assembly Impact torque Stick To allow for 45 to 90 Degrees rotation to click.  At wheel install (Floor Dept.)	Stage 2 FINAL Assembly Torque Wrench Approx. 45 to 90 degrees of rotation Tires on Floor (Floor Dept.)	Stages 3 & 4 Intermediate/Final Set Torque Wrench Tires on Floor (Midline & End of Line)	Acceptable Torque Audit Range ftlbs.
4-Lug	1⁄2"-20	12"	Steel /Alum	45 ftlbs, Torque Stick	70 ftlbs.	70 ftlbs.	65 - 85
5-Lug	1⁄2"-20	13"	Steel / Alum	45 ftlbs. Torque Stick	70 ftlbs.	70 ft,-lbs.	65 - 85
5-Lug	1/2"-20	14"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
5-Lug	1/2"-20	15"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
6-Lug	1⁄2"-20	15"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
6-Lug	1/2"-20	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
8-Lug	1⁄2"-20	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs.	100 - 150
8-Lug	9/16"-18	16"	Steel / Alum	65 ftlbs. Torque Stick	120 ftlbs.	120 ftlbs	100 - 150

## Transportation Instructions

\*Digital or Dial Torque Wrenches are recommended. Also applies to any service involving wheel or lug removal, during the life of the recreational vehicle.

- Prior to travel and after excessive braking, all wheel lug nuts must be checked for torque. Torque readings must fall within the Acceptable Torque Range. -- See Wheel Lug Nut Torque Chart
- Torque specifications, must be checked by using a torque wrench.
- If Torque falls below the "Torque Audit Range", additional torque is required. -- See Wheel Torque Instructions and Wheel Lug Nut Diagram for the correct pattern and recommended final torque value. Repeat torque one more time.
- During travel, wheel lug nuts must be checked and re-torqued, as required, after the first, 10 miles, 25 miles, 50 miles, then periodically during travel (16 kilometers, 40 kilometers, 80 kilometers, then periodically during travel). -- See Wheel Torque Instructions and Wheel Lug Nut Diagram for the correct pattern and recommended final torque value.

Failure to follow these instructions may result in wheel loss, an accident, or loss of control, resulting in death or serious injury.

Please note: Information on this flier is the latest available at the time of printing. The manufacturer reserves the right to make changes and to discontinue models without notice or obligation. Nothing in this flier creates any warranty, either expressed or implied, nor does it cover every possible detail of equipment, standard or option, installed on or in your RV. Contact your dealer for further assistance

3 2 1 1

36

,



## Jay Flight SLX

1UJBC0BP8T16X0145 Serial #: 261BHS JAY FLIGHT SLX TT Model:

Model Year: 2026 Dealer Name: BISH'S RV OF TRAVERSE CITY

705 US-31 S TRAVERSE CITY, MI 49685 USA

## Standard Equipment

- STANDARD EXTERIOR LOUIFMENT IN COURT AND A COURT AND A

- LP quick connect ourside sure.

  dition!
  Magnum Truss™ Roof System
  Nitrogen filled radial tires
  PVC roofing membrane (limited lifetime warranty)
- USTOMER VALUE PACKAGE (MANDATORY) 8 cu. It. 12V refrigerator AMFM/Blucklooth® storeo Backup camera prep Backup camera prep Bathroom Skylight Bathroom Verit

- Bathroom skylight Eathroom varies cord Eathroom varies cord Entry door with window and shade prep Filed bed sheet. Filed bed sheet Filed bed sheet. Filed bed sheet Large fedding retiry door geb hardels Marine grade oxterior eleres speakers -Microwave over Microwave voer Fangae hord Medifying Step, Above 8 entry steps Stabilizer face Stabilizer face Tubbelsower surround Window stabilizer W

- STANDARD INTERIOR EQUIPMENT
   300 lb. rated single bunk beds
   600 lb. rated double bunk beds
   100 lb. rated double bunk beds
   Digital TV antenna
   Heavy-duly, 75 lb., full-extension, steel ball-bearing drawer
  uiddes

- Heavy-July, 78 lb., full-oxtonator, steen between years and seed to be see

## **Optional Equipment**

## OPTIONAL EQUIPMENT INSTALLED ON THIS VEHICLE BY MANUFACTURER 781.00

32,781.00
n/c
5,250.00
443.00
1,493.00
300.00

300.00 n/c n/c n/c

40,267.00

DEALER INSTALLED OPTIONS

### Manufacturer's Suggested Retail Price \$40,267.00





## UVW 6374 lbs





DIMENSIONS     133.00°	Gray water tank (gals.):39.0 Black water/toilet tank (gals):39.0 Propane (lbs.):4 Propane (gals.):4 Water heater (gals.):0.2
TIRES Tire size (front):ST205/75R14D	

Tire size (spare):.....ST205/75R14D

\*Some dimensions may be rounded and may vary from the acutal dimensions\*\*\* \*\*\*Weights may be estimated calculations and may vary from the actual weight - refer to the vehicle weight labels for actual weights\*\*\* Floorplans, features and specifications are subject to change without notice.

WARRANT

; ;		* .	