



**LANCE**

## NEW FOR 24

Each year since 1965, we look forward to developing and unveiling new RVs.

We have come a long way from our first 500 square foot facility. We have built new products, innovated many industry firsts, and had a ton of fun. We have survived gas crunches, recessions and most recently a pandemic.

We were born in the 1960s, a time when RVing became an extension of the suburban dream and people were experiencing a desire to escape increasingly urban lives. We built our first campers for them.

We came of age with millions of kids in the 1970s. We unveiled extended cab campers and permanent bumpers mounted on campers. Camping was instilled during our formative years, and the desire to continue to share that with future generations is what keeps us pointed north today.

The 80s saw technological advancements. We graduated into our first big time facility and became the first company to incorporate solar panels. We hit the hiking trails in our bright colored fanny packs with Walkman on our ears.

By the late 90s and into the 2000s we moved up to our current home in the high desert of California. We innovated materials with aluminum framing, fiberglass siding. We introduced our travel trailers and the use of industry changing Azdel composite paneling and computer cutting machines.

This year we are taking inventory, focusing on our owners and the memories we have made together over the last 58 years. Our facilities are now closer to ¼ million square feet but our passion for getting outside will never change.

*Today, we build RVs for you!*



# ALL NEW 2565



## SPECIFICATIONS

Floor Length	25'-6"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	30'-5"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	TBD
Axle Weight	TBD
Hitch Weight	TBD
Cargo Capacity (Total)	TBD
Cargo Capacity (Available on Axle)	TBD
GAWR (Per Axle)	4300
GVWR	TBD
Sleeping Capacity (Min./Opt. Max.)	4/5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40



# EXTERIOR HIGHLIGHTS

## WHEN YOU ADD IT ALL UP, THE DOLLARS MAKE SENSE

We have been building RVs for a long time. Nearly 60 years of accumulated knowledge show in a variety of ways, some large like our automated manufacturing building with its fancy CNC machines, but many other things are smaller touches that we spend more time on or invest more money in with the intent of making your RV

experience that much more enjoyable. Throughout this catalog, we hope you see and compare to our competition not only the buzz words but the culmination of the entire experience. So knock on some cabinets, sit down, and take a whiff—after all, you're going to spend a lot of time in this space. We think you'll feel the difference.



### INDUSTRY LEADING ENTRY DOOR AND WINDOWS


Dual Pane Acrylic RV Windows let nature in by fully opening, are lighter and lack the metal frames which build up moisture.

Full 360 framed door stays square independent of the floor, features a heavy duty double-locking system and dual automotive style bulb seal.

Everything from your stabilizer jacks to your slide room and awning can operate at the push of a button. No cranking or getting on your knees.

Standard storage hooks for your truck connection cord and trailer chains keep these items clean and lasting longer.

Utility storage box mounted to exterior rear gives you a place to store your set up kit.



### NOSE, ROOF AND WALLS STAND UP TO MOTHER NATURE

Molded Fiberglass Front Cap W/Formed TPO Lower Gravel Guard and LP Tank Cover lead the charge against the elements.

Tapered Rain Shedding Exterior Ducted Air Roof Design (Ducted A/C N/A 1475/1575 Models) keep moisture from pooling on your roof.

Rear aluminum formed eyebrow and pillar seam caps look nice and provide extra armor from the outdoors.

Dual Layer Azdel!

### EXTERIOR EXTRAS

Power Cord/Water Hose Storage Compartment give you a place to keep necessities and tools safe.

Locking Battery Compartment W/ Sliding Tray keep your batteries accessible to you while also being safe and secure.

2" Utility Receiver allows you additional storage options. Can accommodate bikes, racks or carriers.

Pet Attachment Ring to keep your pooch around camp.



# 2465



## SPECIFICATIONS

Floor Length	24'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	29'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	6400
Axle Weight	5495
Hitch Weight	905
Cargo Capacity (Total)	2500
Cargo Capacity (Available on Axle)	3105
GAWR (Per Axle)	4300
GVWR	8900
Sleeping Capacity (Min./Opt. Max.)	5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40




# INTERIOR HIGHLIGHTS

## WHEN YOU ADD IT ALL UP, THE DOLLARS MAKE SENSE

"Glamping" was coined by combining the words "glamorous" and "camping". The term describes a style of camping with amenities and, in some cases, resort-style services not usually associated with "traditional" camping. After the rigors of everyday life or a busy day exploring the great outdoors, the attraction of escaping into a world of comfort and convenience is hard to deny. We aim to transform your RV journey into a true escape, offering a range of conveniences and amenities to allow you the freedom to recharge and connect with your leisure time.



The largest, most comfortable and usable U-shaped dinette in the industry gives you ample room to entertain guests (and their knees) or provide an additional sleeping space.



Hand-upholstered or CNC-cut valences and trim show a pride in workmanship uncommon in RV manufacturing. Just because they're wrapped in fabric doesn't mean we cut costs or processes. We use the same materials as cabinetry and then wrap them ourselves for a cut-above look and feel.



Dura-leather wrapped ultra plush cushions with diamond stitch inlay. Sitting is something we often do, but don't think much of. Quality cushion foam is highly responsive for a quick return action and will provide an extra bounce.



Residential queen size deluxe innerspring mattress with a bedspread and foot throw. No "RV Queen" beds in a Lance! Those are 74" long. Ours will fit your sheets from home.



Angle Cut Cabinetry enable your cabinet doors to fully open.



No pressed or particle board used. 100% 3/4" thick sturdy plywood sourced from Spain or Italy in all cabinets and interior walls. CNC cut!

Exclusive use of Non Toxic Glues.



Decorative yet subtly splendid residential-styled real glass dinette light fixtures with dimmer."

# 2445



Optional  
Exterior  
Kitchen

## SPECIFICATIONS

Floor Length	24'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	29'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	6115
Axle Weight	5535
Hitch Weight	580
Cargo Capacity (Total)	2585
Cargo Capacity (Available on Axle)	3065
GAWR (Per Axle)	4300
GVWR	8700
Sleeping Capacity (Min./Opt. Max.)	8
Fresh Tank (Gal)	45
Gray Tank (Gal)	2/40
Black Tank (Gal)	40





2285 Shown in Grayson



2285 Shown in Bronzite



2285 Shown in Lapis

## DÉCOR

Variety is the spice of life and what we refer to as the "The Lance Look"! With three stunning selections, all professionally curated to compliment the cabinetry and key interior features, this might be the most challenging decision you'll have to make!

Bronzite - light beige/gray and light gray

Grayson - medium gray and light gray

Lapis - dark blue and light gray

## ENJOY THE RELIABILITY AND CONVENIENCES OF HOME WHEREVER YOUR ADVENTURES MAY TAKE YOU.

Our campers are expertly laid out to be highly usable, spacious and designed to feel like home with modern neutral interiors highlighting a combination of composite and natural extremely durable materials. Familiar quality and functionality insure an instinctive and comfortable transition to a nomadic lifestyle that does not compromise.

We hear they call it "glamping" these days.



Beautiful and durable white quartz solid surface countertops.



Real 3/4" formaldehyde-free wood in all interior walls and cabinetry. Soft close hardware.



Residential faucet fixtures.





# 2285



Optional Swivel  
Rockers

Sofa Bed Size  
36" x 63"

## SPECIFICATIONS

Floor Length	22'-6"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	27'-6"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	5285
Axle Weight	4525
Hitch Weight	760
Cargo Capacity (Total)	2715
Cargo Capacity (Available on Axle)	3275
GAWR (Per Axle)	3900
GVWR	8000
Sleeping Capacity (Min./Opt. Max.) * 2285 Model Reduces to 4 W/Swivel Chairs	6*
Fresh Tank (Gal)	45
Gray Tank (Gal)	2/40
Black Tank (Gal)	40



# STANDARD FEATURES



48" Portable Folding Table W/Built-In Exterior Storage Feature



Portable Generator Storage Compartment W/Tie-Downs



Latitude Awning w/ Wind Sensor



Wall Clock



Wireless Cell Phone Charging Pad



Pop-Up Electrical / Charging Tower



Shower Miser



12V/USB Charging Port(s)



JBL AM/FM Stereo W/Powered Bass Sub Woofer & Bluetooth Speaker



Smart TV



Quality brands partnering for a better RV experience. Lance quilts premium RVs. We didn't think it was right to use the same ol' supplier components as the competition. Ultra quiet. Super-efficient. A better experience for you during ownership.



Truma Aventa Air Conditioner



Truma Combi



Truma Varioheat



Truma Aquabo



**SPECIFICATIONS**

Floor Length	22'-11"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	27'-10"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-5"
Height (Interior)	80"
Dry Weight	5425
Axle Weight	4830
Hitch Weight	590
Cargo Capacity (Total)	2575
Cargo Capacity (Available on Axle)	2970
GAWR (Per Axle)	3900
GVWR	8000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40

# OPTIONAL FEATURES



Roof Rack System



Shock Absorber Package



TPMS System (Tire Pressure Monitoring System)



Glow-Step Revolution Entry Step - 25"



Smart TV



3000W Power Inverter



Pull-Out Storage Tray (MorRyde)



Awning Slide-Out Cover



Convection/Micro-Air Fryer



Electric Stabilizer Jacks W/Foot Pad



Electric Fireplace



Tri-Five Propane Tank (Three 5 Gal. Tanks W/ Holddown)



Convertible Sofa/Queen Bed (Standard 1875 Model)



MaxxAir Vent W/Remote



Backup Camera W/Wireless Monitor

# 2185



## SPECIFICATIONS

Floor Length	21'-2"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	26'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4860
Axle Weight	3970
Hitch Weight	890
Cargo Capacity (Total)	3040
Cargo Capacity (Available on Axle)	3830
GAWR (Per Axle)	3900
GVWR	7900
Sleeping Capacity (Min./Opt. Max.)	7
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40



# THE LANCE DIFFERENCE

- A.** The roof is covered in energy-star rated synthetic membrane material. Integrated rain gutters and drip spouts prevent the sides of your trailer from streaking.
- B.** Rigid block foam insulation yields maximum "R" value and promotes structural strength.
- C.** Interior walls and cabinetry are constructed of Euro-Ply. This superior product is lighter, formaldehyde free and stronger. Providing both beauty and durability.
- D.** Keeping it all together are stainless steel fasteners. Unlike our competitors, this expensive hardware resists corrosion making for a lasting investment.
- E.** Fiberglass upper nose cap with TPO lower gravel guard with LED lighting, combine for beautiful and resilient protection from the abuses of the road.
- F.** Lance uses more expensive Azdel™ in place of Luan wood, virtually eliminating mold and mildew. It's also lighter, carcinogen and formaldehyde free and has better "R" value for superior insulation.
- G.** Lance's aluminum framed superstructure provides for an extremely solid trailer that is also lightweight.
- H.** Heavy duty leaf spring suspension with "Road Armor" equalizer system and optional shock absorber package, absorbs bumps and vibrations resulting in a more comfortable ride with less stress on your trailer. (N/A 1475 & 1575)
- I.** Engineered "I" beam tempered steel chassis provides a reliable and proven platform for years of trouble free operation. (N/A 1475 & 1575)
- J.** Slideout rooms feature smooth, dependable operation. Lighter in weight than other mechanisms, they're also smaller, allowing for more living space.
- K.** The fiberglass exterior walls are laminated under intense pressure with heat-setting adhesives for years of trouble-free service.




## COMPUTER DESIGNED & CUT

Numerical control machining (CNC), uses computer programs to control tools like routing tables to create a close-tolerance high-quality fit. When the angles in your RV are true 90 degree, your RV is more structurally sound to stand the test of use over time.

## COMPOSITE CONSTRUCTION


Lance uses Azdel Onboard® composite panels, a patented blend of polypropylene and fiberglass to create a strong, lightweight, quiet, weather and temperature resistant, odorless and environmentally friendly wall that will increase the life of your RV.

We call that high MPM, memories per mile!



\* Azdel Onboard® composite panels shown as green for distinction only

# 2075



## SPECIFICATIONS

Floor Length	20'-3"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	25'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4425
Axle Weight	3920
Hitch Weight	505
Cargo Capacity (Total)	2375
Cargo Capacity (Available on Axle)	3080
GAWR (Per Axle)	3500
GVWR	6800
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40



# A BETTER TOWING EXPERIENCE

As a pedigreed truck camper manufacturer, we take more than weight into account when designing our travel trailers. We want to give you the most secure and safe towing experience possible, so your journey is a breeze. Lance considers center of gravity, tongue weight, axle location, and aerodynamics, and then we attach high-quality features.

## 5,000 POUND TOW RATING



Models: 1475, 1575

## 7,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1875, 1985, 1995, 2075

## 9,000 POUND TOW RATING



Models: 1475, 1575, 1685, 1875, 1985, 1995, 2075, 2185, 2285, 2375, 2445, 2465, 2565



Road Armor suspension system with sock absorbers take on bumps and vibrations during travel to reduce chucking, resulting in a more comfortable ride with less stress on your trailer.



Goodyear Endurance tires manufactured in the USA. Featuring Goodyear's proprietary Durawall technology, a rugged sidewall that resists cuts, tears and punctures plus decoupling grooves that keep the tire cool at an N speed rating and under heavy loads, reducing the risk of tire failure due to overheating.



# 1995



## SPECIFICATIONS

Floor Length	19'-2"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	24'-1"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4465
Axle Weight	3990
Hitch Weight	475
Cargo Capacity (Total)	2535
Cargo Capacity (Available on Axle)	3010
GAWR (Per Axle)	3500
GVWR	7000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40

# LANCE BUILDS REASONABLY SIZED TRAILERS FOR REAL CAMPERS

JD Power reports, "Approximately 98% of national park campgrounds can accommodate RVs up to 19 feet long. You still have a good selection if your RV is smaller than 25 feet; more than 90% of parks permit that length. The number of available campsites drops if your RV is 29 to 32 feet long, since about 80% of parks will let you in. If you have an RV up to 35 feet long, just over 70% will have room for you. Only about half of all national parks have sufficient space for RVs over 37 feet in length. Even if the park you plan on visiting allows larger RVs, they may have only a few slots available to accommodate them.



## MAP YOUR MEMORIES WITHOUT WORRIES

When Lance designs new floorplans, your use is the first thing on our mind. Over the years we have heard from countless owners that their goal is to visit all of national parks or to see the entire country. That's why we build high quality. That's why we build 14' to 25'. We want our owners to experience the peace of mind of reliability and maneuverability while on the open road.

*"There is nothing so American as our national parks.... The fundamental idea behind the parks...is that the country belongs to the people, that it is in process of making for the enrichment of the lives of all of us."*

— President Franklin D. Roosevelt

# 1985



Optional Sofa Bed



## SPECIFICATIONS

Floor Length	18'-9"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	23'-8"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4480
Axle Weight	3845
Hitch Weight	635
Cargo Capacity (Total)	2520
Cargo Capacity (Available on Axle)	3155
GAWR (Per Axle)	3500
GVWR	7000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40

Our Lancaster, CA tri facility campus, where all Lance products are manufactured, is unlike any other RV manufacturing facility in the world.



## SIX SIGMA CERTIFIED

Strategies which seek to improve manufacturing quality by identifying and removing the causes of defects and minimizing variability in manufacturing and business processes. This is done by using empirical and statistical quality management methods. Each Six Sigma project follows a defined methodology and has specific value targets, such as reducing pollution or increasing customer satisfaction. The Lean philosophy emphasizes teams working together to find ways to reduce waste.



Our investment in the training and implementation of these practices is sure to continually improve our RVs for our owners for years to come.

# LEAN, GREEN CAMPING MACHINES


## CERTIFIED GREEN: HIGHEST RATING LEVEL: EMERALD

We have been privately evaluated for procedures and practices and measured against criteria based on national consensus standards including: Resource Efficiency, Energy Efficiency, Water Efficiency & Indoor Air Quality. Terms like "Green," "sustainable," and "eco-friendly" are more important now



than ever. Transparency is an important factor in your purchasing decision and since our RVs are meant to visit the great outdoors we feel it is important to make sure we are lessening our impact as much as possible. Lance is committed to making smarter construction and component choices which can be seen directly in our use of formaldehyde free wood products, repurposing of dual-layer Azdel wall panels for shower basins and our use of lit-ply wood.

You can smell the difference in a Lance Camper from our recycling to our refusal to use the off-gassing materials you can smell in many of our competitors.



# 1875



## SPECIFICATIONS

Floor Length	18'-1"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	23'-0"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	4670
Axle Weight	3975
Hitch Weight	695
Cargo Capacity (Total)	2330
Cargo Capacity (Available on Axle)	3025
GAWR (Per Axle)	3500
GVWR	7000
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





April 1975

# Lance CAMPERS

5410 Vineland, North Hollywood, California 91601  
(213) 763-3888 or (213) 783-3417  
Also located at Triveland, U.S.A. in Irwin, California  
(714) 551-2913

PRICE LIST		OPTIONAL EQUIPMENT ALL PRICES INCLUDE COMPLETE INSTALLATION	
Model 700 SC	\$3595.00	6 Cu. Ft. 3-Way Ref. (Difference)	\$335.00
Model 600	3395.00	4 Cu. Ft. 3-Way Ref. (Difference)	275.00
Model 550	3195.00	3 Cu. Ft. 3-Way Ref. (Difference)	235.00
Model 475	2295.00	12 Volt Coleman Cooler	175.00
Model 450	2195.00	Fresh Water Flush Toilet	125.00
Model 425	2195.00	Electric Magic Toilet	175.00
Model 400 SC	3295.00	Peta Potti (Difference)	90.00
Model 375	1995.00	10,000 BTU Heater w/Blower & Wall Thermostat	145.00
Model 350	1995.00	6 Gal. Hot Water Heater	145.00
Model 200	1795.00	4 Risco Hydraulic Jacks (8,000 lb)	175.00
Model 100	1595.00	4 Manual Jacks	109.00
Model 150	1595.00	Cable Jacks	75.00
		Double Folding Bumper Step	24.50
		Rear Camper Bumper w/Storage Space & Camper Tow Bar Assembly	149.00
		Insta-Awn 10' Automatic	189.00
		Insta-Awn 8' Automatic	169.00
		Double Sliding Truck Window	79.00
		Camper Sliding Window	25.00
		Double Sliding Window Roof	30.00
		Connecting Roof	39.00
		Camper Changers Tie Downs Chassis	49.00
		Camper Changers Tie Downs Field	39.00
		Custom Double Insulation Boot	75.00
		Flexiglass Roof Window	20.00
		Roof Privacy Cover	15.00
		Chassis Cabover Stabilizers	49.00
		Plain Cabover Stabilizers	39.00
		Reinforced Roof, Rack & Ladder	95.00
		Dual Batteries (45 Amp Battery)	85.00
		30 Gal. Holding Tank	100.00
		20 Gal. Holding Tank	80.00
		Propane Tank	35.00
		Interior Light	20.00
		Radio Speakers	15.00
		Map Guides	18.00
		Double Rotax Gauge	15.00
		Table	10.00
		Bed Glass	40.00
		Over Bed Bed	45.00
		Over Extension and Over Load Springs	Price Available On Request

Note! Model 100 Fits All Small Trucks.

The Above Prices Include Installation and Hook Up.

NOTE

## LANCE'S STORY

Since 1965 Lance has been building America's most popular truck campers. Many of them still on the road - a true testament to the company's philosophy that Quality Comes First. In 2008 Lance released their first ultra-light towable. Pioneering a whole new segment of travel trailer with their computer design and cut, composite construction approach to building RVs.

Ideas born from this approach include the use of SolidWorks™ 3D design software. Implementation of laser guided cutting machines. Manufacturing methods such as the use of LanceLock™, Azdel™, Euro-Ply™ and the removal of Mercury and Formaldehyde. Just to name a few examples of the advanced practices and materials that contributes to Lances high quality, eco-friendly, toxin-free, and longer lasting RVs.

That's why Lance has won the prestigious DSI Award (Dealer Satisfaction Index) award a record number of times and is best in Owner Satisfaction by customers who are often repeat buyers and a source of referrals for new customers.

With home base in California - the nation's most demanding state for building safe products - Lance manufactures from a State-of-the-Art Production Campus: Including a 141,000 square foot, 22-acre main operations address. 65,000 square foot "Automated CNC Manufacturing" building and 40,000 square foot "Innovation Center" where Sales, Marketing and Product Development work in conjunction with the Warranty and Service teams, Lance dealer partners and Lance owner feedback to drive forward improvement and new product design.

Lance offers a comprehensive authorized dealership network across the United States and Canada providing sales and service. All dealer partners go through extensive vetting and training. Whether you're a first-time camper or a repeat customer you are sure to have a top-notch experience if you chose Lance.

**Lance CAMPERS** Your One Stop RV Center!

Under one roof... All you need for your Camper, Trailer or RV in Lance Campers' Maintenance/Service Facility.

- SALES: New & Used Trucks, Campers & RVs, Motorcycles
- FINANCING: We'll finance your purchase or trade. Competitive financing packages are also available.
- SERVICE: Authorized service center for the appliances.
- REPAIRS: Major & Minor Structural Repairs
- ACCESSORY STORE: Tents, awnings & accessories



# 1685



## SPECIFICATIONS

Floor Length	16'-6"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	21'-5"
Width (Exterior)	96 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-2"
Height (Interior)	80"
Dry Weight	4225
Axle Weight	3675
Hitch Weight	550
Cargo Capacity (Total)	2075
Cargo Capacity (Available on Axle)	2325
GAWR (Per Axle)	3500
GVWR	6300
Sleeping Capacity (Min./Opt. Max.)	5
Fresh Tank (Gal)	45
Gray Tank (Gal)	40
Black Tank (Gal)	40





# 4 SEASONS COMFORT TECHNOLOGY

LANCE CAMPERS ARE DESIGNED FOR YEAR ROUND CAMPING. INCLUDING WINTER EXPLORATION.

It's all starts with our precision CNC cut manufacturing process. Our machines ensure true 90 degree angles not only ensuring your camper is structurally sound but also free from drafts. Next we pressure bond all walls, floors and ceilings with high density block foam and create a composite construction sandwich. This endures a high R value and superior insulation, keeping you cool when it's hot and toasty and comfortable when it's cold.

Lastly we house all of your tanks and lines within a fully enclosed basement and pump hot air directly from your furnace- keeping your water systems functional when you need them most.





# BOONDOCKING & OFF-GRID CAMPING

If you're someone who prefers making your own camp or exploring places where there aren't hookups, then these optional features will be important to you. Cut the cord. Decide to hit the road on a Friday afternoon and find out where the road takes you, all while being self-sufficient and self-contained.



**Battery Monitor.** View your battery's performance; Time left at Current Draw, State of Charge, Capacity, Voltage, Current. gives you easy to understand battery stats at the push of a button.



**3000 Watt Inverter.** Replicate AC power while off grid. Ideal for powering multiple appliances, electronic equipment like TVs, stereos, computers, or as a source of emergency backup power



**200 Watt Solar Panel -** (Multiple available depending on model). Use the sun to draw in and charge your 12v batteries. Generates enough charge to keep an RV's lights, fans, water pumps, and slide outs running for up to an estimated 4 days off the grid.

# SINGLE AXLE TRAILERS



Our offering of ultra lightweight floor plans including the 1475 and 1575 offer Lance quality for smaller tow vehicles. These options offer the same manufacturing practices and materials as our larger offerings with some minor tweaks.



Dexter TORFLEX® rubber torsion suspension axle. A torsion arm suspension that is completely self-contained within the axle tube. This unique independent axle suspension means a smooth ride for your trailer and a greater peace of mind for you.



**BAL® E-COATED & EPOXY-PAINTED HUCK BOLTED FRAME.** High strength with aerodynamic lightweight design provides customers with a strong, light weight, consistent foundation.

# 1575



## SPECIFICATIONS

Floor Length	15'-9"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	20'-5"
Width (Exterior)	84 3/8"
Height (Exterior) With Optional Truma	
Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	3270
Axle Weight	2945
Hitch Weight	325
Cargo Capacity (Total)	1330
Cargo Capacity (Available on Axle)	1555
GAWR (Per Axle)	4500
GVWR	4600
Sleeping Capacity (Min./Opt. Max.)	4
Fresh Tank (Gal)	26
Gray Tank (Gal)	26
Black Tank (Gal)	26



# 1475



## SPECIFICATIONS

Floor Length	14'-10"
Overall Length (Including Optional Ladder N/A 1475/1575 and 2075 Models)	19'-8"
Width (Exterior)	84 3/8"
Height (Exterior) With Optional Truma Aventa 15M A/C (13.5M A/C 1475/1575 Models)	10'-3"
Height (Interior)	80"
Dry Weight	2905
Axle Weight	2590
Hitch Weight	315
Cargo Capacity (Total)	1519
Cargo Capacity (Available on Axle)	1910
GAWR (Per Axle)	4500
GVWR	4500
Sleeping Capacity (Min./Opt. Max.)	2/3
Fresh Tank (Gal)	26
Gray Tank (Gal)	26
Black Tank (Gal)	26





My wife Katie and I have been loving our 2021 1985. In September of 2021 we took a 5 week trip through the Midwest into Wyoming and Montana. The 1985 was the perfect size for us and our two dogs.

We love our Lance! — Dan



We have owned our 2021 1985 for about two years now and love every minute we get to spend in the travel trailer. We moved from a 30' class A motorhome to this TT. The only thing we miss is the automatic leveling from the class A. Other than that, traveling in this set up is less stressful due to how easy the 1985 tows with our F150 with tow package and 5.0L, 400HP engine.

Whether we are dry camping ( We have 380 watts of solar and a 2000w inverter with 3-100AH lithium batteries) in the Eastern Sierras, or using full hook ups in Colorado, the 1985 has plenty of room for my wife and me due to the slide out and couch options  
Frank Dominguez

What a spectacular SUP mission we had a few weeks ago in our 2445 to Stagecoach Lake, CO

Nothing beats having a luxury sleep in our coach and waking up at 5:30am for our first “dawn patrol” paddle of the day.

One reason we love the 2445, is the spacious bathroom. When we are done surfing, paddling or Mtn Biking it’s easy to go in the bathroom, strip your wet suit off and have use of the Miser shower with room to spare- brilliant use of space Lance!

Next up is Boulder, CO for 3 days of Dead and Co.

Till then, safe travels all — The Bruno’s



Our family has enjoyed our Lance 2445 for three summers. We are so grateful for the opportunity to instill a love of nature and a sense of adventure in our children. Each diverse location that we visit brings so much learning and quality time together. We feel safe and comfortable during our travels in our Lance 2445. (Photo attached is from our recent trip to Spirit Lake, Iowa.)

Kind Regards, The Walton Family



We bought our trailer in April 2020. So far we have slept in it for 206 nights on many trips to the Canadian Rockies and the rest of Alberta.

I posted a few photos about our positive experience at Outback RV sales with a Google review. Much to our surprise one photo generated over 100,000 views in just a few months on the internet!

It has been a fantastic purchase for us, and we have logged 40,000km with our trailer.

Here are a few photos of our rig at some of our favorite campsites in the Canadian Rockies, and one of us picking up our new purchase!

Best Regards, Kam Konduc & Jan Hrasko



We fell in love with this model at one RV show in the PNW, and since then we have been big fans of Lance design and style... and it has been our home for many family adventures in the great PNW outdoors, and great to carry our toys (bikes, kayaks, rods, etc).

Regards, Rodrigo and Maria

# SPECIFICATIONS, STANDARDS & OPTIONS

	1475	1575	1685	1875	1985	1995	2075	2185	2255	2285	2445	2465	2565
<b>EXTERIOR</b>													
Laminated Fiberglass Bonded Exterior W/Azdel Substrate	•	•	•	•	•	•	•	•	•	•	•	•	•
Torsion Axle Suspension	•	•											
Leaf Spring Suspension W/Road Armor Equalizer													
Shock Absorber Package			0	0	0	0	0	0	0	0	0	0	0
Manual Stabilizer Jacks W/Foot Pad	•	•	•	•	•	•	•	•	•	•	•	•	•
Electric Stabilizer Jacks W/Foot Pad			0	0	0	0	0	0	0	0	0	0	0
Manual Tongue Jack	•	•	•	•	•	•	•	•	•	•	•	•	•
Electric Tongue Jack (Smart Jack)	0	0	0	0	0	0	0	0	0	0	0	0	0
Lift Kit (2 7/8")	0	0											
Aluminum Wheels W/Goodyear Radial Tires	•	•	•	•	•	•	•	•	•	•	•	•	•
Spare Tire Carrier W/Spare Tire (Steel Modular Wheel W/TowMax Tire)	0	0	0	0	0	0	0	0	0	0	0	0	0
TPMS System (Tire Pressure Monitoring System)	0	0	0	0	0	0	0	0	0	0	0	0	0
Lug Wrench W/Holder	•	•	•	•	•	•	•	•	•	•	•	•	•
Car Cord/Safety Chain Storage Holder	•	•	•	•	•	•	•	•	•	•	•	•	•
Lightweight Hybrid Double Entry Step - 24" (* 2 ea.)	•	•	•	•	•	•	•	•	•	•	•	•	•
Glow-Step Revolution Entry Step - 25"	0	0	0	0	0	0	0	0	0	0	0	0	0
Courtesy Entry Step Well Lighting - LED	•	•	•	•	•	•	•	•	•	•	•	•	•
Aerodynamic Front Wall Profile	•	•	•	•	•	•	•	•	•	•	•	•	•
Molded Fiberglass Front Cap W/Formed TPO Lower Gravel Guard and LP Tank Cover	•	•	•	•	•	•	•	•	•	•	•	•	•
Formed Jewel LED Hitch Docking Lights	•	•	•	•	•	•	•	•	•	•	•	•	•
Rear TPO Eyebrow W/Formed Vertical Side Pillars and Integrated LED Lighting			•	•	•	•	•	•	•	•	•	•	•
Radius Acrylic Tinted Thermopane Euro Windows	•	•	•	•	•	•	•	•	•	•	•	•	•
Large Curved Acrylic Tinted Thermopane Front Euro Window	•	•	•	•	•	•	•	•	•	•	•	•	•
Slide-Out End Wall Window(s)			•	•	•	•	•	•	•	•	•	•	•
Ladder (Thule Telescoping Ladder 2075 Model)		0	0	0	0	0	0	0	0	0	0	0	0
Roof Rack System		0	0	0	0	0	0	0	0	0	0	0	0
LED Tail Lights	•	•	•	•	•	•	•	•	•	•	•	•	•
LED License Plate Light W/Holder	•	•	•	•	•	•	•	•	•	•	•	•	•
Radius Cornered Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	•	•	•
Slam Latch on Pass-Thru Storage Compartment Door	•	•	•	•	•	•	•	•	•	•	•	•	•
Keyed-Alike Storage Compartment Doors	•	•	•	•	•	•	•	•	•	•	•	•	•
Euro Radius Entry Door W/Ins. Wdw., Retractable Fly Screen	•	•	•	•	•	•	•	•	•	•	•	•	•
Powered Roof Vent in Bed Area (MaxxFan)	0	0	0	0	0	0	0	0	0	0	0	0	0
Skylight in Galley/Dinette Area		•								•		•	
SkyMaxx Skylight Vent in Dinette							•						
Exterior Wash Station	•	•	•	•	•	•	•	•	•	•	•	•	•
Exterior Cook-Station (W/Drink Cooler 2075 Model)						0					0		
Exterior Propane Connection	•	•	•	•	•	•	•	•	•	•	•	•	•
48" Portable Folding Table W/Built-In Exterior Storage Feature			•	•	•	•	•	•	•	•	•	•	•
Exterior LCD Mounting Puck W/Removable LCD Bracket	•	•	•	•	•	•	•	•	•	•	•	•	•
Portable Generator Storage Compartment W/Tie-Downs			•	•	•	•	•	•	•	•	•	•	•
Toy Lock		0	0	0	0	0	0	0	0	0	0	0	0
Power Cord/Water Hose Storage Compartment		•	•	•	•	•	•	•	•	•	•	•	•
2" Utility Receiver	•	•	•	•	•	•	•	•	•	•	•	•	•
Swing-Out Entry Assist Handle	•	•	•	•	•	•	•	•	•	•	•	•	•
Pull-Out Storage Tray (MorRyde)		0	0	0	0	0	0	0	0	0	0	•	0
Pet Attachment Ring (Hitch Area)	•	•	•	•	•	•	•	•	•	•	•	•	•
Awning Slide-Out Cover		0	0	0	0	0	0	0	0	0	0	0	0
Electric Awning 7'-2" Rear W/LED Lighting						0							
Electric Awning 12' 0" W/LED Lighting	0	0	0										
Electric Awning 14' 0" W/LED Lighting			0										

Option Weights – All weights are estimates and may vary. • = Standard Option 0 = Optional Feature

	1475	1575	1685	1875	1985	1995	2075	2185	2255	2285	2445	2465	2565
Electric Awning 16' 0" W/LED Lighting					0	0	0	0					
Electric Awning 19' 0" W/LED Lighting									0	0	0	0	0

## CONSTRUCTION/INSULATION

One-Piece Roof (TPO)	•	•	•	•	•	•	•	•	•	•	•	•	•
Tapered Exterior Ducted Air Roof Design (Ducted A/C N/A 1475/1575 Models)	•	•	•	•	•	•	•	•	•	•	•	•	•
Laminated, Insulated Floor and Ceiling	•	•	•	•	•	•	•	•	•	•	•	•	•
Block Foam Insulation Throughout	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Sidewalls	•	•	•	•	•	•	•	•	•	•	•	•	•
Aluminum Framed Floor and Ceiling	•	•	•	•	•	•	•	•	•	•	•	•	•
Azdel Interior Panel Walls	•	•	•	•	•	•	•	•	•	•	•	•	•
All Weather Package	0	0	0	0	0	0	0	0	0	0	0	0	0
-Enclosed, Insulated and Heated Holding Tanks													
-Insulated Hatch Covers													
-Water Heater Bypass													

## INTERIOR/DECOR

Interior - Grayson	0	0	0	0	0	0	0	0	0	0	0	0	0
Interior - Bronzite	0	0	0	0	0	0	0	0	0	0	0	0	0
Interior - Lapis	0	0	0	0	0	0	0	0	0	0	0	0	0
Sofa Bed											•		
Sofa Bed (Slide-Out)	0												
J-Lounge												•	0
Swivel Rockers (1 Swivel Rocker / 1 Swivel Only - 1475 Model)	•/2										0/2		
Swivel Rockers (Residential Recliner)													•
Solid Surface Galley Area Countertop and Extensions (Where Applicable)				•	•	•	•	•	•	•	•	•	•
Surf-X Suedo Solid Surface Lightweight Countertops and Tables	•	•	•	•	•	•	•	•	•	•	•	•	•
Radius "Euro" Overhead Cabinet Doors	•	•	•	•	•	•	•	•	•	•	•	•	•
W/Interior Cabinet LED Lighting	•	•	•	•	•	•	•	•	•	•	•	•	•
Decorative Pull Cabinet Hardware	•	•	•	•	•	•	•	•	•	•	•	•	•
Lite-Ply Cabinet Construction	•	•	•	•	•	•	•	•	•	•	•	•	•
Combo Screen/Shade on Windows	•	•	•	•	•	•	•	•	•	•	•	•	•
Entry Door Pull Shade	•	•	•	•	•	•	•	•	•	•	•	•	•
Key Hanger	•	•	•	•	•	•	•	•	•	•	•	•	•
Magazine Rack (Varies By Model)	•	•	•	•	•	•	•	•	•	•	•	•	•
Wall Clock	•	•	•	•	•	•	•	•	•	•	•	•	•

## GALLEY/APPLIANCES & EQUIPMENT

"Flush Mount" Stainless Steel 3-Burner Cooktop	•	•	•	•	•	•	•	•	•	•	•	•	•
"Flush Mount" Stainless Steel 2-Burner Euro Cooktop W/Glass Cover								•					
"Flush Mount" Stainless Steel 3-Burner Range W/Oven - 21" Oven (17" 1575 Model)	0	0	0	0	0	0	0	0	0	0	0	0	0
Low Profile Range Hood	•	•	•	•	•	•	•	•	•	•	•	•	•
Convection/Micro-Air Fryer	0	0	0	0	0	0	0	0	0	0	0	0	0
12V Double Door Refrigerator (Norcold 7 Cu. Ft.)			•	•	•	•	•	•	•	•	•	•	•
2-Way Double Door Refrigerator (Norcold 6 Cu. Ft.)		0			0	0		0	0	0	0	0	0
3-Way Double Door Refrigerator (Norcold 5 Cu. Ft.)	•	•	•	•	•	•	•	•	•	•	•	•	•
Heating (Truma Combi 14.3MBTU)	•	•	•	•	•	•	•	•	•	•	•	•	•
Heating (Truma VarioHeat)											•	•	2 2 2 2
Propane Tank (Single 5 Ga. Tank W/Holddown)	•	•											
Propane Tank (Dual 5 Ga. Tank W/Holddown)			•	•	•	•	•	•	•	•	•	•	•
Tri-Five Propane Tank (Three 5 Gal. Tanks W/Holddown)			0	0	0	0	0	0	0	0	0	0	0
"Euro" Overhead Cabinetry Design W/LED Lighting	•	•	•	•	•	•	•	•	•	•	•	•	•

	1475	1575	1685	1875	1985	1995	2075	2185	2255	2285	2445	2465	2565
Decorative Backsplash	•	•	•	•	•	•	•	•	•	•	•	•	•
Folding Galley Extension			•		•	•		•	•		•	•	•
Single Stainless Steel Sink (Round)							•						
Single "Undermount" Stainless Steel Sink (Round)	•	•		•									
Residential "Undermount" Large Single Sink			•		•	•		•	•	•	•	•	•
Residential Single Lever Galley Faucet W/Pull-Out Sprayer	•	•	•	•	•	•	•	•	•	•	•	•	•
Sink Cover(s)	•	•	•	•	•	•	•	•	•	•	•	•	•
Silverware Tray	•	•	•	•	•	•	•	•	•	•	•	•	•
Pop-Up Electrical / Charging Tower	•	•	•	•	•	•	•	•	•	•	•	•	•
Pull-Out Pantry									•		•		•

## FRESH AND WASTE WATER SYSTEMS

Fresh Tank (Gal)	26	26	45	45	45	45	45	45	45	45	45	45	45
Gray Tank (Gal)	26	26	40	40	40	40	40	40	40	2/40	2/40	40	40
Black Tank (Gal)	26	26	40	40	40	40	40	40	40	40	40	40	40
Water Pump W/In-Line Filter	•	•	•	•	•	•	•	•	•	•	•	•	•
Water Heater Gas/Electric W/Boost Mode Feature (Truma Combi Eco Plus)	•	•	•	•	•	•	•						
Water Heater (Truma AquaGo)								•	•	•	•	•	•

## BATHROOM

Marine Toilet - Foot Pedal - Porcelain			•	•	•	•	•	•	•	•	•	•	•
Marine Toilet - Foot Pedal - Plastic	•	•											
Black Tank Flush	•	•	•	•	•	•	•	•	•	•	•	•	•
Residential "Undermount" Oval Lavy Sink	•	•	•	•	•	•	•	•	•	•	•	•	•
Residential "Vessel" Lavy Sink								•			•		
High Rise Single Lever Faucet			•	•	•	•	•	•	•	•	•	•	•
Tub		•											
Shower Pan	•	•	•	•	•	•	•	•	•	•	•	•	•
Adjustable Slide Bar Shower Head Assembly		•		•			•	•	•	•	•	•	•
Shower Miser	•	•	•	•	•	•	•	•	•	•	•	•	•
Medicine Cabinet W/Mirror Door	•	•	•	•	•	•	•	•	•	•	•	•	•
Bath Door Located Mirror (Recessed)	•	•	•	•	•	•	•	•	•	•	•	•	•
Folding Lavy Extension								•		•			
Towel Rod on Wall	•	•	•	•	•	•	•	•	•	•	•	•	•
Towel Ring			•	•			•	•	•	•	•	•	•
Residential Radius "Glass" Shower Door Enclosure													•
Residential Radius "Soft" Shower Door Enclosure				•	•		•	•	•	•	•	•	•
Soft Radius Panel Shower Enclosure	•	•				•							
Shower Curtain W/Tieback		•											
Skylight - Dual Pane	•	•	•	•	•	•	•	•	•	•	•	•	•
Ducted Heat	•	•	•	•	•	•	•	•	•	•	•	•	•

## DINETTE

Dinette W/Locking Pull-Out Storage Drawers			•	•	•			•	•	•	•	•	•
Roll-Out Storage Drawer		0											
U-Shaped Dinette W/Euro Telescoping/360 Degree Adjusting Table Top							•						

## BEDROOM

Deluxe Queen Innerspring Mattress W/Pillow Top	•	•	•	•	•	•	•	•	•	•	•	•	•
Deluxe King Innerspring Mattress W/Pillow Top													•
Bedspread	•	•	•	•	•	•	•	•	•	•	•	•	•
Convertible Sofa/Queen Bed (Standard 1875 Model)			•	0	0		0						

	1475	1575	1685	1875	1985	1995	2075	2185	2255	2285	2445	2465	2565
Overhead Cabinet Bunk			•										
Fold-Up Bunk Bed(s)								•			•		
LED Reading Lights	•	•	•	•	•	•	•	•	•	•	•	•	•
Privacy Curtain			•	•	•	•	•	•	•	•	•	•	•
Privacy Divider Door(s)								•	•		•	•	•

## ELECTRICAL

Systems Monitor Panel	•	•	•	•	•	•	•	•	•	•	•	•	•
12V/USB Charging Port(s)	•	•	•	•	•	•	•	•	•	•	•	•	•
Cell Phone Charging Pad (Bedroom)													
Battery Condition Indicator - LED	•	•	•	•	•	•	•	•	•	•	•	•	•
60 Amp Converter/Loadcenter			•	•	•	•	•	•	•	•	•	•	•
45 Amp Converter/Loadcenter	•	•											
LED Interior Lighting - Ceiling	•	•	•	•	•	•	•	•	•	•	•	•	•
LED Interior Lighting - Under Overheads	•	•	•	•	•	•	•	•	•	•	•	•	•
Decorative LED Lighting - S/O Ceiling			•	•	•	•	•	•	•	•	•	•	•
Storage Compartment Lighting	•	•	•	•	•	•	•	•	•	•	•	•	•
Single Battery Rack	•	•											
Locking Dual Battery Compartment (Insulated)			•										•
Locking Dual Battery Compartment W/Sliding Tray (Insulated)				•	•	•	•	•	•	•	•	•	•
Battery - Lithium Acid (Single)	0	0	0	0	0	0	0	0	0	0	0	0	0
Battery - Lithium Acid (Double)			0	0	0	0	0	0	0	0	0	0	0
Battery Disconnect - Manual	•	•	•	•	•	•	•	•	•	•	•	•	•
Wall Switched Lighting	•	•	•	•	•	•	•	•	•	•	•	•	•
LED Vanity Lighting Over Medicine Cabinet	•	•	•	•	•	•	•	•	•	•	•	•	•
A/C - Truma Aventa 13.5M W/Wall Control	0	0											
A/C (Ducted) - Truma Aventa 15M W/Wall Control			0	0	0	0	0	0	0	0	0	0	0
MaxxAir Vent W/Remote	0	0	0	0	0	0	0	0	0	0	0	0	0
Pre-Wired for MaxxAir Vent (Second Location)	•	•	•	•	•	•	•	•	•	•	•	•	•
Power Roof Vent in Bath	•	•	•	•	•	•	•	•	•	•	•	•	•
Pre-Wired for TV Ant/Park/Sat Cable	•	•	•	•	•	•	•	•	•	•	•	•	•
TV Antenna HD	•	•	•	•	•	•	•	•	•	•	•	•	•
Satellite Dish Self Locating	0	0	0	0	0	0	0	0	0	0	0	0	0
Antenna LTE/Cell Booster	0	0	0	0	0	0	0	0	0	0	0	0	0
JBL AM/FM Stereo W/Powered Bass Sub Woofer	•	•	•	•	•	•	•	•	•	•	•	•	•
JBL Interior/Exterior Bluetooth Speaker W/Wall Interior Mount Bracket	•	•	•	•	•	•	•	•	•	•	•	•	•
TV 24" (12V) Smart LCD	0	0	0			0	0						
TV 32" (12V) Smart LCD						0			0	0	0	0	0
TV 40" (12V) Smart LCD				0								0	
TV 24" (12V) Smart LCD - Bedroom								0	0	0	0	0	0
TV 40" (12V) Smart LCD - Bedroom												0	
Fireplace (Electric)				0					0		0	0	
LED Patio Light - Switched	•	•	•	•	•	•	•	•	•	•	•	•	•
LED Hitch Light - Switched	•	•	•	•	•	•	•	•	•	•	•	•	•
Solar on the Side Pre-Wire (Receptacle)	•	•	•	•	•	•	•	•	•	•	•	•	•
Solar Panel - 200 Watt	0	0	0	0	0	0	0	0	0	0	0	0	0
2nd Solar Panel - 200 Watt	0	0	0	0	0	0	0	0	0	0	0	0	0
Inverter - 3000 Watt	0	0	0	0	0	0	0	0	0	0	0	0	0
Battery Monitor	0	0	0	0	0	0	0	0	0	0	0	0	0
Exterior 12V/120V Patio Outlet and Entertainment													
Coax Cable Receptacle	•	•	•	•	•	•	•	•	•	•	•	•	•
Backup Camera W/Wireless Monitor	0	0	0	0	0	0	0	0	0	0	0	0	0
CSA	0	0	0	0	0	0	0	0	0	0	0	0	0

Due to supply-chain issues, certain features shown may have limited or late availability, been substituted or are no longer available. Please see your dealer and the actual unit regarding the features on an individual travel trailer.



**2**YEAR  
STRUCTURAL LIMITED  
WARRANTY

**15**YEAR  
ROOF LIMITED  
WARRANTY

*Please see [lancecamper.com/](https://lancecamper.com/)  
warranty for details.*

2023 LANCE® TRUCK CAMPER BROCHURE ©2023 Lance Camper Mfg. Corp. (LCMC). All rights reserved. Lance, the Lance logomark, the Lance logomark with chevron, The Lance Look, Lance Custom Design, LanceLock, Discover The Lance Difference, Skyview, Lance Load, Lance Life, LIVE. LANCE. LIFE., REV Group® and other exclusive Lance product names, marks, or designations are trademarks, service marks, or registered trademarks of LCMC. All other marks are property of their respective owners. All product data, graphics and photography, illustrations and/or renderings are kept as accurate as possible. Refinements and changes during the model year and between model years may be made and the actual product received may not match these marketing materials exactly. LCMC reserves the right to change prices, colors, materials, equipment and specifications without notice - as well as to add, modify or discontinue models and features shown in marketing materials and/or on its websites without notice and without incurring obligation. This includes potential changes to parts and design features based on component availability and cost. For any specific model year, parts and features incorporated into the final product, including but not limited Truma air heaters (furnaces) and Truma water heaters, will vary by brand and model. Brochure printed in the USA on FSM paper. 15K, 8/25 Rev. 1.5.

The information provided in this brochure applies to all 2023 model year products.