

PRIME TIME
Manufacturing



"No Sacrifices" **TRACER**
by PRIME TIME Mfg.

Tracer 290BH — Decor Shown in Portobello



For the consumer who is looking for ultra-light weights but doesn't want to sacrifice style, amenities, and comfort . . . we've designed the Tracer series travel trailers.

The Tracer offers spacious layouts, plush residential furniture, and other high-end features not typically seen in an ultra-lite trailer that is often thousands of pounds lighter than traditional trailers!



NO SACRIFICES

TRACER
BREEZE by PRIME TIME LLC

Tracer Breeze 31BHD



Tracer 22MBD Bed Up



Tracer 22MBD Bed Down



Tracer 22MBD Outdoor Kitchen

TRACER - FLOORPLANS AND SPECIFICATIONS



255RB



260KS



274BH



290BH
New



291BR



UVW (Unloaded Vehicle Weight) * is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity) ** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment.

SPECIFICATIONS	255RB	260KS	274BH	290BH	291BR
LENGTH	29' 6"	30' 11"	31' 5"	34' 5"	34' 6"
HEIGHT	10' 11"	10' 11"	10' 11"	10' 11"	10' 11"
HITCH WEIGHT	595 lb.	680 lb.	590 lb.	690 lb.	740 lb.
UNLOADED VEHICLE WEIGHT (UVW)	5,629 lb.	6,095 lb.	5,920 lb.	6,537 lb.	6,230 lb.
CARGO CARRYING CAPACITY (CCC)	1,966 lb.	1,587 lb.	1,670 lb.	1,155 lb.	1,510 lb.

TRACER BREEZE - FLOORPLANS AND SPECIFICATIONS



19MRB



20RBS



22MDB
New



24DBS



25RBS



26DBS



31BHD

SPECIFICATIONS	19MRB	20RBS	22MDB	24DBS	25RBS	26DBS	31BHD
LENGTH	22' 11"	23' 1"	25' 8"	27' 11"	29' 1"	31' 1"	34' 6"
HEIGHT	10' 7"	10' 7"	10' 7"	10' 7"	10' 7"	10' 7"	10' 7"
HITCH WEIGHT	516 lb.	408 lb.	458 lb.	505 lb.	550 lb.	555 lb.	635 lb.
UNLOADED VEHICLE WEIGHT (UVW)	4,265 lb.	4,110 lb.	4,367 lb.	4,940 lb.	4,950 lb.	5,530 lb.	6,260 lb.
CARGO CARRYING CAPACITY (CCC)	3,253 lb.	3,298 lb.	3,093 lb.	2,565 lb.	2,602 lb.	2,025 lb.	1,335 lb.

HIGH-IMPACT FEATURES




**ETERNABOND
CONSTRUCTION**



**GLASS TOP STOVE WITH
LED LIGHTING**



**BLUE LED LIT
OUTDOOR SPEAKER**



**"SOLID STEP"
FOLD-DOWN STEPS**



**AERODYNAMIC PROFILE
WITH ROCK GUARD**



**DEXTER AXLES WITH
5-YEAR WARRANTY**



SOLAR PREP



BACK UP CAMERA PREP



ROLLER SHADES



**DOGGY D-RING
PET SECUREMENT**



**FRICTION HINGE ENTRY
DOOR**



**RESIDENTIAL SEAMLESS
COUNTERTOPS**



**EXTERIOR BOTTLE
OPENER**



**HEATED & ENCLOSED
UNDERBELLY**



**MOTION SENSOR
LIGHTING**



**ELECTRIC STABILIZER JACKS
(N/A BREEZE)**



**ELECTRIC TONGUE JACK
(N/A BREEZE)**



**UNIVERSAL DOCKING
CENTER
(N/A BREEZE)**

STANDARDS & OPTIONS

ETERNABOND® CONSTRUCTION:

- Laminated Aluminum Framed Side Walls R-11 - *†
- Laminated Aluminum Framed Rear Walls R-11 - *†
- Laminated Aluminum Framed Main Floor R14 - *†
- Laminated Aluminum Framed Slideout Walls & Roof R-11 - *†

EXTENDED SEASON CAMPING

- Roof (R-14) Double Layer Fiberglass - *†
- Floor (R-14) Extra Thick Bead Foam - *†
- Front Cap (R-14) Double Layer Fiberglass Insulation - *†
- Enclosed And Heated Underbelly - *†
- Enclosed And Heated Holding Tanks - *†

CONSTRUCTION

- Gel Coated Fiberglass Exterior - *†
- 3/8" Walk On Roof Decking - *†
- Snow Load Approved 5" Truss Rafters – *†
- One Piece TPO Roof Membrane w/12 Year Warranty- *†

EXTERIOR FEATURES & EQUIPMENT

- LED Lit Electric Awning - *†
- Electric Stabilizer Jacks - *
- Power Tongue Jack - *
- Huge Pass Thru Storage - *†
- 1" Thick Oversized Baggage Doors with Magnetic Catches - *†
- Universal Docking Center - *
- Battery Disconnect Switch - *
- Black Tank Flush - *†
- Outside Shower w/ Recoil Hose - *†
- Solar Prep - *†
- Back-Up Camera Prep - *†
- Cable and Satellite Ready - *†
- Large Fold-Away Grab Handle - *
- "Solid Step" Fold Down Entry Steps- *†
- Spare Tire w/ Carrier - *†
- Adjustable TV Antenna- *†
- Exterior GFI Outlet - *†
- LP Quick Connect - *†
- LED Lit Marine Grade Exterior Speakers- *†
- Aerodynamic Fiberglass Front Cap - *
- Front Diamond Plate Rock Guard - *†
- "E-Z Lube" Greasable Axle Hubs - *†
- EZ Tow Wide Track Suspension - *
- Dexter Axles w/ 5-Year Warranty - *†
- "D" Rated Radial Tires - *†
- Extended Drip Spouts - *†
- Exterior Bottle Opener- *†
- Doggy D-Ring-Pet Securement- *†
- Outside Kitchen Cook Center (Select Floorplans) - *†
- 30 AMP Detachable Power Cord – *†
- 50 AMP Detachable Power Cord (Select Models)- *†

INTERIOR FEATURES & EQUIPMENT

- Large LED TV's In All Floorplans - *†
- LED Lighting Throughout w/Motion Sensor Lights In Key Locations- *†
- AM/FM/Bluetooth Stereo w/HDMI Pass-Through- *†
- Shaker Style Cabinet Doors w/ Glass Inserts- *†
- Pre-drilled And Screwed Cabinetry - *†
- Solid Wood Core Cabinetry - *†
- Brushed Nickel "J" Spout Kitchen Faucet - *†
- Large Single Basin Sink - *†
- Seamless Residential Countertops - *†
- "Slow Rise" Roller Shades w/Residential Window Treatments-*†
- Residential Hide-A-Bed Sofa (Most Models) - *†
- Extended Height Toilet w/Foot Flush - *†
- Large Medicine Cabinet - *†
- Shower Surround - *†
- Skylight Above Shower (Most Models) - *†
- 12V Exhaust Fan in Bath - *†
- "Evergreen" Select Foam Queen Size Mattress - *†
- Teddy Bear Bunk Mats (Where Applicable) - *†
- Quilted Residential Bedspread - *†

APPLIANCES

- Large 2-Door Refrigerator - *†
- 13,500 BTU Residential Ducted Air Conditioner - *†
- Optional 15,000 BTU A/C - *†
- 6 Gallon Gas/Electric Water Heater - *†
- 18 Gallon /Hour Quick Recovery Mode for Water Heater*†
- High Capacity Gas Furnace - *†
- Glass Top Stove w/Large Oven - *†
- Microwave - *†
- Range Hood w/Light - *†
- Water Heater Bypass - *†
- High Capacity Water Pump w/Interior and Exterior Switches- *†

SAFETY

- CO Detector - *†
- LP Detector - *†
- Fire Extinguisher - *†
- Dual Hitch Safety Chains - *†
- Smoke Alarm - *†

TANK CAPACITY

- FRESH WATER: 48 Gallons
- GREY WATER: 30 Gallons**
- BLACK WATER: 30 Gallons**

TRACER ADVANTAGE PACKAGE*

- ETERNABOND® CONSTRUCTION
- Aerodynamic Front Cap
- "Slow Rise" Roller Shades
- 18 Gal /Hour Quick Recovery Mode for Water Heater
- Spare Tire w/ Carrier
- Exterior Shower
- Outside Speakers
- LED Lit Power Awning
- Solar Prep
- Back Up Camera Prep
- Fully Enclosed Underbelly
- Universal Docking Center
- Electric Stabilizer Jacks
- Electric Tongue Jack
- E-Z Tow Wide Track Suspension
- Residential Seamless Countertops
- Residential Subway Tile Backsplash
- Brushed Nickel "J" Spout Kitchen Faucet

TRACER BREEZE ADVANTAGE PACKAGE †

- ETERNABOND CONSTRUCTION
- 18 Gal /Hour Quick Recovery Mode for Water Heater
- Spare Tire w/ Carrier
- Exterior Shower
- Outside Speakers
- LED Lit Power Awning
- Solar Prep
- Back Up Camera Prep
- Fully Enclosed Underbelly
- "Slow Rise" Roller Shades
- LED Interior Lighting
- Large Double Door Refrigerator
- Residential Seamless Countertops

* = TRACER

† = TRACER BREEZE

**Some models vary. See website for additional details.

DSI QUALITY CIRCLE AWARD

Prime Time Manufacturing is proud to be recognized as an industry leader in value, reliability, and overall quality by the Recreational Vehicle Dealers Association. We are committed to "A Higher Standard" in design, construction, testing, and customer service. Check us out — we know you'll be impressed!



Seek-A-Leak Pressure Test



Seal Tech Air Pressure Test



Executive Quality Audits



Web Based Customer Service



65 Point Secondary PDI



Advanced Engineering



ETERNABOND® Construction



Rain Bay

Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product. From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



View the online manual at <http://www.primetimerv.com/OnlineManual.aspx> or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2018 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.



www.primetimerv.com
PO Box 330 • 55470 CR 1 • Elkhart, IN 46515



FROG™ the Forest River Owners' Group!

FREE MEMBERSHIP to Forest River Owners' Group
www.forestriverfrog.com

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING	WINCH-OUT
JUMP-STARTS	MOBILE MECHANIC
TIRE CHANGES	TECHNICAL SUPPORT
FLUID DELIVERY	DEALER LOCATOR SERVICES
LOCKOUT SERVICE	

SAFERIDER™ MOTOR CLUB
*VALID FOR 1 YEAR FROM DATE OF PURCHASE

ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



PRE-DELIVERY INSPECTION FACILITY
20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

DEALER