



EQ SMART-LEVEL
ENTEGRA SYSTEM BOOK
2015-2024

TABLE OF CONTENTS

2015 Aspire		6
2015 Anthem		6
2015 Cornerstone		7
2016 Aspire		8
2016 Aspire-Tag		9
2016 Anthem		10
2016 Cornerstone		11
2017 Aspire		12
2017 Apsire-Tag		13
2017 Anthem		14
2017 Cornerstone		15
2018 Apsire		16
2018 Apsire-Tag		17
2018 Anthem		18
2018 Cornerstone		19
2019 Vision 26X	Through 5/10/18	20
2019 Vision 26X	After 5/10/18	21
2019 Vision 29S	Through 5/10/18	22
2019 Vision 29S	After 5/10/18	23
2019 Vision 31V	Through 5/10/18	24
2019 Vision 31V	After 5/10/18	25
2019 Vision 31R	Through 5/10/18	24
2019 Vision 31R	After 5/10/18	25
2019 Emblem 36U	Through 5/10/18	26


2019 Emblem 36U	After 5/10/18	27
2019 Emblem 36T	Through 5/10/18	26
2019 Emblem 36T	After 5/10/18	27
2019 Reatta		28
2019 Insignia		29
2019 Insignia-Tag		30
2019 Aspire		31
2019 Aspire-Tag		32
2019 Anthem		33
2019 Cornerstone		34
2020 Accolade		35
2020 Vision 26X		36
2020 Vision 27A		37
2020 Vision 29S		38
2020 Vision 29F, 31V		39
2020 Vision XL 34G, 33B		40
2020 Vision XL 36A		41
2020 Emblem		42
2020 Reatta		43
2020 Reatta XL		44
2020 Aspire 38M, 40P prior to 10/1/19		45
2020 Aspire 38M, 40P after 10/1/19		46
2020 Aspire 44B, 44F, 42DEQ, 44R, 44W		47
2020 Anthem		48

2020 Cornerstone	49
2021 Accolade	50
2021 Vision 26X	51
2021 Vision 27A	52
2021 Vision 29S	53
2021 Vision 29F, 31V	54
2021 Vision XL 34G, 36B	55
2021 Vision XL 36A	56
2021 Emblem	57
2021 Reatta	58
2021 Reatta XL	59
2021 Aspire	60
2021 Anthem	61
2021 Cornerstone	62
2022 Accolade	63
2022 Vision 26X	64
2022 Vision 27A	65
2022 Vision 29S	66
2022 Vision 29F, 31V	67
2022 Vision XL 34G, 36B	68
2022 Vision XL 36A, 36C	69
2022 Emblem	70
2022 Reatta	71
2022 Reatta XL	72
2022 Aspire	73

2022 Anthem	74
2022 Cornerstone	75
2023 Accolade & Accolade XL	76
2023 Accolade XT	77
2023 Vision 27A	78
2023 Vision 29S	79
2023 Vision 29F	80
2023 Vision XL 34G, 36B	81
2023 Vision XL 36A, 36C	82
2023 Emblem	83
2023 Reatta	84
2023 Reatta XL	85
2023 Aspire	86
2023 Anthem	87
2023 Cornerstone	88
2024 Accolade	89
2024 Accolade XL	90
2024 Accolade XT 29T	91
2024 Accolade XT 32U, 35L	92
2024 Vision 27A	93
2024 Vision 29S	94
2024 Vision 29F	95
2024 Vision XL 34G, 36B	96
2024 Vision XL 36A, 36C	97

2024 Emblem		98
2024 Reatta		99
2024 Reatta XL		100
2024 Aspire		101
2024 Anthem 44B, 44D, 44R, 44W, 44Z		102
2024 Anthem 44K		103
2024 Cornerstone		104
2024 Esteem XL		105
Jack Drawings	(7134, 7134TS, 7214, 7636)	106-115
Pump Drawings	(7545, 7545KS, 7948KS, 7953, 7953KS, 7960KS)	116-146
Hose Kits	(7547, 7952, 70091, 70109, 70110, 70111, 70112, 70239, 70462)	147-165
Wiring Schematic	(8630B, 8630C, 8738/8750, 8738C/8750 REV A, 8739, 8739 REV A)	166-171

**ENTEGRA CHART MY 2015
ASPIRE ANTHEM MODELS**



Notes:


Jack assembly in list includes mount plate and hardware. To order a replacement jack assembly, use part number 7134.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8750A & 8750B
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134TS
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA CHART MY 2015
CORNERSTONE**



Notes:


Jack assembly in list includes mount plate and hardware. To order a replacement jack assembly, use part number 7134.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8750A & 8750B
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134TS
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions


**ENTEGRA MY 2016
ANTHEM**



Notes:
Jack assembly in list includes mount plate and hardware. To order a replacement jack assembly, use part number 7134.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8750A & 8750B
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134TS
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486
Options				
Revisions				

**ENTEGRA MY2016
CORNERSTONE**



Notes:


Jack assembly in list includes mount plate and hardware. To order a replacement jack assembly, use part number 7134.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8750A & 8750B
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134TS
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY 2017
ASPIRE**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY 2017
ANTHEM**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486
Options				
Revisions				

**MY2019
VISION 26X
(Shipped to Jayco through 5/10/18)**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Touch Pad	Located in dash left of driver	1		3103
AL Controller	Attached to bottom of structure	1		3197U
Harness	Connects Controller & Touch Pad	1		6127U
Harness	Connects Controller & Pump	1		6799U
Hose Kit	Complete Set of Hoses	1		70109
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473
Hose, 18'	Pump to Jack, Right Front Bottom	1	White Stripe	2473
Hose, 20'	Pump to Jack, Left Front Top	1	Brown Solid	2475

Options

Revisions

**MY2019
VISION 26X
(Shipped to Jayco after 5/10/18)**



Notes:


After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70109
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473
Hose, 18'	Pump to Jack, Right Front Bottom	1	White Stripe	2473
Hose, 20'	Pump to Jack, Left Front Top	1	Brown Solid	2475

Options

Revisions

**MY2019
VISION 29S
(Shipped to Jayco through 5/10/18)**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Touch Pad	Located in dash left of driver	1		3103
AL Controller	Attached to bottom of structure	1		3197U
Harness	Connects Controller & Touch Pad	1		6127U
Harness	Connects Controller & Pump	1		6799U
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**MY2019
VISION 29S
(Shipped to Jayco after 5/10/18)**



Notes:

After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**MY2019
VISION 31V 31R
(Shipped to Jayco through 5/10/18)**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Touch Pad	Located in dash left of driver	1		3103
AL Controller	Attached to bottom of structure	1		3197U
Harness	Connects Controller & Touch Pad	1		6127U
Harness	Connects Controller & Pump	1		6799U
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**MY2019
VISION 31V 31R
(Shipped to Jayco after 5/10/18)**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**MY2019
EMBLEM 36U 36T
(Shipped to Jayco after 5/10/18)**



Notes:


After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 32'	Pump to Jack, Left Front Top	1	Brown Solid	2482
Hose, 32'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2482
Hose, 34'	Pump to Jack, Right Front Top	1	White Solid	2484

Options

Revisions


**ENTEGRA MY 2019
INSIGNIA**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486
Options				
Revisions				

**ENTEGRA MY 2019
ANTHEM**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY 2019
CORNERSTONE**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2020
ACCOLADE - 37K, 37HJ, 37RB, 37TS, 37L**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7948KS
Jacks	12,000 lbs, 16" Stroke Jacks	4		7214
Touch Pad	Located near entry door	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Controller & Touch Pad	1		6975U
Harness	Connects Controller & Pump	1		6955U
Hose Kit	Complete Set of Hoses	1		7952
Hose, 8'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 12'	Pump to Jack, Right Rear Top	1	Yellow Solid	2467
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471
Hose, 18'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2473
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473

Options

Revisions

**ENTEGRA MY2020
VISION - 26X**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70109
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473
Hose, 18'	Pump to Jack, Right Front Bottom	1	White Stripe	2473
Hose, 22'	Pump to Jack, Left Front Top	1	Brown Solid	2476

Options

Revisions

**ENTEGRA MY2020
VISION - 29S**



Notes:

After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**ENTEGRA MY2020
VISION - 29F, 31V**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**ENTEGRA MY2020
VISION XL - 36A**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 32'	Pump to Jack, Left Front Top	1	Brown Solid	2482
Hose, 32'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2482
Hose, 36'	Pump to Jack, Right Front Top	1	White Solid	2486

Options

Revisions

**ENTEGRA MY2020
EMBLEM - 36H, 36U, 36T**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 32'	Pump to Jack, Left Front Top	1	Brown Solid	2482
Hose, 32'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2482
Hose, 36'	Pump to Jack, Right Front Top	1	White Solid	2486

Options

Revisions

**ENTEGRA MY2020
REATA XL - 42Q2, 39BH, 39T2, 37K**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2020
ASPIRE - 38M, 40P
After 10-1-19**



Notes:

Beginning with VIN 88227, rear jacks changed to 17.5K and pump changed.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2020
ASPIRE - 44B, 44F, 42DEQ, 44R, 44W**



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770B
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2020
ANTHEM - 44A, 44B, 44F, 42DEQ, 44W**



Notes:

In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2020
CORNERSTONE - 45A, 45B, 45F, 45W, 45X, 45Y**



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

ENTEGRA MY2021
ACCOLADE - 37K, 37HJ, 37RB, 37TS, 37L
ACCOLADE XL - 37K, 37L, 37M



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7948KS
Jacks	12,000 lbs, 16" Stroke Jacks	4		7214
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		7952
Hose, 8'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 12'	Pump to Jack, Right Rear Top	1	Yellow Solid	2467
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471
Hose, 18'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2473
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473

Options

Revisions

**ENTEGRA MY2021
VISION - 26X**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70109
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473
Hose, 18'	Pump to Jack, Right Front Bottom	1	White Stripe	2473
Hose, 22'	Pump to Jack, Left Front Top	1	Brown Solid	2476

Options

Revisions

**ENTEGRA MY2021
VISION - 27A**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70239
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 8'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469
Hose, 16'	Pump to Jack, Left Rear Top	1	Orange Solid	2471
Hose, 18'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2473
Hose, 20'	Pump to Jack, Right Rear Top	1	Yellow Solid	2475

Options

Revisions

**ENTEGRA MY2021
VISION - 29S**



Notes:

After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**ENTEGRA MY2021
VISION - 29F, 31V**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**ENTEGRA MY2021
VISION XL - 34G, 36B**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70112
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 16'	Pump to Jack, Right Rear Top	1	Yellow Solid	2471
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 34'	Pump to Jack, Left Front Top	1	Brown Solid	2484
Hose, 34'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2484
Hose, 38'	Pump to Jack, Right Front Top	1	White Solid	2488

Options

Revisions

**ENTEGRA MY2021
EMBLEM - 36H, 36U, 36B**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 14'	Pump to Jack, Right Rear Top	1	Yellow Solid	2469
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 36'	Pump to Jack, Left Front Top	1	Brown Solid	2486
Hose, 36'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2486
Hose, 40'	Pump to Jack, Right Front Top	1	White Solid	2490

Options

Revisions

ENTEGRA MY2021
ASPIRE - 38M, 40P, 44B, 44F, 42DEQ, 44R, 44W, 44Z



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770B
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2021
ANTHEM - 44B, 44F, 42DEQ, 44W, 44R, 44Z**



Notes:

In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2021
CORNERSTONE - 45B, 45F, 45W, 45X, 45Y, 45R, 45Z**



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

ENTEGRA MY2022
ACCOLADE - 37K, 37RB, 37TS, 37L, 37M
ACCOLADE XL - 37K, 37L, 37M



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7948KS
Jacks	12,000 lbs, 16" Stroke Jacks	4		7214
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		7952
Hose, 8'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 12'	Pump to Jack, Right Rear Top	1	Yellow Solid	2467
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471
Hose, 18'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2473
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473

Options				

Revisions				

**ENTEGRA MY2022
VISION - 26X**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70109
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473
Hose, 18'	Pump to Jack, Right Front Bottom	1	White Stripe	2473
Hose, 22'	Pump to Jack, Left Front Top	1	Brown Solid	2476

Options

Revisions

**ENTEGRA MY2022
VISION - 27A**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70239
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 8'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469
Hose, 16'	Pump to Jack, Left Rear Top	1	Orange Solid	2471
Hose, 18'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2473
Hose, 20'	Pump to Jack, Right Rear Top	1	Yellow Solid	2475

Options

Revisions

**ENTEGRA MY2022
VISION - 29S**



Notes:


After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**ENTEGRA MY2022
VISION - 29F, 31V**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**ENTEGRA MY2022
VISION XL - 34G, 36B**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70112
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 16'	Pump to Jack, Right Rear Top	1	Yellow Solid	2471
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 34'	Pump to Jack, Left Front Top	1	Brown Solid	2484
Hose, 34'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2484
Hose, 38'	Pump to Jack, Right Front Top	1	White Solid	2488

Options

Revisions


**ENTEGRA MY2022
REATA - 39BH, 39T2, 37K**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486
Options				
Revisions				

**ENTEGRA MY2022
REATA XL - 40Q2, 39BH, 39T2, 37K**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2022
ASPIRE - 40P, 44B, 44F, 44R, 44W, 44Z**



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770B
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

**ENTEGRA MY2022
ANTHEM - 44B, 44F, 44W, 44R, 44Z**



Notes:


In September 2019 the pump changed from 7545 to 7545KS

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options

Revisions

ENTEGRA MY2023
ACCOLADE - 37K, 37RB, 37TS, 37L, 37M
ACCOLADE XL - 37K, 37L, 37M




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			8736C
Pump	4-Function, Jacks	1		7948KS
Jacks	12,000 lbs, 16" Stroke Jacks	4		7214
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		7952
Hose, 8'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 12'	Pump to Jack, Right Rear Top	1	Yellow Solid	2467
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471
Hose, 18'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2473
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473

Options

Revisions

**ENTEGRA MY2023
ACCOLADE XT - 35L, 32U**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		70375
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 22'	Pump to Jack, Left Rear Top	1	Orange Solid	2476
Hose, 22'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2476
Hose, 26'	Pump to Jack, Right Rear Top	1	Yellow Solid	3018
Hose, 10'	Pump to Jack, Left Front Top	1	Brown Solid	2465
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469

Options				

Revisions				

**ENTEGRA MY2023
VISION - 27A**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70239
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 8'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469
Hose, 16'	Pump to Jack, Left Rear Top	1	Orange Solid	2471
Hose, 18'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2473
Hose, 20'	Pump to Jack, Right Rear Top	1	Yellow Solid	2475

Options

Revisions

**ENTEGRA MY2023
VISION - 29S**



Notes:
After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options				

Revisions				

**ENTEGRA MY2023
VISION - 29F**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**ENTEGRA MY2023
VISION XL - 34G, 36B**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70112
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 16'	Pump to Jack, Right Rear Top	1	Yellow Solid	2471
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 34'	Pump to Jack, Left Front Top	1	Brown Solid	2484
Hose, 34'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2484
Hose, 38'	Pump to Jack, Right Front Top	1	White Solid	2488

Options

Revisions

**ENTEGRA MY2023
EMBLEM - 36H, 36U, 36B**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 14'	Pump to Jack, Right Rear Top	1	Yellow Solid	2469
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 36'	Pump to Jack, Left Front Top	1	Brown Solid	2486
Hose, 36'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2486
Hose, 40'	Pump to Jack, Right Front Top	1	White Solid	2490

Options				

Revisions				

**ENTEGRA MY2023
REATA - 39BH, 39T2, 37K**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke	4		7214
Touch Pad	Located to the left of the drivers seat	1		3103
AL Controller	Attached to bottom of structure	1		2745U
Harness	Connects Pump to Controller	1		6799U
Harness	Connects Controller to Touch Pad	1		6800U
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486
Options				
Revisions				

ENTEGRA MY2023
ASPIRE - 40P, 44B, 44D, 44R, 44W, 44Z



Notes:
 In September 2019 the pump changed from 7545 to 7545KS
 For 2023 model year, controls were changed to EQ Smart Level-Can Bus

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770B
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Control Panel	Located to the left of the drivers seat	1		2745SC
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2023
CORNERSTONE - 45B, 45D, 45W, 45R, 45Z**




Notes:
 In September 2019 the pump changed from 7545 to 7545KS
 For 2023 model year, controls were changed to EQ Smart Level-Can Bus

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769 & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Control Panel	Located to the left of the drivers seat	1		2745SC
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2024
ACCOLADE XL - 37K, 37L, 37M**




Notes:
Accolade XL added the air dump feature changing the control panel and harness.

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			8029
Pump	4-Function, Jacks	1		7948KS
Jacks	12,000 lbs, 16" Stroke Jacks	4		7214
Control Panel	Located near entry door	1		2745SBT
Harness	Connects Control Panel & Pump	1		6484-30
Hose Kit	Complete Set of Hoses	1		7952
Hose, 8'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Left Rear Top	1	Orange Solid	2465
Hose, 10'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2465
Hose, 12'	Pump to Jack, Right Rear Top	1	Yellow Solid	2467
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471
Hose, 18'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2473
Hose, 18'	Pump to Jack, Right Front Top	1	White Solid	2473

Options				

Revisions				

**ENTEGRA MY2024
ACCOLADE XT - 29T**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7906KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		70462
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 26'	Pump to Jack, Left Rear Top	1	Orange Solid	3018
Hose, 22'	Pump to Jack, Left Rear Bottom	1	Yellow Solid	2476
Hose, 22'	Pump to Jack, Right Rear Top	1	Yellow Stripe	2476
Hose, 14'	Pump to Jack, Left Front Top	1	Brown Solid	2469
Hose, 10'	Pump to Jack, Left Front Bottom	1	White Solid	2465
Hose, 10'	Pump to Jack, Right Front Top	1	White Stripe	2465

Options

Revisions

**ENTEGRA MY2024
ACCOLADE XT - 35L, 32U**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)			
Pump	4-Function, Jacks	1		7906KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6133-30
Hose Kit	Complete Set of Hoses	1		70375
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 22'	Pump to Jack, Left Rear Top	1	Orange Solid	2476
Hose, 22'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2476
Hose, 26'	Pump to Jack, Right Rear Top	1	Yellow Solid	3018
Hose, 10'	Pump to Jack, Left Front Top	1	Brown Solid	2465
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469

Options				

Revisions				

**ENTEGRA MY2024
VISION - 27A**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70239
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 8'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2463
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 14'	Pump to Jack, Right Front Top	1	White Solid	2469
Hose, 16'	Pump to Jack, Left Rear Top	1	Orange Solid	2471
Hose, 18'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2473
Hose, 20'	Pump to Jack, Right Rear Top	1	Yellow Solid	2475

Options

Revisions

**ENTEGRA MY2024
VISION - 29S**



Notes:

After May 10th, 2018 the controls were changed to Smart Level

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70111
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 10'	Pump to Jack, Right Rear Top	1	Yellow Solid	2465
Hose, 10'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2465
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 12'	Pump to Jack, Right Front Top	1	White Solid	2467
Hose, 14'	Pump to Jack, Right Front Bottom	1	White Stripe	2469
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 16'	Pump to Jack, Left Front Top	1	Brown Solid	2471

Options

Revisions

**ENTEGRA MY2024
VISION - 29F**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70110
Hose, 4'	Pump to Jack, Right Rear Top	1	Yellow Solid	2459
Hose, 4'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2459
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 8'	Pump to Jack, Left Rear Top	1	Orange Solid	2463
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 22'	Pump to Jack, Right Front Top	1	White Solid	2476
Hose, 22'	Pump to Jack, Right Front Bottom	1	White Stripe	2476
Hose, 24'	Pump to Jack, Left Front Top	1	Brown Solid	2478

Options

Revisions

**ENTEGRA MY2024
VISION XL - 34G, 36B**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70112
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 16'	Pump to Jack, Right Rear Top	1	Yellow Solid	2471
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 34'	Pump to Jack, Left Front Top	1	Brown Solid	2484
Hose, 34'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2484
Hose, 38'	Pump to Jack, Right Front Top	1	White Solid	2488

Options

Revisions

**ENTEGRA MY2024
VISION XL - 36A, 36C**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		
Pump	4-Function, Jacks	1		7948KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located in dash left of driver	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70091
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 14'	Pump to Jack, Left Rear Top	1	Orange Solid	2469
Hose, 14'	Pump to Jack, Left Rear Bottom	1	Orange Stripe	2469
Hose, 14'	Pump to Jack, Right Rear Top	1	Yellow Solid	2469
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 36'	Pump to Jack, Left Front Top	1	Brown Solid	2486
Hose, 36'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2486
Hose, 40'	Pump to Jack, Right Front Top	1	White Solid	2490

Options

Revisions

**ENTEGRA MY2024
REATA - 39BH, 39T2, 37K**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769B & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Control Panel	Located to the left of the drivers seat	1		2745SBT
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2024
REATA XL - 40Q2, 39BH, 39T2, 37K**



Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769B & 8770A
Pump	4-Function, Jacks	1		7953KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Control Panel	Located to the left of the drivers seat	1		2745SBT
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

ENTEGRA MY2024
ASPIRE - 40P, 44B, 44D, 44R, 44W, 44Z



Notes:
 In September 2019 the pump changed from 7545 to 7545KS
 For 2023 model year, controls were changed to EQ Smart Level-Can Bus

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769C & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	12,000 lbs, 16" Stroke/Front	2		7214
Jack	17,500 lbs, 18" Stroke/Rear	2		7134
Control Panel	Located to the left of the drivers seat	1		2745SC
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2024
ANTHEM - 44B, 44D, 44W, 44R, 44Z**



Notes:
 In September 2019 the pump changed from 7545 to 7545KS
 For 2023 model year, controls were changed to EQ Smart Level-Can Bus

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769C & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Control Panel	Located to the left of the drivers seat	1		2745SC
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Left Front Top	1	Brown Solid	2458
Hose, 4'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2459
Hose, 8'	Pump to Jack, Right Front Top	1	White Solid	2463
Hose, 10'	Pump to Jack, Right Front Bottom	1	White Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2024
CORNERSTONE - 45B, 45D, 45W, 45R, 45Z**




Notes:
 In September 2019 the pump changed from 7545 to 7545KS
 For 2023 model year, controls were changed to EQ Smart Level-Can Bus

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8769C & 8770C
Pump	4-Function, Jacks	1		7545KS
Jack	17,500 lbs, 18" Stroke	4		7134
Control Panel	Located to the left of the drivers seat	1		2745SC
Harness	Connects Pump to Control Panel	1		6416-22
Hose Kit	Complete Set of Hoses	1		7547
Hose, 3'	Pump to Jack, Right Front Top	1	White Solid	2458
Hose, 4'	Pump to Jack, Right Front Bottom	1	White Stripe	2459
Hose, 8'	Pump to Jack, Left Front Top	1	Brown Solid	2463
Hose, 10'	Pump to Jack, Left Front Bottom	1	Brown Stripe	2465
Hose, 10'	LR Jack Bottom to RR Jack Bottom	1	Org. Stripe/Yel Stripe	2465
Hose, 34'	Pump to Jack, Right Rear Top	1	Yellow Solid	2484
Hose, 36'	Pump to Jack, Right Rear Bottom	1	Yellow Stripe	2486
Hose, 36'	Pump to Jack, Left Rear Top	1	Orange Solid	2486

Options				

Revisions				

**ENTEGRA MY2024
ESTEEM XL**




Notes:

Item, Length	Description / Location	Qty	Color	Equalizer Part No.
Kit	(Items listed below)	1		8630C
Pump	4-Function, Jacks	1		7960KS
Jacks	7,500 lbs, 15" Stroke Jacks	4		7636
Control Panel	Located near entry door	1		3197SBT
Harness	Connects Control Panel & Pump	1		6147
Hose Kit	Complete Set of Hoses	1		70462
Hose, 12'	LF Jack Bottom to RF Jack Bottom	1	Brown/White Stripe	2467
Hose, 8'	LR Jack Bottom to RR Jack Bottom	1	Orange/Yellow Stripe	2463
Hose, 26'	Pump to Jack, Left Rear Top	1	Orange Solid	3018
Hose, 22'	Pump to Jack, Left Rear Bottom	1	Yellow Solid	2476
Hose, 22'	Pump to Jack, Right Rear Top	1	Yellow Stripe	2476
Hose, 14'	Pump to Jack, Left Front Top	1	Brown Solid	2469
Hose, 10'	Pump to Jack, Left Front Bottom	1	White Solid	2465
Hose, 10'	Pump to Jack, Right Front Top	1	White Stripe	2465



Options

Revisions



Note:
 Only two of the jacks in this system have the 1190 fitting and one jack will have (2) 1124 fittings at the bottom.

<i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED:	TITLE	USED ON:
					TOLERANCES:	SL 18 S LEG ASSEMBLY	ENTEGRASPIRE
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.					.XXX ± 0.010	SIZE	
					.XX ± 0.010	SCALE	
					.X ± 0.030	A 1:1	MATERIAL
					ANG. ± 1/2"	SJ	AS
					REMOVE ALL BURRS AND SHARP EDGES .015 MAX	DRW BY:	PART NAME:
						DATE:	SL 18 S
						3/2/15	
						APP'D BY:	PAGE:
						-	2 OF 3
						DATE:	DWG NO.:
						-	P7134
							REV:
							-



Equalizer


55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE SL 18 S LEG ASSEMBLY		USED ON: ENTEGRA-ASPIRE	
SIZE A	SCALE 1:1	MATERIAL AS NOTED	
DRW BY: SJ	DATE: 3/2/15	PART NAME: SL 18 S	
APP'D BY: -	DATE: -	PAGE: 3 OF 3	DWG NO.: P7134
			REV: -

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.



Note:
 Only two of the jacks in this system have the 1190 fitting and one jack will have (2) 1124 fittings at the bottom.

Equalizer


55169 COUNTY ROAD 3
 ELKHART, IN 46515

#	REVISIONS	BY:	DATE:
A	3216 was 1403	SJ	3/2/15

UNLESS OTHERWISE SPECIFIED:
 TOLERANCES:
 .XXX ± 0.010
 .XX ± 0.010
 .X ± 0.030
 ANG. ± 1/2"
 REMOVE ALL BURRS AND SHARP EDGES .015 MAX



TITLE			USED ON:		
DP/SL 18 LEG ASSEMBLY			ENTEGRA		
SIZE	SCALE	MATERIAL	NOTED		
A	1:1	AS			
DRW BY:	DATE:	PART NAME:			
SJ	5/12/14	DP/SL 18 FIXED LEG ASSEMBLY (JAYCO)			
APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:	
		2 OF 2	P7134TS/7548	A	

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.



Note:
 Only two of the jacks in this system have the 1190 fitting and one rear jack will have (2) 1124 fittings at the bottom.

<i>Equalizer</i>	55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:		
							SL 16 S LEG ASSEMBLY	ENTEGRA ASPIRE		
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						SIZE	SCALE	MATERIAL		
						A	1:1	AS		
						DRW BY:	DATE:	PART NAME:		
						SJ	2/27/15	SL 16 S LEG ASSEMBLY		
						APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:
						-	-	2 OF 3	P7214	-



Equalizer


55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2°
REMOVE ALL BURRS AND SHARP EDGES .015 MAX


TITLE		USED ON:	
SL 16 S LEG ASSEMBLY		ENTEGRA ASPIRE	
SIZE	SCALE	MATERIAL	
A	1:1	AS NOTED	
DRW BY:	DATE:	PART NAME:	
SJ	2/27/15	SL 16 S LEG ASSEMBLY	
APP'D BY:	DATE:	PAGE:	DWG NO.:
-	-	3 OF 3	P7214
REV:	-		

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.



Note:
 On each pair of jacks in this system, one jack will have (1) 1124 fitting and the other will have (2) 1124 fittings.

<i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:		
						SL 15 S LEG ASSEMBLY	JAYCO/ENTEGRA		
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.					SIZE	SCALE	MATERIAL		
					A	1:1	AS NOTED		
					DRW BY:	DATE:	PART NAME:		
					SJ	9/6/17	SL 15 S LEG ASSEMBLY		
					APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:
					-	-	2 OF 2	P7636	-



Equalizer



55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE 4 FUNC. BIROT. PUMP ASSEMBLY		USED ON: JAYCO/ENTEGR	
SIZE A	SCALE 1:1	MATERIAL AS NOTED	
DRW BY: SJ	DATE: 5/9/14	PART NAME: PUMP & MANI 4 FUNC BIROT ENTEGRA	
APP'D BY -	DATE: -	PAGE: 2 OF 3	DWG NO.: P7545
			REV: -



Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE
4 FUNC. BIROT. PUMP ASSEMBLY

SIZE	SCALE	MATERIAL
A	1:1	AS

DRW BY: SJ
DATE: 5/9/14

APP'D BY: -
DATE: -

USED ON:
JAYCO/ENTEGRA


PART NAME:
PUMP & MANI 4 FUNC BIROT ENTEGRA

PAGE:	DWG NO.:	REV:
3 OF 3	P7545	-

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.


HYDRAULIC HOSE CONNECTIONS 7545 PUMP


- B = RETRACT FUNCTION
- B1 = RIGHT FRONT JACK
(BROWN/BLACK)
- B2 = RIGHT FRONT JACK
(WHITE/BLACK)
- B4 = RIGHT REAR JACK
(YELLOW/BLACK)



- T = EXTEND FUNCTION
- T1 = LEFT FRONT JACK (BROWN)
- T2 = RIGHT FRONT JACK (WHITE)
- T3 = LEFT REAR JACK (ORANGE)
- T4 = RIGHT REAR JACK (YELLOW)

7545 PUMP WIRING





Equalizer



55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE		USED ON:	
4 FUNC. BIROT. PUMP ASSEMBLY		JAYCO/ENTEGRA	
SIZE	SCALE	MATERIAL	NOTED
A	1:1	AS	
DRW BY:	DATE:	PART NAME:	
SJ	7/29/19	PUMP & MANI 4 FUNC BIROT ENTEGRA	
APP'D BY	DATE:	PAGE:	DWG NO.:
-	-	2 OF 3	P7545KS
			REV:
			-



Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:


UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE 4 FUNC. BIROT. PUMP ASSEMBLY		USED ON: JAYCO/ENTEGRA	
SIZE A	SCALE 1:1	MATERIAL AS NOTED	
DRW BY: SJ	DATE: 7/29/19	PART NAME: PUMP & MANI 4 FUNC BIROT ENTEGRA	
APP'D BY: -	DATE: -	PAGE: 3 OF 3	DWG NO.: P7545KS
			REV: -

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.



HYDRAULIC HOSE CONNECTIONS 7545KS PUMP


- B = RETRACT FUNCTION
- B1 = RIGHT FRONT JACK
(BROWN/BLACK)
- B2 = RIGHT FRONT JACK
(WHITE/BLACK)
- B4 = RIGHT REAR JACK
(YELLOW/BLACK)



- T = EXTEND FUNCTION
- T1 = LEFT FRONT JACK (BROWN)
- T2 = RIGHT FRONT JACK (WHITE)
- T3 = LEFT REAR JACK (ORANGE)
- T4 = RIGHT REAR JACK (YELLOW)

7545KS PUMP WIRING





Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.


Equalizer 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						4 FUNCTION PUMP SIZE SCALE MATERIAL A 1: 1
						DRW BY: SJ DATE: 5/30/17 APP'D BY: - DATE: -	PAGE: 2 OF 2 DWG NO.: P7948KS REV: -

HYDRAULIC HOSE CONNECTIONS 7948KS PUMP

B = RETRACT FUNCTION

B1 = LEFT FRONT JACK
(BROWN/BLACK)

B3 = LEFT REAR JACK
(ORANGE/BLACK)



T = EXTEND FUNCTION

T1 = LEFT FRONT JACK (BROWN)


T2 = RIGHT FRONT JACK (WHITE)

T3 = LEFT REAR JACK (ORANGE)

T4 = RIGHT REAR JACK (YELLOW)

7948KS PUMP WIRING

MANUAL OVERRIDE SCREWS



1/4" ALLEN SOCKET MANUAL
OVERRIDE LOCATED UNDER
STICKER


18GA BROWN 12VDC LEFT FRONT
JACK-16GA BLACK GROUND

18GA WHITE 12VDC RIGHT FRONT
JACK-16GA BLACK GROUND

18GA ORANGE 12VDC LEFT REAR
JACK-16GA BLACK GROUND

18GA YELLOW 12VDC RIGHT REAR
JACK-16GA BLACK GROUND

GROUND STUD FOR PUMP ASSEMBLY



TO A2+ STUD ON MOTOR

TO A1- STUD ON MOTOR

12VDC + FROM BATTERY


16 GA BLUE 12VDC EXTEND

16 GA BLACK GROUND

16 GA GREEN 12VDC RETRACT


TO GROUND
STUD ON PUMP

Small Bi-Rotational Pump Assembly





Manual override screw, 1/4" allen head, is under this sticker. Using a 2000 rpm minimum drill, retract jacks by turning counter clockwise. To extend, turn screw clockwise.

To perform the manual override procedure, using a 1/8" allen wrench, all set screws must be turned clockwise "open" until they are snug. Once all levelers are retracted, turn all valve screws counter clockwise "closed" until snug.



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						4 FUNCTION PUMP SIZE SCALE MATERIAL A 1: 1
						DRW BY: SJ DATE: 2/17/15	PART NAME: PUMP & MAN 4 FUNC BIROT 3 IN-JAYCO
						APP'D BY: - DATE: -	PAGE: 2 OF 2 DWG NO.: P7953 REV: -



Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:


NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE		USED ON:	
4 FUNCTION PUMP		ENTEGRA ASPIRE SINGLE AXLE	
SIZE	SCALE	MATERIAL	
A	1:1		
DRW BY:	DATE:	PART NAME:	
SJ	2/17/15	PUMP & MAN 4 FUNC BIROT 3 IN-JAYCO	
APP'D BY:	DATE:	PAGE:	DWG NO.:
-	-	3 OF 3	P7953
			REV:
			-



HYDRAULIC HOSE CONNECTIONS 7953 PUMP

- B = RETRACT FUNCTION
- B1 = LEFT FRONT JACK
(BROWN/BLACK)
- B2 = RIGHT FRONT JACK
(WHITE/BLACK)
- B4 = RIGHT REAR JACK
(YELLOW/BLACK)




- T = EXTEND FUNCTION
- T1 = LEFT FRONT JACK (BROWN)
- T2 = RIGHT FRONT JACK (WHITE)
- T3 = LEFT REAR JACK (ORANGE)
- T4 = RIGHT REAR JACK (YELLOW)

7953 PUMP WIRING




Small Bi-Rotational Pump Assembly



Manual override screw, 6mm allen head, is under this sticker. Using a 2000 rpm minimum drill, retract jacks by turning counter clockwise. To extend, turn screw clockwise.

To perform the manual override procedure, using a $\frac{1}{8}$ " allen wrench, all set screws must be turned clockwise "open" until they are snug. Once all levelers are retracted, turn all valve screws counter clockwise "closed" until snug.




Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						4 FUNCTION PUMP SIZE SCALE MATERIAL A 1: 1
						DRW BY: SJ DATE: 6/12/17	PART NAME: PUMP & MAN 4 FUNC BIROT-JAYCO-KS
						APP'D BY: - DATE: -	PAGE: 2 OF 2 DWG NO.: P7953KS REV: -

HYDRAULIC HOSE CONNECTIONS 7953KS PUMP


- B = RETRACT FUNCTION
- B1 = LEFT FRONT JACK
(BROWN/BLACK)
- B2 = RIGHT FRONT JACK
(WHITE/BLACK)
- B4 = RIGHT REAR JACK
(YELLOW/BLACK)



- T = EXTEND FUNCTION
- T1 = LEFT FRONT JACK (BROWN)
- T2 = RIGHT FRONT JACK (WHITE)
- T3 = LEFT REAR JACK (ORANGE)
- T4 = RIGHT REAR JACK (YELLOW)

7953KS PUMP WIRING

MANUAL OVERRIDE SCREWS



1/4" ALLEN SOCKET MANUAL
OVERRIDE LOCATED UNDER
STICKER


18GA BROWN 12VDC LEFT FRONT
JACK-16GA BLACK GROUND

18GA WHITE 12VDC RIGHT FRONT
JACK-16GA BLACK GROUND

18GA ORANGE 12VDC LEFT REAR
JACK-16GA BLACK GROUND

18GA YELLOW 12VDC RIGHT REAR
JACK-16GA BLACK GROUND

GROUND STUD FOR PUMP ASSEMBLY



TO A2+ STUD ON MOTOR

TO A1- STUD ON MOTOR

12VDC + FROM BATTERY


16 GA BLUE 12VDC EXTEND

16 GA BLACK GROUND

16 GA GREEN 12VDC RETRACT


TO GROUND
STUD ON PUMP

Small Bi-Rotational Pump Assembly



Manual override screw, 1/4" allen head, is under this sticker. Using a 2000 rpm minimum drill, retract jacks by turning counter clockwise. To extend, turn screw clockwise.

To perform the manual override procedure, using a 1/8" allen wrench, all set screws must be turned clockwise "open" until they are snug. Once all levelers are retracted, turn all valve screws counter clockwise "closed" until snug.



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.


<i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						4 FUNCTION PUMP SIZE SCALE MATERIAL A 1: 1
						DRW BY: SJ DATE: 5/30/17 APP'D BY: - DATE: -	PAGE: 2 OF 2 DWG NO.: P7960KS REV: -

HYDRAULIC HOSE CONNECTIONS 7960KS PUMP

B = RETRACT FUNCTION

B1 = LEFT FRONT JACK
(BROWN/BLACK)

B3 = LEFT REAR JACK
(ORANGE/BLACK)



T = EXTEND FUNCTION

T1 = LEFT FRONT JACK (BROWN)


T2 = RIGHT FRONT JACK (WHITE)

T3 = LEFT REAR JACK (ORANGE)

T4 = RIGHT REAR JACK (YELLOW)

7960KS PUMP WIRING

MANUAL OVERRIDE SCREWS



1/4" ALLEN SOCKET MANUAL
OVERRIDE LOCATED UNDER
STICKER


18GA BROWN 12VDC LEFT FRONT
JACK-16GA BLACK GROUND

18GA WHITE 12VDC RIGHT FRONT
JACK-16GA BLACK GROUND

18GA ORANGE 12VDC LEFT REAR
JACK-16GA BLACK GROUND

18GA YELLOW 12VDC RIGHT REAR
JACK-16GA BLACK GROUND

GROUND STUD FOR PUMP ASSEMBLY



TO A2+ STUD ON MOTOR

TO A1- STUD ON MOTOR

12VDC + FROM BATTERY


16 GA BLUE 12VDC EXTEND

16 GA BLACK GROUND

16 GA GREEN 12VDC RETRACT

TO GROUND
STUD ON PUMP

Small Bi-Rotational Pump Assembly



Manual override screw, 1/4" allen head, is under this sticker. Using a 2000 rpm minimum drill, retract jacks by turning counter clockwise. To extend, turn screw clockwise.

To perform the manual override procedure, using a 1/8" allen wrench, all set screws must be turned clockwise "open" until they are snug. Once all levelers are retracted, turn all valve screws counter clockwise "closed" until snug.

7547 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2458	HOSE-3'	1	SEE LAYOUT PER MODEL	SEE LAYOUT PER MODEL
2	2459	HOSE-4'	1	SEE LAYOUT PER MODEL	SEE LAYOUT PER MODEL
3	2463	HOSE-8'	1	SEE LAYOUT PER MODEL	SEE LAYOUT PER MODEL
4	2465	HOSE-10'	1	SEE LAYOUT PER MODEL	SEE LAYOUT PER MODEL
5	2465	HOSE-10'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
6	2484	HOSE-34'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
7	2486	HOSE-36'	1	YELLOW STRIPE	PUMP PORT B4 TO BOTTOM OF RR JACK
8	2486	HOSE-36'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK

NOTE:


For the Cornerstone models, the front hoses are reversed in colors and locations since the pump is mounted on the passenger side.
See "Sheet 2" for Aspire and Anthem
See "Sheet 3" for Cornerstone

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	5
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	2
11	3216	FITTING-RESTRICTOR #6 X #4-055" ORIFICE	4



1124 FITTING




1190 FITTING



3216 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:		
	A	CHANGES TO PAGES 2&3	PSF	08/25/16		ENTEGRA HOSE CHART	ASPIRE, ANTHEM, CORNERSTONE		
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.	B	Added jack fittings.	SJ	5/8/17	SIZE	SCALE	MATERIAL	NOTED	
					A	1:1	AS		
						DRW BY:	DATE:	PART NAME:	
						SJ	3/2/15	HOSE KIT-JAYCO 8136A	
					APP'D BY	DATE:	PAGE:	DWG NO.:	REV:
					-	-	1 OF 3	P7547	B



ASPIRE-ANTHEM HOSE LAYOUT


Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED:	TITLE	USED ON:
A	ADD COLOR & LENGTH	PSF	08/25/16	TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2"	ENTEGRA HOSE CHART	ASPIRE, ANTHEM
B	Added jack fittings.	SJ	5/8/17	REMOVE ALL BURRS AND SHARP EDGES .015 MAX	SIZE SCALE MATERIAL A 1:1 AS	NOTED
					DRW BY: DATE: SJ 3/2/15	PART NAME: HOSE KIT-JAYCO 8136A
					APP'D BY: DATE: - -	PAGE: DWG NO.: REV: 2 OF 3 P7547 B



CORNERSTONE HOSE LAYOUT

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:
A	ADD COLOR & LENGTH	PSF	08/25/16
B	Added jack fittings.	SJ	5/8/17

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX


TITLE			USED ON:	
ENTEGRA HOSE CHART			CORNERSTONE	
SIZE	SCALE	MATERIAL	NOTED	
A	1:1	AS		
DRW BY:	DATE:	PART NAME:		
SJ	3/2/15	HOSE KIT-JAYCO 8136A		
APP'D BY	DATE:	PAGE:	DWG NO.:	REV:
-	-	3 OF 3	P7547	B

7952 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2463	HOSE-8'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
2	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
3	2467	HOSE-12'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
4	2465	HOSE-10'	1	ORANGE STRIPE	PUMP PORT B3 TO BOTTOM OF LR JACK
5	2465	HOSE-10'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
6	2471	HOSE-16'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK
7	2473	HOSE-18'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK
8	2473	HOSE-18'	1	BROWN STRIPE	PUMP PORT B1 TO BOTTOM OF LF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	3
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

<p><i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515</p> <p>NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.</p>	#	REVISIONS	BY:	DATE:	<p>UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX</p>	TITLE	USED ON:
	A	Added fittings and hose descriptions on sheet 2.	SJ	5/8/17		JAYCO HOSE CHART	SENECA
	B	Changed hose arrangement & lengths.	SJ	5/26/17		SIZE SCALE MATERIAL	NOTED
	C	Brown stripe hose was 16'.	SJ	5/26/17		A 1:1 AS	
					DRW BY: DATE: PART NAME:		
					SJ 12/10/14	HOSE KIT-JAYCO 8736A	
					APP'D BY: DATE:	PAGE: DWG NO.: REV:	
					- -	1 OF 2 P7952 C	



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:
A	Added fittings and hose descriptons on sheet 2.	SJ	5/8/17
B	Changed hose arrangement & lengths.	SJ	5/26/17
C	Brown stripe hose was 16'.	SJ	5/26/17

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX


TITLE			USED ON:	
JAYCO HOSE CHART			SENECA	
SIZE	SCALE	MATERIAL	NOTED	
A	1:1	AS		
DRW BY:	DATE:	PART NAME:		
SJ	12/10/14	HOSE KIT-JAYCO 8736A		
APP'D BY	DATE:	PAGE:	DWG NO.:	REV:
-	-	2 OF 2	P7952	C

70091 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
2	2469	HOSE-14'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
3	2469	HOSE-14'	1	ORANGE STRIPE	PUMP PORT B3 TO BOTTOM OF LR JACK
4	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
5	2469	HOSE-14'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
6	2486	HOSE-36'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK
7	2486	HOSE-36'	1	BROWN STRIPE	PUMP PORT B1 TO BOTTOM OF LF JACK
8	2490	HOSE-40'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

<p><i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515</p> <p>NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.</p>	#	REVISIONS	BY:	DATE:	<p>UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2"</p> <p>REMOVE ALL BURRS AND SHARP EDGES .015 MAX</p>	TITLE	USED ON:
	A	Changed hose 4 from 10' to 12'	SJ	1/23/18		JAYCO HOSE CHART	PRECEPT/EMBLEM
	B	ORA. & ORA. STRP were 8', WHITE was 32', BRN & BRN STRP were 30'	SJ	3/21/18		SIZE SCALE MATERIAL	NOTED
	C	Changed WHITE SOLID from 34' to 36'	SJ	8/26/19		A 1:1 AS	
	D	All hoses except the crossovers increased by 4'	SJ	10/28/20		DRW BY: DATE:	
					SJ 9/22/17	HOSE KIT-JAYCO PRECEPT/EMBLEM 242-252WB	
					APP'D BY: DATE:	PAGE: DWG NO.: REV:	
					- -	1 OF 2 P70091 D	



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:
A	Changed hose 4 from 10' to 12'	SJ	1/23/18
B	ORA. & ORA. STRP were 8', WHITE was 32', BRN & BRN STRP were 30'	SJ	3/21/18
C	Changed WHITE SOLID from 34' to 36'	SJ	8/26/19
D	All hoses except the crossovers increased by 4'	SJ	10/28/20

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX


TITLE		USED ON:	
JAYCO HOSE CHART		PRECEPT/EMBLEM	
SIZE	SCALE	MATERIAL	
A	1:1	AS	NOTED
DRW BY:	DATE:	PART NAME:	
SJ	9/22/17	HOSE KIT-JAYCO PRECEPT/EMBLEM 242-252WB	
APP'D BY	DATE:	PAGE:	DWG NO.:
-	-	2 OF 2	P70091
			REV: D

70109 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2459	HOSE-4'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
2	2459	HOSE-4'	1	YELLOW STRIPE	PUMP PORT B4 TO BOTTOM OF RR JACK
3	2463	HOSE-8'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
4	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
5	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
6	2473	HOSE-18'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK
7	2473	HOSE-18'	1	WHITE STRIPE	PUMP PORT B2 TO BOTTOM OF RF JACK
8	2476	HOSE-22'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

	55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:		
		A	Brown Solid changes from 20' to 22'	SJ	10/4/19		JAYCO HOSE CHART	ALANTE		
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						SIZE	SCALE	MATERIAL	NOTED	
						A	1:1	AS		
						DRW BY:	DATE:	PART NAME:		
						SJ	1/23/18	HOSE KIT-JAYCO ALANTE 158-178WB		
						APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:
						-	-	1 OF 2	P70109	A



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:
A	Brown Solid changes from 20' to 22'	SJ	10/4/19

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE	USED ON:
JAYCO HOSE CHART	ALANTE
SIZE SCALE MATERIAL	NOTED
A 1:1 AS	
DRW BY: DATE:	PART NAME:
SJ 1/23/18	HOSE KIT-JAYCO ALANTE 158-178WB
APP'D BY: DATE:	PAGE: DWG NO.: REV:
- -	2 OF 2 P70109 A


NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

70110 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2459	HOSE-4'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
2	2459	HOSE-4'	1	YELLOW STRIPE	PUMP PORT B4 TO BOTTOM OF RR JACK
3	2463	HOSE-8'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
4	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
5	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
6	2476	HOSE-22'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK
7	2476	HOSE-22'	1	WHITE STRIPE	PUMP PORT B2 TO BOTTOM OF RF JACK
8	2478	HOSE-24'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

	55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2"	TITLE	USED ON:			
							JAYCO HOSE CHART	ALANTE			
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						SIZE	SCALE	MATERIAL	NOTED		
						A	1:1	AS			
							DRW BY:	DATE:	PART NAME:		
						SJ	1/24/18	HOSE KIT-JAYCO ALANTE 190-228WB			
						REMOVE ALL BURRS AND SHARP EDGES .015 MAX	APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:
							-	-	1 OF 2	P70110	-



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer 55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

#	REVISIONS	BY:	DATE:


UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2"		TITLE JAYCO HOSE CHART		USED ON: ALANTE	
REMOVE ALL BURRS AND SHARP EDGES .015 MAX		SIZE A	SCALE 1:1	MATERIAL AS NOTED	
DRW BY: SJ	DATE: 1/24/18	PART NAME: HOSE KIT-JAYCO ALANTE 190-228WB		PAGE: 2 OF 2	DWG NO.: P70110
APP'D BY: -	DATE: -	REV:		-	

70111 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2465	HOSE-10'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
2	2465	HOSE-10'	1	YELLOW STRIPE	PUMP PORT B4 TO BOTTOM OF RR JACK
3	2469	HOSE-14'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
4	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
5	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
6	2467	HOSE-12'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK
7	2469	HOSE-14'	1	WHITE STRIPE	PUMP PORT B2 TO BOTTOM OF RF JACK
8	2471	HOSE-16'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

	55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
		A	WHITE STRIPE HOSE WAS 12'	SJ	3/21/18		JAYCO HOSE CHART	ALANTE
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.							SIZE SCALE MATERIAL A 1:1 AS NOTED	
							DRW BY: DATE: SJ 1/24/18	PART NAME: HOSE KIT-JAYCO ALANTE 190-FRONT PUMP
							APP'D BY: DATE: - -	PAGE: DWG NO.: REV: 1 OF 2 P70111 A



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:
A	WHITE STRIPE HOSE WAS 12'	SJ	3/21/18

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE		USED ON:	
JAYCO HOSE CHART		ALANTE	
SIZE	SCALE	MATERIAL	NOTED
A	1:1	AS	
DRW BY:	DATE:	PART NAME:	
SJ	1/24/18	HOSE KIT-JAYCO ALANTE 190-FRONT PUMP	
APP'D BY	DATE:	PAGE:	DWG NO.:
-	-	2 OF 2	P70111
			REV: A


NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

70112 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
2	2469	HOSE-14'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
3	2469	HOSE-14'	1	ORANGE STRIPE	PUMP PORT B3 TO BOTTOM OF LR JACK
4	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
5	2471	HOSE-16'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK
6	2484	HOSE-34'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK
7	2484	HOSE-34'	1	BROWN STRIPE	PUMP PORT B1 TO BOTTOM OF LF JACK
8	2488	HOSE-38'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

<p>55169 COUNTY ROAD 3 ELKHART, IN 46515</p> <p>NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.</p>	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	A	ORA. & ORA. STRP were 8', YEL was 10', BRN. & BRN. STRP were 26', WHITE was 28'	SJ	3/21/18		JAYCO HOSE CHART	PRECEPT/EMBLEM
	B	BROWN STRIPE changed from 28' to 30'	SJ	5/2/18		SIZE SCALE MATERIAL	NOTED
	C	BROWN SOLID changed from 28' to 30'	SJ	7/9/18		A 1:1 AS	
	D	WHITE SOLID changed from 30' to 34'	SJ	9/4/19		DRW BY: DATE:	PART NAME:
E	All hoses except the crossovers increased by 4'	SJ	10/28/20	SJ 1/23/18	HOSE KIT-JAYCO PRECEPT/EMBLEM 190-228WB		
					APP'D BY: DATE:	PAGE: DWG NO.: REV:	
					- -	1 OF 2 P70112 E	



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.


#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED:	TITLE	USED ON:	
A	ORA. & ORA. STRP were 8', YEL was 10', BRN. & BRN. STRP were 26', WHITE was 28'	SJ	3/21/18	TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	JAYCO HOSE CHART	PRECEPT/EMBLEM	
B	BROWN STRIPE changed from 28' to 30'	SJ	5/2/18		SIZE SCALE MATERIAL	NOTED	
C	BROWN SOLID changed from 28' to 30'	SJ	7/9/18		A 1: 1 AS		
D	WHITE SOLID changed from 30' to 34'	SJ	9/4/19		DRW BY: DATE:	SJ 1/23/18	PART NAME: HOSE KIT-JAYCO PRECEPT/EMBLEM 190-228WB
E	All hoses except the crossovers increased by 4'	SJ	10/28/20		APP'D BY: DATE:	- -	PAGE: DWG NO.: REV: 2 OF 2 P70112 E

70239 PARTS LIST


ITEM	PART#	DESCRIPTION	QUAN	COLOR CODE	LOCATION
1	2463	HOSE-8'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF LF JACK
2	2463	HOSE-8'	1	BROWN STRIPE	PUMP PORT B1 TO BOTTOM OF LF JACK
3	2463	HOSE-8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF LR JACK TO BOTTOM OF RR JACK
4	2467	HOSE-12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF LF JACK TO BOTTOM OF RF JACK
5	2469	HOSE-14'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF RF JACK
6	2471	HOSE-16'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF LR JACK
7	2473	HOSE-18'	1	ORANGE STRIPE	PUMP PORT B3 TO BOTTOM OF LR JACK
8	2475	HOSE-20'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF RR JACK

REQUIRED JACK FITTINGS


ITEM	PART#	DESCRIPTION	QUAN
9	1124	FITTING-#4 JIC X #4 OR MALE 90	6
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4
11	1403	FITTING-RESTRICTOR #6 X #4-042" ORIFICE	4



1124 FITTING




1190 FITTING



1403 FITTING

Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:		
						JAYCO HOSE CHART	ALANTE 190 WB DS FRONT PUMP		
NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.					SIZE	SCALE	MATERIAL	NOTED	
					A	1:1	AS		
						DRW BY:	DATE:	PART NAME:	
					SJ	6/21/19	HOSE KIT-JAYCO ALANTE 190-FRONT DS PUMP		
					APP'D BY	DATE:	PAGE:	DWG NO.:	REV:
					-	-	1 OF 2	P70239	-



Warranty authorization must come directly from Equalizer Systems. (800) 846-9659.

Equalizer 55169 COUNTY ROAD 3 ELKHART, IN 46515	#	REVISIONS	BY:	DATE:	UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2" REMOVE ALL BURRS AND SHARP EDGES .015 MAX	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						JAYCO HOSE CHART SIZE SCALE MATERIAL A 1:1 AS NOTED
						DRW BY: SJ DATE: 6/21/19	PAGE: 2 OF 2 DWG NO.: P70239
						APP'D BY: - DATE: -	REV: -


2

1


ITEM	PART #	DESCRIPTION	QUANTITY	COLOR CODE	LOCATION
1	2476	HOSE, 22'	1	YELLOW SOLID	PUMP PORT T4 TO TOP OF PS REAR JACK
2	2476	HOSE, 22'	1	YELLOW STRIPE	PUMP PORT B4 TO BOTTOM OF PS REAR JACK
3	3018	HOSE, 26'	1	ORANGE SOLID	PUMP PORT T3 TO TOP OF DS REAR JACK
4	2463	HOSE, 8'	1	ORANGE STRIPE/YELLOW STRIPE	BOTTOM OF PS REAR JACK TO BOTTOM OF DS REAR JACK
5	2465	HOSE 10'	1	WHITE SOLID	PUMP PORT T2 TO TOP OF PS FRONT JACK
6	2465	HOSE 10'	1	WHITE STRIPE	PUMP PORT B2 TO BOTTOM OF PS FRONT JACK
7	2469	HOSE, 14'	1	BROWN SOLID	PUMP PORT T1 TO TOP OF DS FRONT JACK
8	2467	HOSE, 12'	1	BROWN STRIPE/WHITE STRIPE	BOTTOM OF PS FRONT JACK TO BOTTOM OF DS FRONT JACK

B


B



1124



1190



1403

9	1124	FITTING - #4 JIC X #4 OR MALE 90	6		2 ON BOTTOM OF EACH PS FRONT AND REAR AND 1 ON BOTTOM OF EACH DS FRONT AND REAR
10	1190	FITTING-#4 X #4 JIC SWIVEL 90	4		TOP OF EVERY JACK
11	1403	FITTING-RESTRICTOR #6 X #4-042 ORIFICE	4		TOP OF EVERY JACK


A

A

REV.	DESCRIPTION	DATE	BY		TITLE: HOSE KIT	USED ON: JAYCO 3JT-4JT-32U-42U
					SIZE: A SCALE: 2:1 MATERIAL:	
				THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DAYS CORPORATION, ELKHART, IN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DAYS CORPORATION, ELKHART, IN. IS PROHIBITED.	DRAWN BY: CTT DATE: 11/21/2023	PART NAME: HOSE KIT- JAYCO 3JT-4JT-32U-42U
					APP'D BY: DATE:	PAGE: 1 OF 2 DWG NO: 70462 REV: A

2

1



	TITLE: HOSE KIT		USED ON: JAYCO 3JT-4JT-32U-42U			
	SIZE: A	SCALE: 1:4	MATERIAL:			
	DRAWN BY: CTT		DATE: 11/21/2023	PART NAME: HOSE KIT-JAYCO 3JT-4JT-32U-42U		
	APP'D BY:	DATE:	PAGE: 2 OF 2	DWG NO: 70462	REV: A	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DAYS CORPORATION, ELKHART, IN. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF DAYS CORPORATION, ELKHART, IN. IS PROHIBITED.

KEYPAD TO CONTROLLER HARNESS #6127U
 PUMP TO CONTROLLER HARNESS #6799U

USED ON:
 ALANTE, PRECEPT, PRECEPT XL, VISION,
 & EMBLEM

CHASSIS INTERFACE CONNECTIONS

INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.
 INPUT. PARK BRAKE GND WHEN BRAKE ON

PIN	GAGE	COLOR
1	18	PINK
2	-	EMPTY
3	18	BLACK/YELLOW
4	-	EMPTY

KEY PAD #3103

INPUT. 12V
 INPUT. GROUND
 OUTPUT. DATA
 OUTPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GRN/WHITE

AUTO LEVEL CONTROLLER #3197U

OUTPUT. POWER TO KEY PAD
 OUTPUT. GND TO KEY PAD
 INPUT. DATA
 INPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GREEN/WHITE

INPUT. PARK BRAKE GND. SEE NOTES
 INPUT. 12V+ WHEN IGN ON

PIN	GAGE	COLOR
1	18	
2	18	
3	18	
4	18	BLACK/YELLOW
5	18	PINK
6	18	

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT GND FROM PUMP

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

OUTPUT 12V+ TO PUMP VALVE LF
 OUTPUT 12V+ TO PUMP VALVE RF
 OUTPUT 12V+ TO PUMP VALVE RR
 OUTPUT 12V+ TO PUMP VALVE LR

PIN	GAGE	COLOR
1	18	BROWN
2	18	WHITE
3	18	YELLOW
4	18	ORANGE
5	18	YELLOW/BLACK
6		
7	18	GREEN
8	18	BLUE

OUTPUT 12V+ TO PUMP RETRACT
 OUTPUT 12V+ TO PUMP EXTEND

BI-ROTATIONAL PUMP #7948KS/7960KS

HARNESS 6910

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

INPUT. 12V+ TO LEFT REAR VALVE COIL
 INPUT. 12V+ TO RIGHT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR EXTEND SOLENOID
 INPUT. 12V+ TO RIGHT REAR VALVE COIL
 INPUT. 12V+ TO LEFT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
 12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
 MAIN 12V POWER
 INPUT. FROM PUMP
 MOTOR SOLENOID
 AND CHASSIS
 BATTERIES.

GROUND INPUT
 FROM CHASSIS
 CONNECTED TO STUD
 ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE ON THE PUMP OR THE PUMP VALVE COIL BEING ENERGIZED WITH THE METER GROUND ON THE PUMP CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL CONTROLLER ARE GROUND INPUTS. IT IS PULLED HIGH TO 12V INTERNALLY THROUGH A RESISTOR. IT IS LOOKING FOR AN ACTIVE LOW INPUT SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S SENDING A GROUND TO THE PARK BRAKE INPUT OF THE LEVEL CONTROLLER.

Equalizer

55169 COUNTY ROAD 3
 ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
 TOLERANCES:
 .XXX ± 0.010
 .XX ± 0.010
 .X ± 0.030
 ANG. ± 1/2"
 REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE			USED ON:		
AUTO LEVEL SCHEMATIC			JAYCO/ENTEGR		
SIZE	SCALE	MATERIAL			
A	1: 1				
DRW BY:	DATE:	PART NAME:			
SJ	3/2/15	AUTO LEVEL WIRING SCHEMATIC			
APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:	
		1 OF 1	P8630B		

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

PUMP TO CONTROL PANEL HARNESS #6147

USED ON:
ALANTE, PRECEPT, PRECEPT XL, VISION,
& EMBLEM

CHASSIS INTERFACE CONNECTIONS

INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.

PIN	GAGE	COLOR
1	18	PINK
2	-	EMPTY
3	18	BLACK/YELLOW
4	-	EMPTY

INPUT. PARK BRAKE GND WHEN BRAKE ON

BI-ROTATIONAL PUMP #7948KS/7960KS

HARNESS 6910

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

INPUT. 12V+ TO LEFT REAR VALVE COIL
INPUT. 12V+ TO RIGHT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR EXTEND SOLENOID
INPUT. 12V+ TO RIGHT REAR VALVE COIL
INPUT. 12V+ TO LEFT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

SMART LEVEL CONTROL PANEL #3197SBT

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT GND FROM PUMP

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

INPUT. PARK BRAKE GND. SEE NOTES
INPUT. 12V+ WHEN IGN ON

PIN	GAGE	COLOR
1		
2	18	BLACK/YELLOW
3	18	PINK
4	18	YELLOW/BLACK
5		
6	18	GREEN
7		
8	18	YELLOW
9	18	ORANGE
10	18	WHITE
11	18	BROWN
12	18	BLUE

OUTPUT 12V+ TO PUMP RETRACT

OUTPUT 12V+ TO PUMP VALVE RR
OUTPUT 12V+ TO PUMP VALVE LR
OUTPUT 12V+ TO PUMP VALVE RF
OUTPUT 12V+ TO PUMP VALVE LF
OUTPUT 12V+ TO PUMP EXTEND

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
MAIN 12V POWER
INPUT. FROM PUMP
MOTOR SOLENOID
AND CHASSIS
BATTERIES.

GROUND INPUT
FROM CHASSIS
CONNECTED TO STUD
ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE ON THE PUMP OR THE PUMP VALVE COIL BEING ENERGIZED WITH THE METER GROUND ON THE PUMP CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL CONTROLLER ARE GROUND INPUTS. IT IS PULLED HIGH TO 12V INTERNALLY THROUGH A RESISTOR. IT IS LOOKING FOR AN ACTIVE LOW INPUT SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S SENDING A GROUND TO THE PARK BRAKE INPUT OF THE LEVEL CONTROLLER.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#	REVISIONS	BY:	DATE:

UNLESS OTHERWISE SPECIFIED:
TOLERANCES:
.XXX ± 0.010
.XX ± 0.010
.X ± 0.030
ANG. ± 1/2"
REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE			USED ON:		
AUTO LEVEL SCHEMATIC			JAYCO/ENTEGR		
SIZE	SCALE	MATERIAL			
A	1: 1				
DRW BY:	DATE:	PART NAME:			
SJ	3/2/15	AUTO LEVEL WIRING SCHEMATIC			
APP'D BY	DATE:	PAGE:	DWG NO.:	REV:	
		1 OF 1	P8630C		

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

KEYPAD TO CONTROLLER HARNESS #6800U
PUMP TO CONTROLLER HARNESS #6799U

CHASSIS INTERFACE CONNECTIONS

INPUT. PARK BRAKE GND WHEN BRAKE ON
INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.

PIN	GAGE	COLOR
1	18	BLACK/YELLOW
2	18	PINK

GREY=12V+ FOR TWO MINUTES TO DEFLATE AIR SUSPENSION INITIATED BY THE AUTO LEVEL COMMAND
PURPLE=12V+ TO INFLATE AIR SUSPENSION INITIATED BY ALL RETRACT COMMAND

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE

KEY PAD #3103

INPUT. 12V
INPUT. GROUND
OUTPUT. DATA
OUTPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GRN/WHITE

AUTO LEVEL CONTROLLER #2745U

OUTPUT. POWER TO KEY PAD
OUTPUT. GND TO KEY PAD
INPUT. DATA
INPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GREEN/WHITE

OUTPUT 12V+ (SUSPENSION DEFLATE)
OUTPUT 12V+ (SUSPENSION INFLATE)
INPUT. PARK BRAKE GND. SEE NOTES
INPUT. 12V+ WHEN IGN ON

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE
3	18	
4	18	BLACK/YELLOW
5	18	PINK
6	18	

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT GND FROM PUMP

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

OUTPUT 12V+ TO PUMP VALVE LF
OUTPUT 12V+ TO PUMP VALVE RF
OUTPUT 12V+ TO PUMP VALVE RR
OUTPUT 12V+ TO PUMP VALVE LR
OUTPUT 12V+ TO PUMP RETRACT
OUTPUT 12V+ TO PUMP EXTEND

PIN	GAGE	COLOR
1	18	BROWN
2	18	WHITE
3	18	YELLOW
4	18	ORANGE
5	18	YELLOW/BLACK
6		
7	18	GREEN
8	18	BLUE

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

BI-ROTATIONAL PUMP #7945

HARNESS 6910

INPUT. 12V+ TO LEFT REAR VALVE COIL
INPUT. 12V+ TO RIGHT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR EXTEND SOLENOID
INPUT. 12V+ TO RIGHT REAR VALVE COIL
INPUT. 12V+ TO LEFT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
MAIN 12V POWER
INPUT. FROM PUMP
MOTOR SOLENOID
AND CHASSIS
BATTERIES.

GROUND INPUT
FROM CHASSIS
CONNECTED TO STUD
ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE ON THE PUMP OR THE PUMP VALVE COIL BEING ENERGIZED WITH THE METER GROUND ON THE PUMP CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL CONTROLLER ARE GROUND INPUTS. IT IS PULLED HIGH TO 12V INTERNALLY THROUGH A RESISTOR. IT IS LOOKING FOR AN ACTIVE LOW INPUT SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S SENDING A GROUND TO THE PARK BRAKE INPUT OF THE LEVEL CONTROLLER.

Equalizer

55169 COUNTY ROAD 3
ELKHART, IN 46515

#

REVISIONS

BY:

DATE:

UNLESS OTHERWISE

SPECIFIED:

TOLERANCES:

.XXX ± 0.010

.XX ± 0.010

.X ± 0.030

ANG. ± 1/2°

REMOVE ALL BURRS AND
SHARP EDGES .015 MAX

TITLE

AUTO LEVEL SCHEMATIC

USED ON:

ENTEGRA ASPIRE TAG-ANTHEM-CORNERSTONE

SIZE

SCALE

MATERIAL

A 1: 1

DRW BY:

DATE:

3/2/15

PART NAME:

AUTO LEVEL WIRING SCHEMATIC

APP'D BY

DATE:

—

PAGE:

1 OF 1

DWG NO.:

P8738/8750

REV:

—

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

KEYPAD TO CONTROLLER HARNESS #6800U
 PUMP TO CONTROLLER HARNESS #6799U

USED ON:
 INSIGNIA TAG AXLE, ASPIRE TAG AXLE,
 ANTHEM, & CORNERSTONE.

CHASSIS INTERFACE CONNECTIONS

INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.

INPUT. PARK BRAKE GND WHEN BRAKE ON

PIN	GAGE	COLOR
1	18	PINK
2	-	EMPTY
3	18	BLACK/YELLOW
4	-	EMPTY

GREY=12V+ FOR TWO MINUTES TO DEFLATE AIR
 SUSPENSION INITIATED BY THE AUTO LEVEL
 COMMAND

PURPLE=12V+ TO INFLATE AIR SUSPENSION
 INITIATED BY ALL RETRACT COMMAND

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE

KEY PAD #3103

INPUT. 12V
 INPUT. GROUND
 OUTPUT. DATA
 OUTPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GRN/WHITE

AUTO LEVEL CONTROLLER #2745U

OUTPUT. POWER TO KEY PAD
 OUTPUT. GND TO KEY PAD
 INPUT. DATA
 INPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GREEN/WHITE

OUTPUT 12V+ (SUSPENSION DEFLATE)
 OUTPUT 12V+ (SUSPENSION INFLATE)

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE
3	18	
4	18	BLACK/YELLOW
5	18	PINK
6	18	

INPUT. PARK BRAKE GND. SEE NOTES
 INPUT. 12V+ WHEN IGN ON

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT GND FROM PUMP

PIN	GAGE	COLOR
1	18	BROWN
2	18	WHITE
3	18	YELLOW
4	18	ORANGE
5	18	YELLOW/BLACK
6		
7	18	GREEN
8	18	BLUE

OUTPUT 12V+ TO PUMP VALVE LF
 OUTPUT 12V+ TO PUMP VALVE RF
 OUTPUT 12V+ TO PUMP VALVE RR
 OUTPUT 12V+ TO PUMP VALVE LR

OUTPUT 12V+ TO PUMP RETRACT
 OUTPUT 12V+ TO PUMP EXTEND

BI-ROTATIONAL PUMP #7945

HARNESS 6910

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

INPUT. 12V+ TO LEFT REAR VALVE COIL
 INPUT. 12V+ TO RIGHT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR EXTEND SOLENOID
 INPUT. 12V+ TO RIGHT REAR VALVE COIL
 INPUT. 12V+ TO LEFT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
 12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
 MAIN 12V POWER
 INPUT. FROM PUMP
 MOTOR SOLENOID
 AND CHASSIS
 BATTERIES.

GROUND INPUT
 FROM CHASSIS
 CONNECTED TO STUD
 ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW
 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE
 ON THE PUMP OR THE PUMP VALVE COIL BEING
 ENERGIZED WITH THE METER GROUND ON THE PUMP
 CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL
 CONTROLLER ARE GROUND INPUTS. IT IS PULLED
 HIGH TO 12V INTERNALLY THROUGH A RESISTOR.
 IT IS LOOKING FOR AN ACTIVE LOW INPUT
 SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S
 SENDING A GROUND TO THE PARK BRAKE INPUT
 OF THE LEVEL CONTROLLER.

Equalizer

55169 COUNTY ROAD 3
 ELKHART, IN 46515

#	REVISIONS	BY:	DATE:
A	CHANGED IGN INPUT & PB GRND PLUG FROM 2 WAY TO 4 WAY	SJ	1/4/17

UNLESS OTHERWISE
 SPECIFIED:
 TOLERANCES:
 .XXX ± 0.010
 .XX ± 0.010
 .X ± 0.030
 ANG. ± 1/2"
 REMOVE ALL BURRS AND
 SHARP EDGES .015 MAX

TITLE			USED ON:		
AUTO LEVEL SCHEMATIC			ENTEGRA (SEE MODELS LISTED ABOVE)		
SIZE	SCALE	MATERIAL			
A	1:1				
DRW BY:	DATE:	PART NAME:			
SJ	3/2/15	AUTO LEVEL WIRING SCHEMATIC			
APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:	
-	-	1 OF 1	P8738/8750	A	

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.

KEYPAD TO CONTROLLER HARNESS #6800U
PUMP TO CONTROLLER HARNESS #6799U

CHASSIS INTERFACE CONNECTIONS

INPUT. PARK BRAKE GND WHEN BRAKE ON
INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.

PIN	GAGE	COLOR
1	18	BLACK/YELLOW
2	18	PINK

GREY=12V+ FOR TWO MINUTES TO DEFLATE AIR
SUSPENSION INITIATED BY THE AUTO LEVEL
COMMAND
PURPLE=12V+ TO INFLATE AIR SUSPENSION
INITIATED BY ALL RETRACT COMMAND

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE

KEY PAD #3103

INPUT. 12V
INPUT. GROUND
OUTPUT. DATA
OUTPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GRN/WHITE

AUTO LEVEL CONTROLLER #2745U

OUTPUT. POWER TO KEY PAD
OUTPUT. GND TO KEY PAD
INPUT. DATA
INPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GREEN/WHITE

OUTPUT 12V+ (SUSPENSION DEFLATE)
OUTPUT 12V+ (SUSPENSION INFLATE)

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE
3	18	
4	18	BLACK/YELLOW
5	18	PINK
6	18	

INPUT. PARK BRAKE GND. SEE NOTES
INPUT. 12V+ WHEN IGN ON

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
INPUT GND FROM PUMP

OUTPUT 12V+ TO PUMP VALVE LF
OUTPUT 12V+ TO PUMP VALVE RF
OUTPUT 12V+ TO PUMP VALVE RR
OUTPUT 12V+ TO PUMP VALVE LR

PIN	GAGE	COLOR
1	18	BROWN
2	18	WHITE
3	18	YELLOW
4	18	ORANGE
5	18	YELLOW/BLACK
6		
7	18	GREEN
8	18	BLUE

OUTPUT 12V+ TO PUMP RETRACT
OUTPUT 12V+ TO PUMP EXTEND

BI-ROTATIONAL PUMP #7953

HARNESS 6910

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

INPUT. 12V+ TO LEFT REAR VALVE COIL
INPUT. 12V+ TO RIGHT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR EXTEND SOLENOID
INPUT. 12V+ TO RIGHT REAR VALVE COIL
INPUT. 12V+ TO LEFT FRONT VALVE COIL
INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
MAIN 12V POWER
INPUT. FROM PUMP
MOTOR SOLENOID
AND CHASSIS
BATTERIES.

GROUND INPUT
FROM CHASSIS
CONNECTED TO STUD
ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE ON THE PUMP OR THE PUMP VALVE COIL BEING ENERGIZED WITH THE METER GROUND ON THE PUMP CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL CONTROLLER ARE GROUND INPUTS. IT IS PULLED HIGH TO 12V INTERNALLY THROUGH A RESISTOR. IT IS LOOKING FOR AN ACTIVE LOW INPUT SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S SENDING A GROUND TO THE PARK BRAKE INPUT OF THE LEVEL CONTROLLER.

<p><i>Equalizer</i> 55169 COUNTY ROAD 3 ELKHART, IN 46515</p>	#	REVISIONS	BY:	DATE:	<p>UNLESS OTHERWISE SPECIFIED: TOLERANCES: .XXX ± 0.010 .XX ± 0.010 .X ± 0.030 ANG. ± 1/2"</p>	TITLE	USED ON:
	NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.						<p>AUTO LEVEL SCHEMATIC</p> <p>ENTEGRA ASPIRE</p>
					<p>REMOVE ALL BURRS AND SHARP EDGES .015 MAX</p>	<p>SIZE SCALE MATERIAL</p> <p>A 1: 1</p>	<p>PAGE: 1 OF 1</p>
						<p>DRW BY: SJ</p> <p>DATE: 3/2/15</p>	<p>DWG NO.: P8739</p>
						<p>APP'D BY: -</p> <p>DATE: -</p>	<p>REV: -</p>

KEYPAD TO CONTROLLER HARNESS #6800U
 PUMP TO CONTROLLER HARNESS #6799U

USED ON:
 EMBARK, REATTA, INSIGNIA, & ASPIRE

CHASSIS INTERFACE CONNECTIONS

INPUT. IGNITION FROM COACH. 12V+ WHEN IGN ON.

PIN	GAGE	COLOR
1	18	PINK
2	-	EMPTY
3	18	BLACK/YELLOW
4	-	EMPTY

INPUT. PARK BRAKE GND WHEN BRAKE ON

GREY=12V+ FOR TWO MINUTES TO DEFLATE AIR
 SUSPENSION INITIATED BY THE AUTO LEVEL
 COMMAND
 PURPLE=12V+ TO INFLATE AIR SUSPENSION
 INITIATED BY ALL RETRACT COMMAND

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE

KEY PAD #3103

INPUT. 12V
 INPUT. GROUND
 OUTPUT. DATA
 OUTPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GRN/WHITE

AUTO LEVEL CONTROLLER #2745U

OUTPUT. POWER TO KEY PAD
 OUTPUT. GND TO KEY PAD
 INPUT. DATA
 INPUT. DATA

PIN	GAGE	COLOR
1	18	RED
2	18	BLACK
3	18	BROWN/WHITE
4	18	GREEN/WHITE

OUTPUT 12V+ (SUSPENSION DEFLATE)
 OUTPUT 12V+ (SUSPENSION INFLATE)

PIN	GAGE	COLOR
1	18	GREY
2	18	PURPLE
3	18	
4	18	BLACK/YELLOW
5	18	PINK
6	18	

INPUT. PARK BRAKE GND. SEE NOTES
 INPUT. 12V+ WHEN IGN ON

INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT 12V+ FROM PUMP (MINIMUM 10.5V)
 INPUT GND FROM PUMP

PIN	GAGE	COLOR
1	16	RED
2	16	RED
3	16	BLACK

OUTPUT 12V+ TO PUMP VALVE LF
 OUTPUT 12V+ TO PUMP VALVE RF
 OUTPUT 12V+ TO PUMP VALVE RR
 OUTPUT 12V+ TO PUMP VALVE LR

PIN	GAGE	COLOR
1	18	BROWN
2	18	WHITE
3	18	YELLOW
4	18	ORANGE
5	18	YELLOW/BLACK
6		
7	18	GREEN
8	18	BLUE

OUTPUT 12V+ TO PUMP RETRACT
 OUTPUT 12V+ TO PUMP EXTEND

BI-ROTATIONAL PUMP #7953/7953KS

HARNESS 6910

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	18	BLUE
4	18	YELLOW
5	18	BROWN
6	18	GREEN
7		
8		
9	18	YELLOW/BLACK

PIN	GAGE	COLOR
1	18	ORANGE
2	18	WHITE
3	16	DARK BLUE
4	18	YELLOW
5	18	BROWN
6	16	DARK GREEN
7		
8		
9	18	YELLOW/BLACK

INPUT. 12V+ TO LEFT REAR VALVE COIL
 INPUT. 12V+ TO RIGHT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR EXTEND SOLENOID
 INPUT. 12V+ TO RIGHT REAR VALVE COIL
 INPUT. 12V+ TO LEFT FRONT VALVE COIL
 INPUT. 12V+ TO MOTOR RETRACT SOLENOID

PRESSURE SW 12V+ OUTPUT

PIN	GAGE	COLOR
B	16	BLACK
A	12	RED

PIN	GAGE	COLOR
B	12	BLACK
A	12	RED

HARNESS 6572C

GROUND FROM CHASSIS
 12V+ YELLOW (20A FUSE)

EQUALIZER SYSTEMS
 MAIN 12V POWER
 INPUT. FROM PUMP
 MOTOR SOLENOID
 AND CHASSIS
 BATTERIES.

GROUND INPUT
 FROM CHASSIS
 CONNECTED TO STUD
 ON SIDE OF PUMP

NOTES:

THE 12V POWER SOURCE MUST NOT DROP BELOW 10.5 VOLTS MEASURED AT THE YELLOW FUSE WIRE ON THE PUMP OR THE PUMP VALVE COIL BEING ENERGIZED WITH THE METER GROUND ON THE PUMP CASE GROUND.

THE PARK BRAKE INPUT TO THE LEVEL CONTROLLER ARE GROUND INPUTS. IT IS PULLED HIGH TO 12V INTERNALLY THROUGH A RESISTOR. IT IS LOOKING FOR AN ACTIVE LOW INPUT SIGNAL. WHEN THE PARK BRAKE IS ON, IT'S SENDING A GROUND TO THE PARK BRAKE INPUT OF THE LEVEL CONTROLLER.

Equalizer

55169 COUNTY ROAD 3
 ELKHART, IN 46515

#	REVISIONS	BY:	DATE:
A	CHANGED IGN INPUT & PB GRND PLUG FROM 2 WAY TO 4 WAY	SJ	1/4/17

UNLESS OTHERWISE SPECIFIED:
 TOLERANCES:
 .XXX ± 0.010
 .XX ± 0.010
 .X ± 0.030
 ANG. ± 1/2"
 REMOVE ALL BURRS AND SHARP EDGES .015 MAX

TITLE			USED ON:		
AUTO LEVEL SCHEMATIC			JAYCO/ENTEGR		
SIZE	SCALE	MATERIAL			
A	1:1				
DRW BY:	DATE:	PART NAME:			
SJ	3/2/15	AUTO LEVEL WIRING SCHEMATIC			
APP'D BY:	DATE:	PAGE:	DWG NO.:	REV:	
-	-	1 OF 1	P8739	A	

NOTICE - This drawing, including principles of design, is the property of Days Corporation, Elkhart, Indiana, with the agreement that it is not to be reproduced, copied, or loaned in any manner that may constitute a detriment directly or indirectly to Days Corporation. Acceptance of this will be construed as an agreement of the above.