

PRIME TIME
Manufacturing



AVENGER
YOUR JOURNEY BEGINS HERE



29QBS



32BHS

To guarantee that Avenger provides true customer satisfaction, our engineers carefully examine every component, every small detail, and every process in the Avenger's creation.

It is important to offer industry-leading beauty. Shaker-style cabinet doors are paired with premium fabrics, flooring, and countertops for a luxurious appearance.

"Best In Class" features and design elements are utilized to fully maximize customer enjoyment. Industry-leading construction and demanding standards for testing were developed to ensure long-term quality and durability.

If "Your Journey Begins Here," Avenger is sure to please.

For both the first-time buyer and seasoned camping veteran, the economical Avenger often represents a customer's first experience with a recreational vehicle from Prime Time Manufacturing.

Since first impressions are critical—and last a lifetime—we've insisted that Avenger combine comfort, convenience, and style with the industry's highest standard of quality and construction. By providing a GREAT ownership experience, Avenger is Prime Time's way of welcoming you to our family.

We hope that your future journeys will always include a Prime Time RV.



29QBS



32BHS



29QBS

AVENGER FLOORPLANS & SPECIFICATIONS



SPECIFICATIONS	20RD	21RB	21RBS	24BHS	24RLS	26BBS	26BK	26RDS	27DBS	27RBS	27RKS	28REI	29QBS	29RBS	29RSL	31RKD	32BHS	32DEN	32QBI
LENGTH	24' 11"	26' 9"	27' 7"	28' 2"	29' 4"	30' 5"	28' 11"	31' 8"	33' 6"	33' 6"	33'	33' 9"	36' 11"	33' 5"	34' 2"	36' 6"	37' 6"	37' 11"	38'
HEIGHT	10' 3"	10' 3"	10' 8"	10' 8"	10' 8"	10' 8"	10' 3"	10' 8"	10' 8"	10' 8"	10' 8"	10' 8"	11' 2"	10' 8"	10' 8"	11' 4"	11' 4"	11' 4"	11' 4"
HITCH WEIGHT	620 lb.	587 lb.	773 lb.	660 lb.	581 lb.	651 lb.	474 lb.	700 lb.	721 lb.	765 lb.	681 lb.	764 lb.	982 lb.	770 lb.	880 lb.	962 lb.	845 lb.	858 lb.	1,000 lb.
UNLOADED VEHICLE WEIGHT (UVW)	4,294 lb.	4,537 lb.	5,209 lb.	5,481 lb.	5,373 lb.	5,518 lb.	4,763 lb.	6,363 lb.	6,652 lb.	6,663 lb.	6,586 lb.	7,098 lb.	7,030 lb.	6,991 lb.	6,648 lb.	8,226 lb.	8,403 lb.	7,989 lb.	9,029 lb.
CARGO CARRYING CAPACITY (CCC)	3,326 lb.	3,050 lb.	2,564 lb.	2,179 lb.	2,208 lb.	2,133 lb.	2,711 lb.	1,337 lb.	2,869 lb.	2,902 lb.	2,895 lb.	2,428 lb.	2,752 lb.	3,041 lb.	3,032 lb.	2,936 lb.	2,642 lb.	3,069 lb.	2,371 lb.
AWNING	13'	13'	15'	13'	16'	16'	13'	19'	16'	16'	16'	10' & 11'	19'	16'	19'	9' & 13'	19'	16'	9' & 13'

* LED TV included

AVENGER



AVENGER LE



SPECIFICATIONS	26DBSLE	28DBSLE
LENGTH	30' 11"	34' 6"
HEIGHT	10' 8"	10' 8"
HITCH WEIGHT	667 lb.	785 lb.
UNLOADED VEHICLE WEIGHT (UVW)	5209 lb.	6197 lb.
CARGO CARRYING CAPACITY (CCC)	2458 lb.	1588 lb.
AWNING	16'	19'

AVENGER LT SINGLE AXLE TRAILER LINE



SPECIFICATIONS	16BH	16FQ	16RD	17BHS	17FQS	22BH
LENGTH	20'	21' 1"	20' 11"	21' 8"	21' 7"	26' 2"
HEIGHT	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"	10' 2"
HITCH WEIGHT	343 lb.	386 lb.	390 lb.	332 lb.	355 lb.	420 lb.
UNLOADED VEHICLE WEIGHT (UVW)	2,970 lb.	2,880 lb.	2,939 lb.	3,197 lb.	3,014 lb.	3,914 lb.
CARGO CARRYING CAPACITY (CCC)	810 lb.	1,006 lb.	951 lb.	635 lb.	841 lb.	3,506 lb.
AWNING	10'	10'	10'	10'	10'	10'

*NOTE - The 22BH is a tandem axle model.

UVW (Unloaded Vehicle Weight) is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. Estimated Average based on standard build optional equipment.
 CCC (Cargo Carrying Capacity) is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. Estimated average based on standard build optional equipment. See back page for additional specification definitions.

AVENGER STANDARDS & OPTIONS

AVENGER ADVANTAGE PACKAGE (MANDATORY)

2" Wall Construction on 16" Centers Cross-Banded Construction
 Dynaspan 5/8" Seamless Floor Decking up to 24' with 25 Year Warranty
 5" LVL Headers Above Slideouts
 Dexter EZ Lube Axles
 Radial Tires
 Exterior Hot/Cold Shower
 Blue LED Outside Speakers
 LED Lit Power Awning
 Solar Prep
 Back Up Camera Prep
 "Solid Stance" Fold Down Steps
 LED Interior Lighting
 Large 17" Oven
 High Rise Kitchen Faucet
 Kitchen Backsplash
 Fully Enclosed Underbelly
 (2) 20# LP tanks

10TH ANNIVERSARY PACKAGE (MANDATORY)

Sliding Barn Door (Select Floor Plans)
 Thermofoil Seamless Kitchen Countertops
 Under-mount Stainless Steel Kitchen Sink
 Stainless Steel Rolling Drying Rack
 Shower Surround
 Folding Grab Handle at Main Entry
 10.7 CU. FT. 12V Refrigerator
 Pleated Black Out Night Shades
 Gas/Electric DSI Water Heater
 Designer Window Treatments
 Deluxe Graphics Package

CONSTRUCTION

Powder Coated I-Beam Frame
 Full Length Outriggers on Frame
 8' Exterior Width
 Aluminum Exterior Skin
 R-7 Insulation Throughout
 2"x3" Floor Joists on 16" Centers
 Walk-On Roof with 3/8" Decking
 One Piece TPO Roof Membrane
 PEX Plumbing System

SECURE TANK SYSTEM:

- Fresh Water Tank Steel Cage
- Removable Cotter Pins for Easy Tank Access
- Fresh Water Tank Direct Valve Overflow
- Fully Insulated and Enclosed Underbelly with Radiant Heat
- Convenience Panels for Underbelly Access

EXTREME WEATHER PACKAGE

- Cross Band Construction
- Hurricane Strapped Base
- Premium Gutter Rail Above all Slides
- Full Framed with Covered Hinge Baggage Doors
- Triple Seal Slide System

EXTERIOR FEATURES

Aerodynamic Radius Front Profile
 LED Lit Power Awning
 "Solid Stance" Fold Down Steps
 (2) 20# LP Bottles
 4 Stabilizer Jacks
 Diamond Plate Front Rock Guard
 Radius Entry Doors with Windows
 Folding Grab Handle at Main Entry
 Bottle Opener at Main Entry
 Solar Prep
 Back Up Camera Prep
 Extended Drip Spouts
 Spare Tire
 Outdoor Kitchen (Select Models)
 Radial Tires
 Hot/Cold Shower
 Blue LED Outside Speakers
 Black Frame Radius Windows
 DOT Approved Safety Glass Windows
 Fully Vented Windows Throughout
 Doggy D-Ring
 City Water Fill
 Gravity Fresh tank Fill

INTERIOR FEATURES

Oversized MAX Slide (Where Available)
 Massive 87" U-Shaped Dinette in MAX Slides
 Large Fully Vented Windows Throughout
 Pleated Black Out Night Shades in Living Room and Dining Area
 Designer Window Treatments
 Predrilled and Screwed Cabinetry
 Residential Extended Ball Bearing Drawer Guides
 LED Interior Lighting
 Jackknife Sofa w/LED Cup Holders and USB Charging Ports (Select Models)
 USB Ports at Bunks
 Seamless Carefree Congoleum Flooring

BEDROOM

Quilted Residential Bedspread
 TV Cable Connection
 Dual Shirt Closets
 Extra Large Enclosed Overhead Cabinet Above Bed
 Movable Under-Bed Storage
 Bedside USB Port
 Bedside 110V Power Outlets

KITCHEN

Undermount Stainless Steel Deep Basin Sink
 Stainless Steel Rolling Drying Rack
 High Rise Faucet
 Kitchen Tile Backsplash
 Thermofoil Seamless Countertop
 Pot & Pan Drawer

BATHROOM

Shower Pans in All Models
 Shower Surround
 Shower Curtains with Curved Track

Glass Neo-Angle Shower (Select Models)
 12V Power Vent Fan
 Medicine Cabinet with Mirror

APPLIANCES AND EQUIPMENT

Large LED TV (27DBS and Above)*
 Cable TV Hook-Up with RG6 Coax
 Digital TV Antenna with Signal Booster
 Exterior TV Coax Connection
 Bluetooth Entertainment System
 13,500 BTU Air Conditioner
 Large 17" Oven
 3-Burner Range with High Output Front Burner
 Flush Mount Glass Range Top Cover
 Low Profile Range Hood with Light and Exhaust Fan
 Large Everchill 12V Refrigerator
 Gas/Electric 6 Gallon DSI Water Heater with Quick Recovery
 Water Heater Bypass
 Auto Ignition Furnace with Wall Thermostat
 25K or 30K BTU Furnace (depending on model)
 In-Floor Ducted Heat
 Systems Monitor Panel
 110V GFCI Protected
 12V High Capacity Water Pump
 12V Electrical System with 55 amp Power Converter
 30 amp Power
 50 amp power with Wire/Brace for 2nd A/C (Mandatory on 28REI, 29QBS, 29RBS, 29RSL, 31RKD, 32BHS, 32DEN and 32QBI)
 Fireplace (28REI, 29QBS, 29RSL, and 31RKD)

SAFETY EQUIPMENT

CO Detector
 LP Detector
 Fire Extinguisher
 Smoke Alarm
 Leak-Guard Assurance Process

OPTIONS

15K btu Air Conditioner
 Free Standing Dinette w/4 Chairs (Mandatory 31RKD, Available MAX Slide Models)
 50 Amp Service with Wire/Frame for 2nd A/C (Mandatory 29RBS, 32BHS, 32DEN, 32QBI)
 Fireplace, 50 Amp Service with Wire/Frame for 2nd A/C (Mandatory 28REI, 29QBS, 29RSL, 31RKD)
 Gas/Electric 6 Cubic Foot Refrigerator
 QAI Canadian Compliance**

*Some models vary.

**Limited availability based on batch runs.

See website for additional details.



AVENGER LE

STANDARDS & OPTIONS

Standards and Options will vary from standard Avenger Travel Trailers.

AVENGER LT

STANDARDS & OPTIONS

PRO PACKAGE

6 CU. FT. Refer
 13,500 BTU A/C
 Kitchen Skylight
 LED Lit Power Awning
 Solar Prep and Back-Up Camera Prep
 Exterior Shower
 Residential Sound Bar
 LED Lit Outside Speakers
 Doggy D-Ring

CONSTRUCTION

R-7 Insulation Throughout
 Powder Coated Frame
 Dexter E-Z Lube Axles
 One-Piece TPO Roof
 2" Wall Construction on 16" Centers

EXTERIOR FEATURES

Two Rear Stabilizer Jacks
 Front Diamond Plate
 Radial Tires
 Single #20 LP Tank
 Aerodynamic Front Profile
 Extended Drip Spouts
 E-Z Open Entry Step
 Oversized Pass-Thru Storage
 Cable/Satellite Prep
 6 Gallon DSI Gas Water Heater

Oversized Holding Tanks: Fresh: 38 Gal / Gray: 30 Gal / Black: 30 Gal.
 Digital TV Antenna
 12V Electrical System with 40 AMP Converter
 Safety Glass Windows
 Bottle Opener
 26" Fiberglass Entry Door with Window

INTERIOR FEATURES

Two Large Galley Drawers in Kitchen
 Extended Ball Bearing Drawer Guides
 Two Burner Cooktop
 Microwave
 Range Hood
 16K BTU Furnace
 78" Interior Height
 LED Interior Lights
 Seamless Carefree Congoleum Flooring
 Overhead Storage Above Dinette
 Skylight
 Oversized Cabinet Above Bed (Most Models)
 Pleated Night Shades Throughout

OPTIONS

MVSA
 QAI

10TH ANNIVERSARY PACKAGE



BARN DOOR (SELECT FLOORPLANS)



UNDERMOUNT STAINLESS STEEL SINK W/DRYING RACK



THERMOFOIL COUNTERTOPS



SHOWER SURROUND



12V REFRIGERATOR



BLACKOUT SHADES



6 GALLON GAS/ELECTRIC DSI WATER HEATER



DELUXE GRAPHICS PACKAGE



DESIGNER WINDOW TREATMENTS WITH LAMBREQUINS



LARGE EXTERIOR GRAB HANDLE

A RENEWED COMMITMENT TO QUALITY.

When it comes to choosing an RV, customers demand quality. At Prime Time Manufacturing, we have renewed our commitment to product quality and customer satisfaction with our new **Customer Assurance Inspection (CAI)** process.

Before any RV can be cleared to leave our site, it must first pass a newly-developed, **rigorous 125-point checklist**. Our skilled technicians review every model from top to bottom, both inside and out. We check and double-check the entire unit, from water tanks to the electrical system, roof to underbelly, kitchen appliances and countertops—and everything in-between.

When you choose a Prime Time Manufacturing product, you can be assured that our enhanced commitment to quality has been developed with you in mind. **Choose quality. Choose Prime Time Manufacturing.**



www.primetimerv.com
PO Box 330 • 55470 CR 1 • Elkhart, IN 46515



FROG™ the Forest River Owners' Group!

FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

**24/7 EMERGENCY
ROADSIDE ASSISTANCE
WITH VEHICLE PURCHASE***

TOWING	WINCH-OUT
JUMP-STARTS	MOBILE MECHANIC
TIRE CHANGES	TECHNICAL
FLUID DELIVERY	SUPPORT
LOCKOUT SERVICE	DEALER LOCATOR SERVICES

SAFERIDER™
MOTOR CLUB

*VALID FOR 1 YEAR FROM DATE OF PURCHASE

ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product. From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



View the online manual at <http://www.primetimerv.com/OnlineManual.aspx> or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2019 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

DEALER