# QWEST

DIESEL CLASS C MOTOR COACH



Colton RV & Marine 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com Colton RV 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.Coltonrv.com



# QWEST

DIESEL CLASS C MOTOR COACH









## FLOORPLANS







## EXTERIOR SELECTIONS



Coral Full-Body Paint



Dublin Lark Full-Body Paint



Electric Full-Body Paint



Serenity Full-Body Paint

# FLOORPLANS







# EXTERIOR SELECTIONS Coral Full-Body Paint



Dublin Lark Full-Body Paint





Serenity Full-Body Paint

#### CUSTOMER VALUE PACKAGE

One-piece, seamless, fiberglass front cap

Automotive-bonded panoramic window in front cap with power shade

Frameless windows

Electric stabilizer jacks

Girard® armless patio awning with LED light strip

Heated holding tanks (12V pads)

Truma AquaGo Comfort Plus tankless water heater

1.000-watt inverter

Backup camera

Ultraleather® swivel driver and passenger seats with boosters

Remote keyless entry

#### STANDARD CHASSIS EQUIPMENT

Mercedes-Benz® 3500 chassis with 170-in, wheelbase

GVWR - 11,030-lb. GCWR - 15,250-lb.

V-6 Turbo 188 HP diesel engine with electronic fuel injection and

325 ft.-lb. torque

7-speed automatic transmission

220-amp alternator

E-rated highway tires- 215/85R16

Front and rear disc, 4-wheel anti-lock brakes

5,000 lb. rear hitch receiver with dual connector and 7-pin plug

12V chassis battery 24.5-gal. fuel tank

5.8-gal. DEF tank

#### HEAT, A/C, POWER & WATER EQUIPMENT

Onan 3,600-watt LP generator

Transfer switch with reverse polarity protection

30-amp electrical service

(2) 12V house batteries

190W solar panel with dual controller

15,000-BTU low-profile A/C

20,000-8TU auto-ignition ducted furnace

12.2-gai. propane tank (41-lb.)

LP quick-connect hookup

Exterior utility center

Winterization drain system

Black tank flush

Outside shower

12V demand water pump Water filtration system

#### STANDARD EXTERIOR EQUIPMENT

TuffShell™ vacuum-bond laminated roof, floor and sidewalls

Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)

One-piece, seamless, liberglass roof

Partial fiberglass rear cap

Premium Sikkens full-body paint

Chrome grill package

Aluminum rims

Entrance door with industry's largest travel-view window

Electric-powered entrance step with integrated house battery compartment

Slidgout cover awnings

Aluminum skirt-hung baggage doors

#### COCKPIT AMENITIES

10.25-in, integrated Mercedes-Benz® infotainment center with GPS

Power windows and door locks

A/C and cruise control

Tilt steering wheel

Auxiliary start switch

Cab area privacy curtain

#### STANDARD INTERIOR EQUIPMENT

Firefly Multiplex system

Custom-molded ABS surround in cab-over area

Overhead bunk with 750-lb. capacity

Powered roof vent in living area with wall switch

80-in, interior ceiling height with padded vinyl ceiling

High-intensity LED ceiling lights

High-gloss hardwood fascia

Tecnoform® high-gloss cabinetry and countertops

Ball-bearing drawer guides

Day/night roller shades

Entegra-exclusive. easy-operation legless dinette table (24R)

U-shaped dinette with stow-away pedestal legs (24L)

12V USB charging station in dinette area

LED living room TV

Prep for satellite dish

Cable TV hookup with RG-6 coax

Winegard 2.0 Wi-Fi/4G antenna

6-cu. ft. gas/electric/12V refrigerator

Suburban 2-burner, drap-in cooktop with flush cover

Stainless convection microwave

Stainless steel sink with wooden cover/cutting board

Decorative kitchen backsplash Shower with decorative surround and skylight

Stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch
Queen-size bed with bedspread (24L)
Queen-size power Murphy bed (24R)
Queen-size Murphy bed (24N)
(2) twin-size beds (24T)
Under-bed storage (select models)
Bedroom TV prep
Large wardrobes

#### STANDARD SAFETY EQUIPMENT

2-point lap safety belts in all designated seating locations Driver and passenger airbags Smoke alarm Carbon monoxide detector Third brake light Porch light

#### **OPTIONS**

Folding windshield sun shade 3,200-watt diesel generator B-Plus front cap Automatic hydraulic leveling jacks Theater seating ILO dinette (24L, 24R)

#### WARRANTY



#### NO ONE OFFERS A BETTER WARRANTY

At Entegra Coach, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Entegra Coach dealer.

**Grey Waste Black Waste** Exterior Fresh Water GVWR GCWR Wheel Dverall Height Exterior Interior Water Water Floorplan Capacity (lbs.) (lbs.) Length W/ A/C & Width Height Capacity Capacity Base (gal.) Satellite (gal.) (gal.) 24L 11,030 15,250 170.3 25' 2" 10' 11" 80 43 31 31 24N 11,030 15,250 170.3 25' 2" 10' 11" 96 80 29 31 31 10' 11" 24R 11,030 15,250 170.3 25' 2" 96 80 35 31 31 24T 11.030 15,250 170.3 25' 2" 10' 11" 96 80 43 31 31

It is important for your safety and enjoyment that you are aware of the weights and tow ratings of the RV you select. Consult a compotent advisor for questions or advice. Whether you are now to RVing or a veteran, get a feel for the performance of your RV before heading out on the roadways. When you tow a vehicle with your RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, badding up and braking in a safe environment or sook out professional instruction. Jayen affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorhome, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity. Gross Combined Weight Rating (GCWR): The maximum allowable combined weight of the motorhome used as a tow vehicle and the attached towed vehicle.





#WeAreEntegra

### STANDARDS & OPTIONS

#### CUSTOMER VALUE PACKAGE

One-piece, seamless, fiberglass front cap

Automotive-bonded panoramic window in front cap with power shade

Frameless windows

Electric stabilizer jacks

Girard® armless patio awning with LED light strip

Heated holding tanks (12V pads)

Truma AquaGo Comfort Plus tankless water heater

1,000-watt inverter

Backup camera

Ultraleather® swivel driver and passenger seats with boosters

Remote keyless entry

#### STANDARD CHASSIS EQUIPMENT

Mercedes-Benz® 3500 chassis with 170-in. wheelbase

GVWR - 11,030-lb. GCWR - 15,250-lb.

V-6 Turbo 188 HP diesel engine with electronic fuel injection and

325 ft.-lb. torque

7-speed automatic transmission

220-amp alternator

E-rated highway tires- 215/85R16

Front and rear disc, 4-wheel anti-lock brakes

5,000-lb. rear hitch receiver with dual connector and 7-pin plug

12V chassis battery 24.5-gal. fuel tank

5.8-gal. DEF tank

#### HEAT, A/C, POWER & WATER EQUIPMENT

**GCWR** 

(lbs.)

15,250

15,250

15,250

15,250

Wheel

Base

170.3

170.3

170.3

170.3

Onan® 3,600-watt LP generator

Transfer switch with reverse polarity protection

GVWR

(lbs.)

11,030

11,030

11,030

11,030

30-amp electrical service

(2) 12V house batteries

190W solar panel with dual controller

15,000-BTU low-profile A/C

20,000-BTU auto-ignition ducted furnace

12.2-gal. propane tank (41-lb.)

LP quick-connect hookup

Exterior utility center

Winterization drain system

Black tank flush

Outside shower

Floorplan

24L

24N

24R

24T

12V demand water pump Water filtration system

#### STANDARD EXTERIOR EQUIPMENT

TuffShell™ vacuum-bond laminated roof, floor and sidewalls

Bead-foam insulation (R-24 max roof, R-9 max floor, R-5 max walls)

One-piece, seamless, fiberglass roof

Partial fiberglass rear cap

Premium Sikkens full-body paint

Chrome grill package

Aluminum rims

Entrance door with industry's largest travel-view window

Electric-powered entrance step with integrated house battery compartment

Slideout cover awnings

Aluminum skirt-hung baggage doors

#### **COCKPIT AMENITIES**

10.25-in. integrated Mercedes-Benz® infotainment center with GPS

Power windows and door locks

A/C and cruise control

Tilt steering wheel

Auxiliary start switch

Cab area privacy curtain

#### STANDARD INTERIOR EQUIPMENT

Firefly Multiplex system

Custom-molded ABS surround in cab-over area

Overhead bunk with 750-lb. capacity

Powered roof vent in living area with wall switch

80-in. interior ceiling height with padded vinyl ceiling

High-intensity LED ceiling lights

High-gloss hardwood fascia

Tecnoform® high-gloss cabinetry and countertops

Ball-bearing drawer guides

Day/night roller shades

Entegra-exclusive, easy-operation legless dinette table (24R)

U-shaped dinette with stow-away pedestal legs (24L)

12V USB charging station in dinette area

LED living room TV

Prep for satellite dish

Cable TV hookup with RG-6 coax

Winegard 2.0 Wi-Fi/4G antenna

6-cu. ft. gas/electric/12V refrigerator

Suburban 2-burner, drop-in cooktop with flush cover

Stainless convection microwave

Stainless steel sink with wooden cover/cutting board

Decorative kitchen backsplash

Shower with decorative surround and skylight

Stainless steel bathroom sink

Porcelain toilet with foot flush

Powered roof vent in bathroom with wall switch
Queen-size bed with bedspread (24L)
Queen-size power Murphy bed (24R)
Queen-size Murphy bed (24N)
(2) twin-size beds (24T)
Under-bed storage (select models)
Bedroom TV prep
Large wardrobes

#### STANDARD SAFETY EQUIPMENT

2-point lap safety belts in all designated seating locations Driver and passenger airbags Smoke alarm Carbon monoxide detector Third brake light Porch light

#### **OPTIONS**

Folding windshield sun shade 3,200-watt diesel generator B-Plus front cap Automatic hydraulic leveling jacks Theater seating ILO dinette (24L, 24R)

#### WARRANTY



#### NO ONE OFFERS A BETTER WARRANTY

At Entegra Coach, we build our RVs to handle every adventure, then back them with our industry-leading 2+3 limited warranty. Our 2-year limited warranty has you covered for 2 camping seasons. That's 730 days. In addition, our 3-year structural limited warranty has you covered for 3 camping seasons or 1,095 days. You won't find a better limited warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. For a copy of our 2-year limited + 3-year structural limited warranty with complete terms and conditions, please contact your local Entegra Coach dealer.

It is important for your safety and enjoyment that you are aware of the weights and tow ratings Exterior **Grey Waste Black Waste** Fresh Water of the RV you select. Consult a competent advisor for questions or advice. Whether you are Overall Height Exterior Interior Water Water new to RVing or a veteran, get a feel for the performance of your RV before heading out on the Capacity w/ A/C & Width Length Height Capacity Capacity roadways. When you tow a vehicle with your RV, you must drive differently than when you drive (gal.) a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment Satellite (gal.) (gal.) or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. 25' 2" 10' 11" 96 80 43 31 31 Gross Vehicle Weight Rating (GVWR): The maximum permissible weight of the motorhome, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and 25' 2" 10' 11" 96 80 29 31 31 dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity, Gross Combined Weight Rating (GCWR): The maximum allowable combined 25' 2" 10' 11" 96 80 31 31 35 weight of the motorhome used as a tow vehicle and the attached towed vehicle. 25' 2" 10' 11" 96 80 43 31 31





#WeAreEntegra