





SUPER LITE TRAVEL TRAILERS

SUPER LITE FIFTH WHEELS



LIFE-SIZE FIFTH WHEELS



LIFE-SIZE FEATURES

LARIEDO

By Keystone



SUPER LITE TRAVEL TRAILERS

Aerodynamically designed, feature-packed light weight travel trailer.

.....see page 3

SUPER LITE FIFTH WHEELS

Aerodynamically designed, feature-packed light weight fifth wheel.

.....see page 6

LIFE-SIZE FIFTH WHEELS

Aerodynamically designed, "best in class" easy to tow luxury fifth wheel.

.....see page 10

MORE BEST IN CLASS FEATURES
THAN THE COMPETITION







Laredo front caps are designed to aggressively deflect wind from all angles (see FIGURE A). With a 20% more aerodynamic front cap, wind drag is reduced and fuel mileage is increased.





- **Gel Coated Filon Exterior**
- Luan Layer
- **Hi-Density Block Foam Insulation**
- Interior Wallboard
- **Total Aluminum Frame**
- **Residential Grade Carpet** and Trekk Flooring
- **Carpet Padding**

- 1st Layer Floor Decking
- 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame

- 17 One Piece Rubber Roof
- 18 Roof Decking
- 19 R-11 Insulation
- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Air Glyde Front Cap w/LP Storage
- 25 EZ Lube Axles
- 26 Radial Tires
- 27 Radius Entry Steps

SUPER-LIME TRAWEL TRAILERS






294RK







255RB





296RL

5292				294RK	296RL	303TG	308RE
0202	5895	6240	6629	6772	6676	7473	7256
1908	1705	1560	1571	1728	1824	1527	1744
590	600	715	905	880	755	905	740
27' 7"	28' 11"	30'8"	33' 3"	34' 8"	33' 9"	35'8"	35' 6"
8'	8'	8'	8'	8'	8'	8'	8'
10' 11"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"	11' 1"
43	43	43	43	43	43	43	43
30	30	30	30	30	30	30	30
30	30	30	30	60	30	30	30
60	60	60	60	60	60	60	60
	590 27' 7" 8' 10' 11" 43 30 30	590 600 27' 7" 28' 11" 8' 8' 10' 11" 11' 1" 43 43 30 30 30 30	590 600 715 27' 7" 28' 11" 30' 8" 8' 8' 8' 10' 11" 11' 1" 11' 1" 43 43 43 30 30 30 30 30 30 30	590 600 715 905 27'7" 28'11" 30'8" 33'3" 8' 8' 8' 8' 10'11" 11'1" 11'1" 11'1" 43 43 43 43 30 30 30 30 30 30 30 30	590 600 715 905 880 27' 7" 28' 11" 30' 8" 33' 3" 34' 8" 8' 8' 8' 8' 8' 8' 10' 11" 11' 1" 11' 1" 11' 1" 11' 1" 43 43 43 43 43 43 30 30 30 30 30 30 30 30 30 30 30 60	590 600 715 905 880 755 27'7" 28'11" 30'8" 33'3" 34'8" 33'9" 8' 8' 8' 8' 8' 8' 8' 8' 10'11" 11'1" 11'1" 11'1" 11'1" 11'1" 43 43 43 43 43 43 43 30 30 30 30 30 30 30 30 30 30 30 30 30 30	1908 100









SUPER-LITE FIFTH WHEELS




INTERIOR FEATURES

- A. 8 CU. FT. Refrigerator with Raised Panel Fronts
- B. Raised Panel Cabinet Throughout
- C. 40" LCD HDTV
- D. 12V DVD/CD/AM/FM/MP3 Player
- E. Crown Molding
- F. 50" Wide, 6' 7" Tall Shower
- G. 60" x 80" Queen Size Pillow Top Mattress
- High Rise Faucet
- Kitchen Backsplash
- 50 amp service
- · Arched roof rafters

EXTERIOR FEATURES

- Water Works Utility Center
- Electric Awning
- Equa-Flex Suspension
- Heated Pass-Thru Storage
- Hitch Assist Mirror w/2 LED Lights
- Electric Jacks and Landing Gear
- Separate Battery Compartment

SUPER-LITE FIFTH WHEELS



- 1 Gel Coated Filon Exterior
- 2 Luan Layer
- 3 Hi-Density Block Foam Insulation
- 4 Interior Wallboard
- 5 Total Aluminum Frame
- 6 Trekk Flooring
- 7 Carpet Padding
- 8 1st Layer Floor Decking

- 9 2nd Layer Floor Decking with Staggered Seams
- 10 Hi-Density Block Foam Insulation
- 11 Aluminum Floor Studs
- 12 3rd Layer Floor Decking
- 13 Moisture Barrier Wrap
- 14 Fiberglass Batten Insulation
- 15 Underbelly Heat Duct
- 16 PACO I-Beam Frame
- 17 One Piece Rubber Roof
- 18 Roof Decking
- 19 R-11 Insulation

- 20 5" Crowned / Stamped Roof Trusses
- 21 Sloped Slide Roof
- 22 Wiper Seals
- 23 Bulb Seal in T-Track
- 24 Max Turn Aerodynamic Front Cap
- 25 EZ Lube Axles
- 26 Equa-Flex Suspension System
- 27 Radial Tires
- 28 Radius Entry Steps



270SRL





280SBH





SL FIFTH WHEELS	270SRL	278SRL	280SBH	290SRE	293SBH
SHIPPING WEIGHT	7565	TBD	7650	8015	8165
CARRYING CAPACITY	2435	TBD	2350	1985	1835
HITCH WEIGHT	1505	TBD	1485	1555	1650
EXTERIOR LENGTH	31'3"	31' 6"	31' 3"	31' 7"	33'
EXTERIOR WIDTH	8'	TBD	8'	8'	8'
EXT. HEIGHT - A/C TOP	12' 3"	TBD	12'3"	12' 4"	12' 4"
FRESH WATER (GAL.)	43	TBD	43	43	43
WASTE WATER (GAL.)	30	TBD	30	30	30
GRAY WATER (GAL.)	60	TBD	60	30	60
LP CAPACITY (LBS.)	60	TBD	60	60	60









LIFE-SIZE FIFTH WHEELS



INTERIOR FEATURES

- A. 40" LCD HDTV
- B. Stainless Steel Sink
- Flooring with 2 Year Cold
 Crack Warranty and 7 Year
 Performance Warranty
- D. Flush Mount Sink with High Rise Faucet
- E. Huge 60" Shower (select models)
- F. King Size Pillowtop Mattress (select models)
- G. Solid Surface Countertops

EXTERIOR FEATURES

- Fiberglass Front Cap with Max Turn Technology
- Power Adjustable Awning
- 50 AMP Service
- "Saddle" Style Pass-Thru Storage
- 16" Radial Tires
- 8 Lug Aluminum Wheels
- 10" Main Frame Rails
- Heated Storage Compartment

WALL CONSTRUCTION (R-9)

- 1. Gel-coated fiberglass exterior
- 2. 1/8" Luan wood backer
- 3. Hi-density block foam insulation
- 4. Radius window corner blocks
- 5. 2" Welded aluminum sidewall studs
- 6. High-gloss front fiberglass cap
- 7. Metal backing strips

ROOF CONSTRUCTION (R-28)

- 8. One-piece EPDM rubber roof with 12-year warranty
- 9. 3/8" Fully walkable roof decking
- 10. Fiberglass batten insulation 2 layers
- 11. Heat reflective Astro foil insulation
- 12. 5" "Snow Load" roof trusses
- 13. Ceiling decking with vinyl protection
- 14. Vented attic

FLOOR CONSTRUCTION (R-30)

- 15. Residential grade carpet with stain protection
- 16. Residential grade carpet padding
- 17. 5/8" Seamless wood floor decking
- 18. Trekk flooring
- 19. In-floor ducted heat
- 20. Darco wrap (main floor)
- 21. Astro foil bubble insulation
- 22. Fiberglass batten insulation 2 layers
- 23. One-piece, fluted polypropylene fully enclosed sub-floor
- 24. 3" floor joists on 16" centers
- 25. Therma Shield 37 holding tank enclosure

TIRE & CHASSIS

- 26. 10" steel powder coated I-beam frame
- 27. 16" radial tires
- 28. EZ Lube axles
- 29. E-Z Flex Suspension







LIFE-SIZE FIFTH WHEELS









266RL



300RL



FIFTH WHEELS	250RL	266RL	292RL	300RL	302BH	312RE	329RE	335TG
SHIPPING WEIGHT	8460	8590	9880	9530	10105	10285	10790	10600
CARRYING CAPACITY	2540	2410	2620	2470	2395	2215	2210	2400
HITCH WEIGHT	1825	1985	2120	1980	1830	2000	1985	2050
EXTERIOR LENGTH	30'3"	30'8"	34' 11"	34' 11"	34' 11"	35' 5"	37' 2"	37' 8"
EXTERIOR WIDTH	8'	8'	8'	8'	8'	8'	8'	8'
EXT. HEIGHT - A/C TOP	12' 4"	12' 4"	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"
FRESH WATER (GAL.)	55	55	55	55	55	55	55	55
WASTE WATER (GAL.)	40	40	40	40	40	40	40	40
GRAY WATER (GAL.)	40	40	72	40	40	72	75	110
LP CAPACITY (LBS.)	60	60	60	60	60	60	60	60

LARIEDO

SUPER HITE FIFTH WHEELS

Our heated and enclosed underbelly helps extend the camping season while also improving fuel mileage by reducing drag under the coach.

Aluminum alloy wheels offer light weight, durability, and look great traveling down the open road.


50 amp and wired/braced for 2nd A/C













The large single basin kitchen sink allows enough size and depth for washing pots& pans.

Residential 60 x 80 queen beds are a luxury not offered by most light weight towables.

The high rise faucet allows larger items to fit into the sink, plus adds a modern look and a touch of elegance to the kitchen.









Huge 50" shower really makes you feel at home.

40" LCD HDTV that makes it easy to view from all angles

80" Wide u-shaped booth dinette (Travel Trailers Only)

The vaulted ceiling adds 5" of interior height to the Laredo travel traiers.

Solid surface countertops with matching sink covers are paired with a faucet with pullout sprayer.


Residential queen beds (60"X80"), and flush floor upper decks are a luxury not offered by most other mid-profile fifth wheels.

40" LCD HDTV that makes it easy to view from all angles













30" Wide entry door

No need to worry about running out of hot water with our 12 Gallon DSI hot water heater.

Huge 60" shower is a best in its class feature that really makes you feel at home.

Get 12 cu. ft. of cool food storage space without sacrificing all of the square footage in your kitchen.









6,000 lb. axles

50 AMP service, ready for second air conditioner

16" 8-lug aluminum alloy wheels, offer light weight strength, and a great look traveling down the highway.

Heated pass-thru storage with wet storage bin. Easy to access with slam latches on doors and about 100 cu. ft. of pass-through storage (N/A on Super Lites).

PURCHASING YOUR RV LOCALLY

It's up to you where you purchase your new Laredo, but may we suggest your local dealer? Not only does it help your local economy and provide jobs, but it will also give you an opportunity to develop a service relationship with someone that will come to know you and your coach. Congratulations on finding the best built, best equipped, best value in the industry, and happy travels!



HAZELNUT



SUNSET



NEW EARTH

STANDARDS AND OPTIONS

EXTERIOR			
ThermaShield 37 holding tank enclosure			FW
Fully enclosed underbelly	π	SF	FW
Heated, enclosed holding tanks & gate valves	π	SF	FW
Oversized lighted pass-thru storage	π	SF	FW
Roto-cast storage for wet or greasy items			FW
Exterior shower w/hot & cold water	π	SF	FW
Folding entry assist handle	π	SF	FW
Exterior marine grade speakers	π	SF	FW
Rain gutters w/downspouts	π	SF	FW
Security light	π	SF	FW
Motion sensor light	П	SF	FW
Rear ladder			FW
Triple entrance steps	П	SF	FW
Electric front jacks w/adjustable snap pins		SF	FW
Aerodynamic front cap with Hitch Assist Mirror		SF	FW
& 2 LED lights w/Max Turn Technology			
Outside 110V outlet & TV connection	Π	SF	FW
TIRES & CHASSIS			
Powder-coated I-beam frame	π	SF	FW
Tube style bumper w/sewer hose storage	π	SF	FW
Electric slideout system w/manual override	π	SF	FW
Adjustable extended hitch pin		SF	FW
Radial tires	π	SF	FW
EZ lube axles	П	SF	FW

TT = TRAVEL TRAILER

SF = SUPER LITE FIFTH WHEELS

12" electric brakes

Full-size spare tire

FW = FIFTH WHEELS

TT SF FW

INTERIOR

Living Area

Dinette w/storage below		SF	FV
Extra wide 80" u-shaped dinette w/storage belov	ν π		
6' 3" slide room height			F۷
Ventilating windows on slideout end walls	Тπ	SF	F۷
Overhead cabinets in slide rooms	Тπ	SF	F۷
Residential grade carpet and padding	Пπ	SF	FN
Stain resistant fabrics	Пπ	SF	FN
Pleated shades	Пπ	SF	FN
Designer window treatments		SF	-
Raised panel mortise & tenon cabinet doors	П	_	FN
Entertainment center w/TV cabinet	π	_	-
Kitchen			
Residential-size overhead cabinets	П	SF	F
Dual sink covers	П	SF	F۱
Single basin sink	П	SF	
60/40 deep-bowl sink			F
High-rise faucet	П	SF	F
Linoleum floor with cold crack warranty	П	SF	F
Ball bearing full extension drawer guides	π	SF	F۱
Bathroom			
Oversized shower (select models)	π	SF	F
Tub surround w/shelves	π	SF	FN
Foot pedal flush porcelain toilet	П	SF	FN
Medicine cabinet		SF	
Skylight over bath	Пπ	_	_
Power roof vent	π	SF	F١
Bedroom			
60" x 80" innerspring mattress	П	SF	F
Bedspread w/matching headboard		SF	F۱
Wardrobe storage	П	SF	F١
TV hook-up	π	SF	F
Reading lights	/π	SF	F
APPLIANCES	16		
12V AM/FM/CD/DVD home theater system	Yes	38	
w/ surround sound effect speakers	П	_	_
Double door refrigerator w/wood inserts	П		_
Microwave with carousel		SF	
Range hood and light	П	_	-
13,500 BTU ducted A/C	П		F۱
High output range w/auto igniter	П	SF	F

UTILITIES

OTILITIES			
2-30 lb. LP bottles w/auto changeover	π	SF	FW
35,000 BTU high-output furnace w/auto ignition			FW
Water heater bypass kit	π	SF	FW
Systems monitor panel	π	SF	FW
Cable & satellite connections	П	SF	FW
SAFETY			
Break away switch	Ιп	SF	FW
Tinted safety glass windows	π	SF	FW
GFI receipts	π	SF	FW
Carbon monoxide detector	π	SF	FW
Smoke alarm	π	SF	FW
Propane gas leak detector	π	SF	FW
Fire extinguisher	π	SF	FW
LIFE-SIZE PACKAGE			
12 cu ft refer (most floorplans)			FW
16" Radial Tires			FW
12 Gallon gas/electric water heater			FW
6,000 lb axles			FW
King Bed (292RL, 300RL, 312)			FW
LED Ceiling Lights			FW
Oversize Stainless Steel Sink (select floorplans)			FW
High-Arch pull down kitchen faucet			FW
60" Residential Shower (most floorplans)			FW
40" LCD TV (most floorplans)	Π	SF	FW
8 cu ft refer with hardwood face	П	SF	
6'3" Slide out height			FW
80" Residential Queen Mattress		SF	FW
50 Amp Service	П		FW
Arched Ceiling	П	SF	
50" Residential Shower (most floorplans)	Π	SF	
Aluminum Wheels		SF	
Radial Tires	Π	SF	

^{*}Mandatory Package





YOUR LOCAL DEALER: Colton RV

3122 Niagara Falls Blvd.

North Tonawanda, NY 14120

(716) 694-0188

(800) 628-4889

www.ColtonRV.com









2642 Hackberry Drive | PO BOX 2000 Goshen, Indiana 46527-2000 (574) 535-2100



and scan this tag.

Get the free app at http://gettag.mobi

brochure. Features, floor plans, and specifications are subject to change without notice. Please also consult Keystone's web site at keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. 6/2013

Product information is as accurate as possible at the date of publication of this