











WHAT IF THERE WERE NO•BOUNDARIES?

Designed for those who push limits, the versatile and exceptionally light weight No Boundaries (NOBO) travel trailer is rugged enough for any outdoor enthusiast. It's innovative and durable rooftop Rhino-Rack offers adaptable storage for Kayaks, mountain bikes, snowboards, fishing equipment, or just simply extra luggage. Towable by both 4- and 6-cylinder vehicles, NOBO is ready when you are.









JBL PORTABLE
BLUETOOTH SPEAKER



MORRYDE STEPS W/LED ENTRY STEP LIGHT (N/A ON 16 SERIES)



SHOWERMISER (16/19 SERIES ONLY)



CENTRAL VAC SYSTEM
W/LED BACKLIT VAC PORT
NO HOSES NEEDED



WELDED ALUMINUM BED FRAMING (16/19 SERIES ONLY)



BACKUP CAMERA PREP



OUTDOOR KITCHEN (STANDARD ON 10.5/10.6)



ALL-NEW 16/19 SERIES BUSH KITCHEN
EXTERIOR FLAT TOP GRILL, HIGH PRESSURE SPRAY PORT,
PREP STATION, SHOWERMISER



WHEN YOU LIVE LIFE BY A COMPASS, NOT A CLOCK.

With industry-leading ground clearance, larger diameter tires and a nimble suspension system, you'll be able to explore and set up camp in places that would otherwise be inaccessible. Additionally, the upscale interior focuses on thoughtful, useful design with ample storage and an ergonomic and refreshing living space.

NO•BO is attractively equipped with both familiar standard equipment as well as fresh features for a truly unforgettable adventure.



NB10.6

SPECIFICATIONS

MODEL	NB10.5	NB10.6	
Unloaded Vehicle Weight	1570	1763	
Hitch Weight (lbs.)	210	236	
Cargo Carrying Capacity	2140	1973	
Roof Capacity (lbs.)	500	500	
Exterior Length	13' 10"	13' 9"	
Exterior Width	88"	88"	
Exterior Height (w/ A/C)	7' 9"	7' 9"	
Fresh Water (gal.)	30	30	
Grey Water (gal.)	N/A	N/A	
Black Water (gal.)	N/A	N/A	

NOTE - Definitions for specifications can be found on the back page of this brochure.



FLOORPLANS





KEY FEATURES: 10.6 can haul a full-size ATV, Standard Enclosed Underbelly, 30 gal. Fresh Water Capacity







10 SERIES STANDARDS/OPTIONS

DISCOVERER PACKAGE KEY STANDARD EQUIPMENT

JBL Portable Bluetooth Speaker

Complete Interior/Exterior LED Lighting PKG

LED Entry Step Light

1000 Lumen Amber/White Scare Light

Metropolitan Grey Lightweight-Ply Countertops

Stainless Steel Utility Hooks

Bottle Opener

Black Satin Faucet/Door Pulls (where applicable)

High Performance Vinyl Furniture

2-Burner Glass Recessed Cook Top

Black Stainless Steel Sink (where applicable)

Pleated Shades

USB Charging Station

Lamilux 1000 Fiberglass Exterior

Featuring Satin Matte Graphics

Cold Weather Package (Required)

(Some Features N/A 10 Series)

OVERLANDER PACKAGE

Standard RVT Track (Rhino Rack #RTV148)

Two Vortex Bars (Rhino Rack #VA180B)

J-Cradle Kayak Holder (Rhino Rack #S510)

Satin Matte Finish 6-Lug Wheels Wrapped in All Terrain Tires

OPTIONAL EQUIPMENT

13.5 BTU Low Profile Air Conditioning

5500 BTU Heat Strip

(applicable only with A/C equipped)

Power Tongue Jack w/LED Light

12V LED TV

Pioneer Platform

(IPO Vortex Bars and J-Cradle Kayak Rack)

Hybrid Single Bike Carrier

(Rhino Rack #RBC050)

Snowboard/Ski/Fishing Rod/Paddle Holder

(Rhino Rack #573)

J-Cradle Kayak Holder (Rhino Rack #S510


One Standard Kayak Holder in Overlander PKG

Batwing Awning

Dinette Package

Ramp Door Screen Door (n/a 10.5)

NOBO Nest - Roof Top Tent





WHEN YOUR NEXT PATH IS OFF THE GRID.

Count on **NO•BO** to take you into uncharted territory. Escape the crowds into the remote rugged wilderness and take your gear with you. Whether in search of a big catch or a big wave, you don't have to leave amenities behind. Explore, get dirty, then return to home base to clean up, relax and recharge.



NB16.8

SPECIFICATIONS

MODEL	NB16.2	NB16.6	NB16.8 3264	
Unloaded Vehicle Weight	3284	3346		
Hitch Weight (lbs.)	440	382	320	
Cargo Carrying Capacity	1556	1417	1541	
Roof Capacity (lbs.)	500	500	500	
Exterior Length w/o Spare Tire	21' 8"	21' 8"	22' 2"	
Exterior Width	96"	96"	96"	
Exterior Height (w/ A/C)	9' 11"	9' 11"	9' 11"	
Interior Height	78"	78"	78"	
Box Width	6' 6"	6' 6"	6' 6"	
Fresh Water (gal.)	30	30	30	
Grey Water (gal.)	30	30	30	
Black Water (gal.)	30	30	30	

NOTE - Definitions for specifications can be found on the back page of this brochure.









NB16.2




NB16.6









16 SERIES OPTIONS

ACTION PACKAGE (REQUIRED) KEY STANDARD EQUIPMENT

Azdel Exterior Construction

PVC Roofing Membrane

Rhino Rack RVT Track

5 Cu. Ft. Refrigerator

Aluminum Cage Construction

Torsion Axle with Industry Leading Ground Clearance

Panoramic 60" x 22" Front Window

Roof-Mounted Heavy Duty Solar Prep

Rear Ladder

OVERLANDER PACKAGE (OPTIONAL)

Standard RVT Track (Rhino Rack #RTV148)

Two Vortex Bars (Rhino Rack #VA180B)

J-Cradle Kayak Holder (Rhino Rack #S510)

Satin Matte Finish 6-Lug Wheels

Wrapped in All Terrain Tires

OPTIONAL EQUIPMENT

Stainless Steel Convection Microwave Oven

12V LED TV

Power Tongue Jack w/LED Light

Cold Weather Package (Required)

Custom Front Fiberglass Protective Shell

JBL Bluetooth Speaker

Central Vacuum System (Required)

Solar Package (Heavy-Duty Panel, Inverter, and Charge Controller)

15K A/C IPO 13.5K A/C

Bush Kitchen (Required)

Exterior Flat Top Grill, High Pressure Spray Port,

Prep Station, Showermiser











WHEN YOU THRIVE ON **PUSHING THE LIMITS.**

NO•BO 19 Series delivers a true 7' wide box to align perfectly with smaller tow vehicles. Combine this with our enclosed underbelly and gate valves, panoramic front window, and torsion axle suspension system to offer you the most versatile, capable, and affordable towable on the market. Each NO•BO 19 series also features factory installed RVT tracks on the roof, ready to accept and integrate your personalized Rhino Rack Roof System!




NB19.3

SPECIFICATIONS

MODEL	NB19.1	NB19.2	NB19.3	NB19.5	NB19.6	NB19.7	NB19.8
Unloaded Vehicle Weight	4264	3502	4199	3456	4284	3809	3789
Hitch Weight (lbs.)	720	414	550	365	490	388	395
Cargo Carrying Capacity	3456	1293	3351	1309	3206	979	1006
Roof Capacity (lbs.)	500	500	500	500	500	500	500
Exterior Length w/o Spare Tire	24' 11"	21' 6"	24' 4"	22' 8"	24' 4"	23' 8"	22' 8"
Exterior Width	88"	88"	88"	88"	88"	88"	88"
Exterior Height (w/ A/C)	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"	9' 11"
Interior Height	78"	78"	78"	78"	78"	78"	78"
Fresh Water (gal.)	30	30	30	30	30	30	30
Grey Water (gal.)	30	30	30	30	30	30	30
Black Water (gal.)	30	30	30	30	30	30	30

NOTE - Definitions for specifications can be found on the back page of this brochure.







NB19.2









NOABO



19 SERIES STANDARDS/OPTIONS

DISCOVERER PACKAGE KEY STANDARD EQUIPMENT

JBL FLIP Portable Bluetooth Speaker

Complete Interior/Exterior LED Lighting PKG

LED Entry Step Light

1000 Lumen Amber/White Scare Light

Metropolitan Grey Lightweight-Ply Countertops

Stainless Steel Utility Hooks

Bottle Opener

Black Satin Faucet/Door Pulls (where applicable)

High Performance Vinyl Furniture

2-Burner Glass Recessed Cook Top

Black Stainless Steel Sink (where applicable)

Pleated Shades

USB Charging Station

RVT Track (Rhino Rack #RVT148)

Lamilux 1000 Fiberglass Exterior

Featuring Satin Matte Graphics

OVERLANDER PACKAGE

Two Vortex Bars (Rhino Rack #VA180B)

J-Cradle Kayak Holder (Rhino Rack #S510)

Satin Matte Finish 6-Lug Wheels Wrapped in All Terrain Tires

BACK COUNTRY PACKAGE

Custom Front Fiberglass Protective Shell

Featuring Tempered Seamless Panoramic Window

Roof Mounted Solar Prep

13.5 BTU Low Profile Air Conditioning

Power Awning

Rear Ladder

Azdel Exterior Construction

OPTIONAL EQUIPMENT

Stainless Steel Convection Microwave Oven

12V LED TV

Power Tongue Jack w/LED Light

Cold Weather Package (Required)

Central Vacuum System (Required)

Hybrid Single Bike Carrier (Rhino Rack #RBC050) Snowboard/Ski/Fishing Rod/Paddle Holder

(Rhino Rack #573)

J-Cradle Kayak Holder (Rhino Rack #S510 One Standard Kayak Holder in Overlander PKG

Solar Package (Heavy-Duty Panel, Inverter,

and Charge Controller)

15K A/C IPO 13.5K A/C

Sofa IPO Gaucho (19.5/19.8 only)


Bush Kitchen (Required)

Exterior Flat Top Grill, High Pressure Spray Port, Prep Station, Showermiser











































Forest River Owner "Digital Kit" App

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.

This brochure is complete thanks to the support of our wonderful Retail Customers, as you will see their photos throughout. These customers truly exemplify what it takes to be a NoBo Owner - and for that we are grateful and happy to share in their memories.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.





CUSTOMER SATISFACTION



www.Forest River Buy Local.com

No Boundaries Division Forest River, Inc. 1702 Century Dr. Goshen, IN 46528 (574) 642.3119

www.forestriverinc.com/nobo www.forestriveraccessories.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL SUPPORT** DEALER LOCATOR **SERVICES**



*VALID FOR 1 YEAR FROM DATE OF PURCHASE



Colton RV 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com

Colton RV 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.Coltonry.com



Learn More

Scan this barcode using a OR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River. Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. 11/20

©Copyright 2020 Forest River Inc - All Rights Reserved.