



Within us all, there's a calling to achieve ever-greater things; a search for a higher standard. In creating Crusader, we asked our engineers and design team to throw caution to the wind and engage in serious "outside the box" thinking. We challenged them to think beyond the status quo and reach for product innovations not currently offered.
 We said, "Make Crusader a new standard in fifth wheels." Needless to say, they took the challenge to heart. The result of their efforts represents a new standard in fifth wheels – A HIGHER STANDARD – Crusader.





Crusader kitchens are by far the best in its class! We have designed our kitchens with large countertop preparation areas, enormous amounts of storage and large pantries. Crusader kitchens are appointed with many modern amenities such as solid surface countertops, stainless steel sinks, pull out sprayer faucet, and large storage drawers. Crusader kitchens are definitely built to a **Higher Standard!**





Crusader is unlike any fifth wheel in its class. On the outside, our fifth wheel experts have combined advanced engineering and design with best-in-class features to create a fifth wheel that looks great, tows easily, and maximizes convenience. On the inside, hardwood cabinetry and solid surface kitchen countertops carefully work together to make a lasting impression. Your comfort and relaxation will be guaranteed with an abundance of ugrades such as Furrion residential cooktop and oven, residential furniture and Ground Control Automatic Leveling System. Finally, your long-term peace of mind is assured with Crusader's durable ETERNABOND® Construction, 50 AMP service and our custom 65 point pre-delivery inspection on 100 percent of our units.

A HIGHER STANDARD



Crusader bedrooms are built for comfort and convenience. Every Crusader model features large 60" x 80" Ever Rest[®] select foam beds while several models come with a king bed option. Crusader bedrooms feel spacious and roomy due to our tall ceilings, they have large storage closets, and our bedroom slide-out models come with the added convenience of being washer and dryer ready. Everywhere you look, there are numerous upgrades that will make your Crusader the envy of the campground.

HIGH-IMPACT FEATURES



CONSTRUCTION





AUTO-LEVELING SYSTEM



FRAMELESS WINDOWS



MORryde "STEP ABOVE" ZG ENTRY STEPS



18 GPH DSI WATER HEATER



SOLAR PREP



BACK UP CAMERA PREP



UNIVERSAL DOCKING CENTER



15K "QUIET COOL" A/C



EXTREME THERMAL PACKAGE



SOLID SURFACE COUNTERTOPS



FURRION RESIDENTIAL




RESIDENTIAL KITCHEN SPRAYER FAUCET



SHAKER STYLE INTERIOR DOORS



FIREPLACE



UVW (Unloaded Vehicle Weight)* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment.

| SPECIFICATIONS | 295RST | 297RSK | 315RST | 319RKT | 320DEN | 337QBH | 340RST | 341RST | 365RKB | 381MBH | 382MBH |
|----------------------------------|-----------|-----------|-----------|-----------|---------|------------|------------|------------|------------|---------|---------|
| LENGTH | 32' 7" | 32' 5" | 33' 11" | 33' 11" | 36' 1" | 37' 9" | 36' 4" | 36' 4" | 41' 10" | 42' 4" | 42' 4" |
| HEIGHT | 11' 9" | 11' 9" | 12' 9" | 12' 9" | 12' 7" | 12' 7" | 12' 9" | 12' 9" | 13' 3" | 13' 3" | 13' 3" |
| HITCH WEIGHT | 1,278 lb. | 1,336 lb. | 1,953 lb. | 1,819 lb. | TBD lb. | 1,749 lb. | 1,976 lb. | 1,976 lb. | 1,857 lb. | TBD lb. | TBD lb. |
| UNLOADED VEHICLE WEIGHT (UVW) | 8,777 lb. | 9,132 lb. | 9,926 lb. | 9,820 lb. | TBD lb. | 10,601 lb. | 10,574 lb. | 10,574 lb. | 12,480 lb. | TBD lb. | TBD lb. |
| CARGO CARRYING CAPACITY (CCC) | 3,117 lb. | 2,364 lb. | 2,398 lb. | 2,399 lb. | TBD lb. | 3,088 lb. | 3,402 lb. | 3,402 lb. | 3,020 lb. | TBD lb. | TBD lb. |

CRUSADER - STANDARDS & OPTIONS

Furrion Residential Cooktop and Oven

30" Microwave (select models) Residential Kitchen Spraver Faucet

Solid Surface Countertops

• Fireplace

OPTIONS

• 15K BTU A/C

TANK CAPACITY

Refrigerator

***Mandatory

Dual Pane Windows

Shaker Style Passage Doors

· Free Standing Table with 4 Chairs

· King Size Bed (select models)

• FRESH WATER: 60 Gallons

BLACK WATER: 35 Gallons

GREY WATER: 70 Gallons

12 Cubic Foot Refrigerator (select models)

2nd 13.5K "Quiet Cool" Air Conditioner

with Dual Zone Control (select models)

*R-Values Calculated at 80° Ambient Temperature

PRIME TIME

Manufacturing

1151

NINNEE

**No water source is provided to Residential

CONSTRUCTION

- Fiberglass Exterior
- 5" Truss Rafters On 16" Centers with 3/8" Walk On Decking
- Fiberglass Roof Insulation (R-14)
- One Piece TPO Roof with 12 Year Warranty
- Upgraded Water Line Fittings with 25 Year Warranty
- Easy Access Low Point Drain Switches
- Easy Access Fresh Water Drain Switches

EXTERIOR STANDARDS

- SUPER TURN[®] Aerodynamic Front Cap
- MORryde "Step Above" ZG Entry Steps
- "E-Z LUBE" Greasable Axle Hubs
- Dexter "E-Z Flex" Rubberized Suspension
- Oversized Pass Through Baggage Doors
- Extended Drip Spouts
- · One Touch Electric LED Lighted Awning
- Black, Dark Tinted, Radius Safety
- Glass Windows
- 30# LP Bottles Weight Distribution Design
 Ouick Connect® Exterior LP Connection
- Quick Connect* Extending P Con
- Outside Speakers
- Folding Entry Grab Handle
- 30" Radius Friction Hinge Entry Door
- Outside Shower with Detachable Hose
- Digital Compatible Roof Mounted Antenna
- Outside Television Hook-Up
- 16" Aluminum Wheels And Tires
- Roof Ladder
- Spare Tire
- Detachable Power Cord
- Exterior Speakers
- 50 AMP Electrical System

APPLIANCES/EQUIPMENT

- 15,000 BTU "Quiet Cool" Air Conditioner
- 35,000 BTU High Capacity Gas Furnace
- Furrion Residential Cooktop and Oven
- Range Hood with Light and Exhaust
- 8 Cubic Foot Double Door Refrigerator
- 6 Gal. Gas/Electric W/H with DSI
- 18 Gal./Hr. Quick Recovery Mode for Water Heater
- Simple Water Heater Bypass
- · High Capacity Water Pump
- 12V Electrical System
- EZ Winterization Hook-Up
- Washer/Dryer Prep (bed slide models)

INTERIOR STANDARDS

- · Solid Hardwood Cabinet Door Frames
- Solid Hardwood Drawer Fronts
- Solid Wood Core Cabinets
- Predrilled and Screwed Cabinetry
- Ball Bearing Extended Drawer Glides
- Residential Hide-A-Bed Sofa
- Residential Theater Seating
- "Video Pro" Separate Cable/Satellite Prep
- Upgraded Residential Carpet
- Deep Overhead Cabinets in Slide Out (where applicable)
- Large Panoramic Slide Room Windows
- Premium Vinyl Flooring
- Pleated Shades
- Leak Guard Assurance Process
- Large LED TV
- 15,000 BTU "Quiet Cool" Premium Air Conditioning System
- Prepped for Bedroom Air Conditioner

KITCHEN

- Furrion Cooktop and Oven
- 30" OTR Microwave (select models)
- Shaker Style Cabinet Doors and Drawers
- Solid Surface Countertops and Sink Cover
- Satin Nickel Fixtures & Hardware
- Deep, Single Bowl Stainless Steel Sink
- Sprayer Kitchen Faucet
- Oversized Pots and Pans Drawer (select models)
- Slide Out Pantry (most models)
- 20 CU. FT. Residential Refrigerator**
 (select models)

BATHROOM

- King Size Shower (select models)
- Glass Shower Enclosure
- ABS Tub Surround
- Deluxe Skylight Over Tub
- Power Vent Fan
- Porcelain Toilet with Foot Flush
- STOR MOR[®] Shower Caddy
- Large Bathroom Sink
- Medicine Cabinet with Mirror

BEDROOM

- Ever Rest Select Foam Mattress
- Dual Wardrobes (select models)
- Underbed Storage with Struts
- Residential Bedspread
- Bedroom Heat and A/C Vents
- · Wired & Framed for 2nd Air Conditioner

SAFETY EQUIPMENT

- CO Detector
- LP Detector
- Fire Extinguisher
 - Smoke Alarm
 - 1 Year Emergency Roadside Assistance Plan

ADVANTAGE PACKAGE***

End Walls (R-11)*

Main Floor (R-14)*

- Laminated Aluminum Framed

Laminated Aluminum Framed

Out Walls and Roof (R-14)*

- Cable & Satellite Hook-ups

- Battery Disconnect Switch

- Simple Winterization Switch

• Extreme Thermal Package:

- Simple Winterization Draw Line

- Enclosed and Heated Underbelly

- EPS Foam in Main Floor (R-14)*

- Enclosed and Heated Holding Tanks

- Double Layer of Fiberglass Insulation

- Radiant Shield Technology in Roof (R-38)*

- Radiant Shield Technology Under Main

- Insulated Bed and Bath Deck Floors (R-38)*

- Insulated Slide Room Floors (R-38)*

Aerodynamic "Super Turn" Front Cap

18 Gal. Per Hour DSI Water Heater

MORryde "Step Above" ZG Entry Steps

Enclosed and Heated Dump Valves

- Black Tank Flush

- Coil Hose

Gravity Fill

in Roof (R-14)*

Floor (R-38)*

Auto Leveling System

LED Lit Power Awning

Back-Up Camera Prep

15K "Quiet Cool" A/C

· Frameless Windows

Solar Prep

- Laminated Aluminum Framed Slide

- Radiant Shield Technology in Main

· Universal Docking Center (UDC) with:

- Spray Port with Hot & Cold Water

- Simple Water Heater By-Pass Switch

- City Water Connection and Fresh Tank

Floor, Roof, Front Cap, Slide Floor, and

Bath and Bedroom Decking (R-38)*

 ETERNABOND CONSTRUCTION Featuring:
 Laminated Aluminum Framed Side Walls (R-11)*

 ZBRL – Decor shown in Portobello





28RL — Decor shown in Portobello



| | 2-24-250 FT-2521 | CARL STL | and the state | 1 C. C. W. W. P. O. | | | | 1.50 |
|-------------------------------|------------------|-----------|---------------|---------------------|-----------|-----------|------------|------|
| SPECIFICATIONS | 26RE | 27RK | 28RL | 29BH | 29RS | 30BH | 34MB | |
| LENGTH | 28' 11" | 31' 11" | 31' 10" | 35' 10" | 31' 10" | 33' 5" | 38' 0" | |
| HEIGHT | 11' 6" | 11' 7" | 11' 6" | 11' 6" | 11' 6" | 11' 6" | 12' 0" | 2 |
| HITCH WEIGHT | 1,452 lb. | 1,142 lb. | 1,322 lb. | 1,307 lb. | 1,237 lb. | 1,162 lb. | 1,482 lb. | |
| UNLOADED VEHICLE WEIGHT (UVW) | 7,282 lb. | 8,111 lb. | 8,162 lb. | 8,317 lb. | 8,163 lb. | 8,470 lb. | 10,297 lb. | 1.4 |
| CARGO CARRYING CAPACITY (CCC) | 2,970 lb. | 1,831 lb. | 1,960 lb. | 1,790 lb. | 1,874 lb. | 1,492 lb. | 3,185 lb. | |

UVW (Unloaded Vehicle Weight)* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment.

See back page for additional specification definitions.

CONSTRUCTION

- Fiberglass Exterior
- 5" Truss Rafters On 16" Centers with 3/8" Walk On Decking
- Fiberglass Roof Insulation (R-14)
- One Piece TPO Roof with 12 Year Warranty
- Upgraded Water Line Fittings with 25 Year Warranty
- · Easy Access Low Point Drains
- Easy Access Fresh Water Drain

EXTERIOR STANDARDS

- SUPER TURN[®] Aerodynamic Front Cap
- "E-Z LUBE" Axle Hubs
- Oversized Pass Through Baggage Doors
- Extended Drip Spouts
- Black, Dark Tinted, Radius Safety Glass Windows
- · 30lb. LP Bottles Weight Distribution Design
- Outside Speakers
- Folding Entry Grab Handle
- 30" Radius Friction Hinge Entry Door
- · Outside Shower with Detachable Hose
- Digital Compatible Roof Mounted Antenna
- One-Touch Electric LED Lighted Awning
- High-Rise Triple Entry Step
- Outside Television Hook-Up
- 15" Wheels and Tires
- 16" Wheels and Tires (34MB only)
- Spare Tire
- Detachable Power Cord
- 30 Amp Electrical Service
- Cable and Satellite Hook-ups
- · Battery Disconnect Switch
- · Spray Port with Hot and Cold Water Coil Hose

26RE

29RS

Simple Water Heater By-Pass Switch

- Simple Winterization Switch
- Simple Winterization Draw Line
 - City Water Connection and Fresh Tank Gravity Fill
 - Solar Prep
- Black Tank Flush

INTERIOR STANDARDS

- Solid Hardwood Cabinet Door Frames
- Solid Wood Core Cabinets
- · Predrilled and Screwed Cabinetry
- Ball Bearing Extended Drawer Glides
- "Video Pro" Separate Cable / Satellite Prep
- Shaker Style Interior Doors
- Upgraded Residential Carpet
- Deep Overhead Cabinets in Slide Out (where applicable)
- Residential Recliners (28RL only)
- Large Panoramic Slide Room Windows
- Premium Vinyl Flooring
- Pleated Shades
- Residential Hide-A-Bed Sofa
- Residential Theater Seating
- Leak Guard Assurance Process
- Large LED TV
 15,000 BTU Air Conditioning System
- 15,000 BTU All Conditioning System

APPLIANCES/EQUIPMENT

- 15,000 BTU Air Conditioner
- High Capacity Gas Furnace
- 3-Burner Range with Large Oven
- Range Hood with Light and Exhaust
- Double Door Refrigerator
- 6 Gal Gas/Electric W/H with DSI
- 18 Gal/Hr Quick Recovery Mode for Water Heater

27RK

30BH

- High Capacity Water Pump
- 12V Electrical System

Simple Winterization Switches

Simple Water Heater By-Pass Switch

KITCHEN

- Seamless Residential Countertops
- Satin Nickel Fixtures And Hardware
- Deep, Double Bowl Kitchen Sink
- High Rise Metal Kitchen Faucet
- Residential Style Microwave
- Large Pots N Pans Drawer
 Sink Cover

BATHROOM

- Residential Size Shower with Glass Doors
- ABS Tub Surround
- Deluxe Skyview® Skylight Over Tub
- Power Vent Fan
- Large Bathroom Sink
- · Medicine Cabinet with Mirror

BEDROOM

- Evergreen Mattress
 - · Large Wardrobe Closet and Drawers
 - Underbed Storage with Struts
 - Residential Bedspread
 - Bedroom Heat and A/C Vents
 - Two Nightstands

SAFETY EQUIPMENT

- · CO Detector
- LP Detector
 - · Fire Extinguisher
 - Smoke Alarm
 - 1-Year Emergency Roadside Assistance Plan

28RL



ETERNABOND CONSTRUCTION Featuring:

CRUSADER LITE - STANDARDS & OPTIONS

- Laminated Aluminum Framed Side Walls (R-11)*
- Laminated Aluminum Framed End Walls (R-11)*
- Laminated Aluminum Framed Main Floor (R-14)*
- Laminated Aluminum Framed Slideout Walls and Roof (R-14)*

Thermal Package Plus Featuring:

- Enclosed Dump Valves

- Heated Dump Valves

Dexter EZ Lube Axles

Exterior Shower

Outside Speakers

Black Tank Flush

Roof Ladder

OPTIONS

LED Lit Power Awning

Back-Up Camera Prep

Fully Enclosed Underbelly

Universal Docking Center

Stainless Appliances

(Mandatory on 34MB)

• FRESH WATER: 60 Gallons

BLACK WATER: 35 Gallons

34**MB**

GREY WATER: 35 Gallons

TANK CAPACITY

Shaker Style Interior Doors

• 18 Gal/Hr DSI Water Heater

.

.

.

- Enclosed and Heated Underbelly

- Heated and Enclosed Holding Tanks

· Aerodynamic "Super Turn" Front Cap

Seamless Residential Countertops

Free-Standing Dinette Table and 4 Chairs

50-AMP Service, Wire and Frame for Second A/C

29BH

***Mandatory

DSI QUALITY CIRCLE AWARD

Prime Time Manufacturing is proud to be recognized as an industry leader in value, reliability, and overall quality by the Recreational Vehicle Dealers Association. We are committed to "A Higher Standard" in design, construction, testing, and customer service. Check us out - we know you'll be impressed!



Seek-A-Leak **Pressure Test**






65 Point Secondary PDI



Web Based Customer Service





Seal Tech Air

Pressure Test

Executive Quality Audits



ETERNABOND® Construction



Rain Bay

Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product, From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



View the online manual at http://www.primetimerv.com/OnlineManual.aspx or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2017 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.





A Berkshire Hathaway company.



FROG™ the Forest **River Owners' Group!**

Manufacturing

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading vour unit.





PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state of the art facility gives immediate daily feedback to production for quality assurance in every unit built.



Colton RV North Tonawanda, NY 14120 (716) 694-0188 (800) 628-4889 www.ColtonRV.com

Colton RV Orchard Park, NY 14127 (716) 957-3250 (800) 628-4889 www.ColtonRV.com

Ш К

DEALI