DINGENT BY GRAND DESIGN RV











LUXURY AND FUNCTIONALITY



ALL IN ONE EXT. UTILITY CENTER



LED LIGHTING



METAL WRAPPED WHEEL WELLS

POCKET DOORS TO BATHROOM

AND MANY MORE!

SUPERCHASSIS

101" Wide Body Chassis - A full 5" wider than many coaches in its class, the widebody chassis allows for more livable floor space with deeper sliderooms, wider sofas in rear lounge models, and space saving sliding pocket doors into the bathrooms...all at a shorter towing length.

No Wheel Wells - A true toy hauler with no wheel wells to maximize cargo option. Not to mention more floor space for camping.

Wide Rail Design - Heavy duty I-beam main rails are placed further outward on the chassis. This wider rail placement provides a more stable jack stance, and allows for the slideroom gearpacks to be enclosed inside the frame rails (rather than outside).

Dovetail Entry – Dovetails ensure you have a longer ramp and softer angle for loading your toys.

NOW WITH REINFORCED AXLE HANGERS!



M-CLASS & G-CLASS FW 12" Straight Rail (Not 10" like many competitors)
TH MODELS 12" Main Rail / 10" Drop Rail (Not 8" like many competitors)



EXTENDED SEASON PROTECTION PACKAGE

MAXIMUM HEATING POWER

A high performance furnace delivers 30,000 BTU's or more of heating power.[†]

MAXIMUM FUNCTION

Heated Holding Tanks and Enclosed Low Point Drains Heated Utility Center & Storage Bay Dual Attic Vents Enclosed Gate Valves

Thermostatically Controlled 12V Tank Heaters

† (Model Specific)

My SECURE



You can now leave your campground with the peace of mind knowing that your side by side or ATV is securely fastened to your RV.

QUADSEAL



4 protective layers (mylar tape, 2-layers of PVC foam, and a final silicone cap seal) line the perimeter of the coach for ultimate protection from the elements.

RAISING THE BAR IN CUSTOMER SERVICE & WARRANTY



Every Grand Design RV is backed with a class leading 3-year limited structural warranty. By selecting suppliers with similar philosophies, many components used on our coaches also carry an extended warranty through the component manufacturer.

- FLOOR DECKING (25 Years)
- ► AXLES (5 Years)
- **► TIRE WARRANTY**

(5 Years w/12 Month no questions asked replacement for manufacturer defects)

- ► EXTERIOR GRAPHICS (5 Years)
- CHASSIS (3 Years)
- ► ROOF COVERING (Limited Lifetime)

M.A.V. CONSTRUCTED TO A SUPERIOR STANDARD



THERMAL ROOF DESIGN

Fiberglass insulation and a layer of radiant foil insulation cover the entire layout of the roof. Grand Design goes further by extending both insulation layers the full length of the roof and around to the bottom of the front cap and pinbox area.



RESIDENTIAL INSULATED WALLS

Exterior walls and sliderooms are framed with studs set 16" on center, residential fiberglass insulation is adhered in place between each stud.



DOUBLE INSULATED MAIN FLOOR R-25

The underbelly is lined with a radiant foil insulation barrier (Layer 1). The main floor enhances the R-Value with yet another layer of fiberglass insulation (Layer 2).



INSULATED FRONT WALL

The residential fiberglass insulation layer from the roof, continues all the way around to the bottom of the front wall.



INSULATED BAGGAGE DOORS

Rigid foam insulation lines the inside of our heavy duty baggage doors.





The Momentum has been third-party tested in extreme outdoor conditions. The heating and cooling system passed with flying colors - delivering comfortable and even room temperatures from cap to rear.

Note: Testing was performed in a temperature controlled chamber and does not account for



.030 WALLS | .040 FRONT CAP

The satin metal exterior skin is 25% thicker, for a more durable and better looking sidewall.

*Equivalent R-Value



A high performance furnace deliver the heat.



EVENFLOW HEATING SYSTEM

Vertically mounted heat vents integrated into the cabinet bases, push hot air from front to back (rather than straight up). This also means that there are no heat vents in the middle of the floor to collect dirt and debris and break easily.



HEATED UNDERBELLY AND STORAGE BAY

To force heat into these compartments, dedicated heat ducts run to both the underbelly and storage bay. The enclosed utility center provides functional water systems even in extreme cold.



TRAVEL TRAILERS



GDRV CONTROL CENTER



90 GALLONS OF FRESH WATER



AUTOMOTIVE GLASS DOOR



12V REFRIGERATOR W/165 W SOLAR PANEL + 40 AMP CONTROLLER

OPTIONS: 2ND 15K BTU AC (27MAV ONLY)





PREMIUM SOUND STANDARD

- 500+Watts of Total Power
- 10" Powered Interior Subwoofer
- Rockford Fosgate Source Unit w/APP Control
- 6.5" 3-Way Interior Speakers
- 6.5" 2-Way Element Ready™ Speakers



FOR MORE INFORMATION SCAN THE OR CODE USING YOUR MOBILE PHONE CAMERA APP



MORE TIME. MORE PLACES.

SOLAR POWER NOW COMES STANDARD

With the factory-installed Roof Mounted Solar Panel, Charge Controller and Large 12V Refrigerator standard on all M.A.V. trailers, no camping spot is off-limits. Just add a battery or three and go. Camp where you want, when you want*.

WHAT'S INCLUDED:

165W SOLAR PANELS*

12V REFRIGERATOR

40 AMP CHARGE CONTROLLER WITH BLUETOOTH

* We may have gotten a little excited, please camp safely. Follow all laws and abide by no trespassing signs, you know what we mean.




26' 6"

12' 2" 90 74 37

915 10,950

5,600



27MAV 13' 6" GARAGE

17' GARAGE

UVW

EMPTY HITCH

GVWR

LENGTH!

HEIGHT

6,835 1,200 10,995 32'2"

CAPACITY 12' 2" 90 74 37

¹ Based on average weight of the standard build. ¹ Hitch to rear

27MAV





LUXURY AND FUNCTIONALITY



ALL IN ONE EXT. UTILITY CENTER



LED LIGHTING



NEW PLYWOOD DRAWER BOTTOMS



METAL WRAPPED WHEEL WELLS

BACKUP CAM PREP

POCKET DOORS TO BATHROOM

AND MANY MORE!



My SECURE



You can now leave your campground with the peace of mind knowing that your side by side or ATV is securely fastened to your RV.





Utilizing Mylar Tape and Die-Cut Seals at ALL critical seams (roof to sidewall, floor to sidewall and backwall to sidewall).

SUPERCHASSIS

101" Wide Body Chassis - A full 5" wider than many coaches in its class, the widebody chassis allows for more livable floor space with deeper sliderooms, wider sofas in rear lounge models, and space saving sliding pocket doors into the bathrooms...all at a shorter towing length.

No Wheel Wells - A true toy hauler with no wheel wells to maximize cargo option. Not to mention more floor space for camping.

Wide Rail Design - Heavy duty I-beam main rails are placed further outward on the chassis. This wider rail placement provides a more stable jack stance, and allows for the slideroom gearpacks to be enclosed inside the frame rails (rather than outside).

Dovetail Entry – Dovetails ensure you have a longer ramp and softer angle for loading your toys.

NOW WITH REINFORCED AXLE HANGERS!



G-CLASS II 10-12" straight Rail
M-CLASS & G-CLASS FW 12" Straight Rail (Not 10" like many competitors)
TH MODELS 12" Main Rail / 10" Drop Rail (Not 8" like many competitors)



ANTI-LOCK BRAKES

Prevents wheel slip and lockup, providing more stability during slippery or emergency-brake situations. (Standard on 7K Drum Brakes Only)



FLEXIBLE SEATING AND SLEEPING CONFIGURATIONS

Power Bed Lifts literally go where no slide has gone before. As traditional slide-outs extend horizontally, this innovative product leverages vertical space to maximize the space and versatility of your garage.

RAISING THE BAR IN CUSTOMER SERVICE & WARRANTY



Every Grand Design RV is backed with a class leading 3-year limited structural warranty. By selecting suppliers with similar philosophies, many components used on our coaches also carry an extended warranty through the component manufacturer.

- FLOOR DECKING (25 Years)
- ► AXLES (5 Years)
- **► TIRE WARRANTY**

(5 Years w/12 Month no questions asked replacement for manufacturer defects)

- ► EXTERIOR GRAPHICS (5 Years)
- CHASSIS (3 Years)
- ► ROOF COVERING (Limited Lifetime)

CONSTRUCTED TO A SUPERIOR STANDARD

Momentum G-Class Travel Trailers, G-Class Fifth Wheels, M-Class Fifth Wheels and Momentum Fifth Wheels



THERMAL ROOF DESIGN

R-40°

Fiberglass insulation and a layer of radiant foil insulation cover the entire layout of the roof. Grand Design goes further by extending both insulation layers the full length of the roof and around to the bottom of the front cap and pinbox area.



FULLY LAMINATED WALLS

R-11

Sidewalls, ramp door, slideroom endwalls, and slideroom roof are all welded aluminum framed and laminated with rigid foam insulation. Most companies use wood framing and soft fiberglass insulation in the sliderooms that can settle over time and leave uninsulated air gaps.

G-Class Travel Trailer walls are R-7*



TRIPLE INSULATED MAIN FLOOR

WITH FLUSH-FLOOR LINOLEUM SLIDES

R-40

The underbelly is lined with a radiant foil insulation barrier (Layer 1) and is then covered with fiberglass insulation that wraps all the way up the sides of the frame rails (Layer 2). The main floor enhances the R-Value with yet another layer of foil (Layer 3). Slideroom Floors are R-24*



EXCLUSIVE! TRIPLE INSULATED GARAGE FLOOR

R-40*

While many toy hauler garage floors are NOT insulated, our exclusive garage floor design provides 3 layers of insulation. A base layer of radiant foil insulation (Layer 1) is topped with fiberglass insulation (Layer 2), and finishes with a second layer of radiant foil insulation on the underside of the garage floor (Layer 3). (FW only)



INSULATED BAGGAGE DOORS

Rigid foam insulation lines the inside of our heavy duty baggage doors.



RAIL-TITE UNDERBELLY SEAL

Rigid aluminum rails are fastened around the perimeter of the underbelly to keep the corrugated barrier up tight against the frame for a better seal from the elements.



ZERO DEGREE The Momentum has been third-party tested in extreme outdoor conditions. The heating and cooling system passed with flying colors – delivering comfortable and even room temperatures from cap to rear.

Note: Testing was performed in a temperature controlled chamber and does not account for variables such as wind, humidity, and altitude.

*Equivalent R-Value 1. Featured on M-Class and TH models only.



A high performance furnace (and a fireplace on fifth wheels) deliver the heat.



EVENFLOW HEATING SYSTEM

Vertically mounted heat vents integrated into the cabinet bases, push hot air from front to back (rather than straight up). This also means that there are no heat vents in the middle of the floor to collect dirt and debris and break easily.



HEATED UNDERBELLY AND STORAGE BAY

To force heat into these compartments, dedicated heat ducts run to both the underbelly and storage bay. The enclosed utility center with low point drains (FW only) provides functional water systems even in extreme cold.



G-CLASS TRAVEL TRAILERS



PAINTED FRONT CAP WITH LED ACCENT LIGHTING



12V REFRIGERATOR

W/200 W SOLAR PANEL + 30 AMP CONTROLLER



GOODYEAR **ENDURANCE TIRES**

HEAVY DUTY E-RATED




30 GALLON FUEL STATION



PET FRIENDLY

15K MAIN AC WITH RACETRACK DUCTING



We combine high efficiency AC's and an energy management system to achieve the perfect balance of efficiency and power, even when using 30 amp!

Add an Optional 2nd AC for Maximum Cooling Power! (NA 21G and 23G)





ockford fosgate

- 500+Watts of Total Power
- 10" Powered Interior Subwoofer
- Rockford Fosgate Source Unit w/APP Control
- 6.5" 3-Way Interior Speakers
- 6.5" 2-Way Element Ready™ Speakers



FOR MORE INFORMATION SCAN THE OR CODE USING YOUR **MOBILE PHONE CAMERA APP**



OPTIONS:

3 SEASON DOOR W/ SLIDING WINDOWS REAR ALUMINUM DECK SYSTEM W/ REAR POWER AWNING 2ND 13.5K BTU AC

MORE TIME. MORE PLACES.

SOLAR POWER NOW COMES STANDARD

With the factory-installed Roof Mounted Solar Panel, Charge Controller and Large 12V Refrigerator standard on all Momentum trailers, no camping spot is off-limits. Just add a battery or three and go. Camp where you want, when you want*.

WHAT'S INCLUDED:

(1) 200W SOLAR PANELS

50 AMP CHARGE CONTROLLER

* We may have gotten a little excited, please camp safely. Follow all laws and abide by no trespassing signs, you know what we mean.

12V REFRIGERATOR



21**G** 14' GARAGE

EMPTY HITCH uvw

6,400

920

GVWR LENGTH HEIGHT

11,000 26' 11" 12' 4" 90 74 39

CAPACITY

29**G** 11' GARAGE UVW

EMPTY

11' GARAGE - 30

GVWR

20' 7" GARAGE

LENGTH HEIGHT

CAPACITY 9,278 1,592 13,000 33'11" 12'4" 90 37 39 37*

* 1/2 BATH DOUBLES AS BLACK/GREY



23**G** 15' GARAGE

UVW

EMPTY HITCH

GVWR

LENGTH HEIGHT CAPACITY

7,669 1,242 13,000 28'10" 12'4" 90 74 39

30**G** 20' 7" GARAGE

UVW 9,139 EMPTY HITCH

GVWR

LENGTH HEIGHT CAPACITY

1,425 13,000 34'10" 12'4" 90 76 37

25G



25**G** 13' 6" GARAGE

7,900

EMPTY

1,150 13,000 30'11" 12'4" 90 78 39

GVWR

LENGTH HEIGHT

CAPACITY



28**G** 16' 6" GARAGE

9,153


EMPTY UVW

HITCH!

GVWR

LENGTH HEIGHT CAPACITY 1,368 13,000 33'11" 12'4" 90 78 39







G-CLASS FIFTH WHEELS

STANDARD FEATURES





TRIPLE INSULATED GARAGE FLOOR



PET FRIENDLY



30 GALLON FUEL STATION 60 GAL FOR 325G, 355G



SOFT CLOSE DOORS & DRAWERS



SUNKEN SHOWER/TUB 6.5 FT INTERIOR HEIGHT



pockford fosquite.



STAGE 1 PACKAGE (STANDARD)

INTERIOR

- 10" Powered Interior Subwoofer
- Rockford Fosgate Source Unit (App Controllable)
- 6.5" 3-Way Interior Speakers

EXTERIOR

- 6.5" 2-Way Element Ready™ Speakers



STAGE 2 UPGRADE (OPTIONAL)

900+ WATTS OF TOTAL POWE

INTERIOR

- 10" Powered Interior Subwoofer
- Six 6.5" 2-Way Interior Speakers
- Rockford Fosgate Source Unit (App Controllable)

EVTEDIOD

- 10" Exterior Subwoofer
- Two 6.5" Color Optix™ 2-Way Speakers
- 400 Watt 4-Channel Amplifier
- Rockford Fosgate Source Unit (App Controllable)

HIGHLIGHTED OPTIONS

ADD THE OPTIONAL SOLAR PACKAGE



(2) 330W Solar Panel



50 AMP Controller



2000W Inverter

MORE OPTIONS:

3 SEASON DOOR WITH SLIDING WINDOWS

REAR ALUMINUM DECK SYSTEM WITH REAR POWER AWNING

ROCKFORD FOSGATE SPEAKER UPGRADE + EXTERIOR SUBS

AND MANY MORE ...

CRE3000 SUSPENSION SYSTEM



When it comes to suspension performance, it's all about suspension travel. Increased travel means smoother towing, improved towability and better protection from damaging road shock.



We pair this with Wet Bolts and Bronze Bushings for more durability and less maintenance



travifi. For more information visit: travifi.com





We combine high efficiency AC's and an energy management system to achieve the perfect balance of efficiency and power!

Add an Optional 3rd AC for Maximum Cooling Power!





17.5" All-Steel H-Rated Tires

Chip Guard: Protects from chips or cuts

Scrub Guard:

Minimize wear from starts, stops, tight turns and curb impacts

75mph Speed Rated

4,805 lb. Load Rating Each





320 G	UVW	HITCH	GVWR	LENGTH	HEIGHT	CAPACITY
11' GARAGE	12,400	2,300	16,800	36' 3"	13' 5"	110 52 52 52* •1/2 BATH DOUBLES AS BLACK/GREY
350 G	uvw	HITCH	GVWR	LENGTH:	HEIGHT	CAPACITY
14'6" GARAGE	12,950	2,600	16,800	39' 9"	13' 5"	98 52 52 52*



325G UVW HITCH GVWR LENGTH HEIGHT CAPACITY
15'GARAGE 11.696 2.474 16.400 35'6" 13'5" 160 78 39



355G UVW HITCH GVWR LENGTH HEIGHT CAPACITY
24 GARAGE 12,950 3,017 18,000 40'1" 13'5" 160 78 39



415**G** 14' GARAGE 15,310 3,422

2 20,000

44' 11"

HEIGHT 13' 5" 98 52 52 52*

"Deciding to embrace full-time RV living with our family of eight led us to the Grand Design Momentum 397TH, and it was a game-changer. One tour of this versatile toy hauler convinced us that it was the ideal fit for our living needs - unconventional yet comfortable and enough space for work and play. Three years into our journey, living and working in this Momentum, has proven to be the best decision for our family, exceeding our expectations in every way."



- The Simon Crew Momentum 397TH



DOORS & DRAWERS



PET FRIENDLY



TIRE PRESSURE



MONITORING PREP



WALL-MOUNTED




ONEControl™ is a touchscreen panel that allows you to operate and monitor many of the Momentum's functions. Go wireless by downloading the FREE OneControl App on your mobile devices.



REFRIGERATOR 20 CU. FT.



6 POINT HYDRAULIC LEVELING



HIGHLIGHTED OPTIONS

ADD THE OPTIONAL SOLAR PACKAGE



(2) 330W Solar Panel



50 AMP Controller



2000W Inverter

INDEPENDENT SUSPENSION Increased travel means smoother towing, improved towability and better protection from damaging road shock.



Upgrade to 8K axles with Disc Brakes to increase stopping power and give you the most carrying **CLES** capacity in the industry!



ockford fosgate



STAGE 1 PACKAGE (STANDARD)

- 10" Powered Interior Subwoofer
- Rockford Fosgate Source Unit (App Controllable)
- 6.5" 3-Way Interior Speakers

6.5" 2-Way Element Ready™ Speakers



GRAY BASE - ONYX





GRAY BASE - STERLING



STAGE 2 UPGRADE (OPTIONAL)

- 10" Powered Interior Subwoofer
- Six 6.5" 2-Way Interior Speakers
- Rockford Fosgate Source Unit (App Controllable)

- 10" Exterior Subwoofer
- Two 6.5" Color Optix™ 2-Way Speakers
- 400 Watt 4-Channel Amplifier
- Rockford Fosgate Source Unit (App Controllable)



ORANGE ACCENT





















STANDARD FEATURES

M-Class builds on the solid feature-set of G-Class FWs and adds the below:

Introducing the ALL NEW

SMART SINK

Travel in style without compromising on convenience.

Introducing the luxurious smart sink for RVs, blending opulence with innovation for the modern road adventurer.



Colander **Cutting Board** Soap Dispenser Cup Rinser Waterfall 3 Spray Modes



Zero-Gravity Ramp Door

Access your gear with the lift of a finger with this zero-gravity ramp door for your toy hauler or 5th wheel trailer.

No more hassle to lift a heavy, bulky door. The sleek design also gives your trailer a clean, sleek look with no hinges or extra hardware.



ENTRY STEPS WITH STRUT ASSIST



- Adjustable feet for stability on uneven terrain
- Eliminates bouncing in and out of your RV
- NEW! MORRyde Safe-T-Rail for more support

NEW & IMPROVED INCREASED BASEMENT STORAGE

ACCESS THE PASS-THROUGH COMPARTMENT FROM THE FRONT OF THE UNIT ABOVE THE GENERATOR DOOR.





UVW HITCH GVWR LENGTH: HEIGHT CAPACITY 349M 14,200 2.925 18,000 38' 10" 13'5" 140 52 52 52* 13' GARAGE UVW HITCH GVWR LENGTH HEIGHT CAPACITY 398M 15,000 2,980 20,000 43' 10" 13'5" 140 52 52 52* 18' GARAGE +WHEN OPTIONAL 1/2 BATH IS SELECTED ON 349M OR 398M, REAR TANK DOUBLES AS BLACK/GREY.



15' GARAGE

UVW HITCH GVWR LENGTH! HEIGHT CAPACITY 351MS 14,700 2,785 18,000 40' 6" 13' 5" 140 52 52 52* 11' GARAGE HITCH GVWR LENGTH HEIGHT CAPACITY 381MS

15,800 20,000 43" 11" 13' 5" 3.440 140 52 52 52* 15' GARAGE



UVW HITCH GVWR LENGTH HEIGHT 395MS 15,600 2,900 20,000 44' 2" 13'5" 14' GARAGE *WHEN OPTIONAL 1/2 BATH IS SELECTED OR WASHER /DRYER IS INSTALLED ON 395MS REAR TANK DOUBLES AS BLACK/GREY.

14' GARAGE SLIDE TOP DRESS! UVW HITCH GVWR LENGTH HEIGHT CAPACITY 414M

20,000

*WHEN OPTIONAL 1/2 BATH IS SELECTED ON 414M ADDITIONAL 52 GAL BLACK/GREY TANK.

13'5"

46' 4"

140 52 52 52*

140 52 52 52*

Based on average weight of the standard build. Hitch to rear

14' GARAGE

16,800

3,690





"After nearly 5 years of living and working full-time in our Momentum 397TH, we still LOVE it! We look forward to forging many new miles and making new memories in our new 410TH!"



Chad and Tara ChangingLanesRV.com



UPGRADED GRAPHICS



FULL PAINTED FRONT CAP



PET FRIENDLY



SOFT CLOSE DOORS & DRAWERS





UPGRADED VANITY

Now with solid surface countertop,



TIRE PRESSURE MONITORING PREP



WALL-MOUNTED GARAGE LIGHT STRIPS



ONEControl™ is a touchscreen panel that allows you to operate and monitor many of the Momentum's functions. Go wireless by downloading the FREE OneControl App on your mobile devices.

HIGHLIGHTED OPTIONAL UPGRADES

ADD THE OPTIONAL SOLAR PACKAGE



(2) 330W Solar Panel



50 AMP Controller



2000W Inverter

INDEPENDENT SUSPENSION Increased travel means smoother towing, improved towability and better protection from damaging road shock.



Upgrade to 8K axles with Disc Brakes to increase stopping power and give you the most carrying capacity in the industry!



Pjockford fosgate



STAGE 1 PACKAGE (STANDARD)

500+ WATTS OF TOTAL POWE

- 10" Powered Interior Subwoofer
- Rockford Fosgate Source Unit (App Controllable)
- 6.5" 3-Way Interior Speakers

EXTERIOR

- 6.5" 2-Way Element Ready™ Speakers







GRAY BASE - ONYX



GRAY BASE - STERLING



STAGE 2 UPGRADE (OPTIONAL)

INTERIOR

- 10" Powered Interior Subwoofer
- Six 6.5" 2-Way Interior Speakers
- Rockford Fosgate Source Unit (App Controllable)

XTERIOR

- 10" Exterior Subwoofer
- Two 6.5" Color Optix™ 2-Way Speakers
- 400 Watt 4-Channel Amplifier
- Rockford Fosgate Source Unit (App Controllable)



GRAY BASE



ORANGE ACCENT



BLUE ACCE



RED ACCENT



AND BLUE



GRAY BASE

ORANGE ACCENT



BLUE ACCENT



RED ACCENT

STANDARD FEATURES

TH Models take the already impressive M-Class feature-set further with full-time centric floorplans and the additions below:



THE RUBBER PIN BOX

The MORryde pin box system utilizes a unique rubber shear spring to positively deal with rough towing and road shock.

Introducing the ALL NEW

SMART SINK

Travel in style without compromising on convenience.

Introducing the luxurious smart sink for RVs, blending opulence with innovation for the modern road adventurer.



Colander **Cutting Board** Soap Dispenser Cup Rinser Waterfall 3 Spray Modes



EXCLUSIVE!

DROP-FRAME SUPERCHASSIS





uvw HITCH GVWR LENGTH HEIGHT CAPACITY 397**THS** 15,600 3,375 20,000 44' 2" 13' 5" 140 104 104 13' 6" GARAGE



uvw HITCH GVWR LENGTH HEIGHT CAPACITY 399TH 15,900 3,400 20,000 43' 1" 13' 5" 152 104 104 13' GARAGE



410TH 13' 6" GARAGE

UVW 16,800

3,600

HITCH

20,000

LENGTH! 44' 11" HEIGHT 13'5"

140 104 52 52*

*WHEN OPTIONAL 1/2 BATH IS SELECTED ON 410TH BLACKTANK CAPACITY INCREASES TO 104.



FOR MORE INFORMATION SCAN THE OR CODE USING YOUR MOBILE PHONE CAMERA APP



¹ Based on average weight of the standard build. ¹ Hitch to rear



WE STRIVE FOR NOTHING LESS THAN CUSTOMERS FOR LIFE!



Thank you for taking the time to tour our coach.

We would like to share what sets Grand Design RV apart from all other RV manufacturers and why this difference is important to you.

My close friends and I were part of an ownership team at a travel trailer, fifth wheel company that grew to become one of the largest RV manufacturers in the world. While proud of this accomplishment, it became difficult to stay in touch with customers, employees, and ultimately the quality of the final product. It became obvious, there was a better way.

In 2012 we started with a mission to build a better RV company. A company with a culture that desires a long-term, personal connection with customers, employees and dealers – that company became Grand Design RV. Our business model of doing the right thing has led us to many years of unparalleled growth.

At Grand Design we are customer centered and everything we do daily revolves around you. Our goal is simple – continue to lead the industry with quality, innovative products while striving to improve our customers' RV experience before, during and after their purchase. We strive for nothing less than customers for life and I would be honored to personally welcome you to the Grand Design family.

Warmest Regards,

President / CEO / Co-Founder

QUALITY IS NOT AN OPTION, IT'S A HABIT!

Since day one dealers have reported their satisfaction levels confidentially regarding reliability and quality, parts, warranty and sales and rated us among the highest-rated RV manufacturers for <u>EVERY</u> one of our product lines, <u>EVERY</u> year.





LONG TERM VALUE

Everything we do at our company is designed to build long-term value in what we offer our customers, "More features and superior value for your dollar."

CUSTOMER CENTERED

Our focus, from the very first day we opened our doors, revolves around our customers. Your satisfaction is our future. GDRV4Life!

STAYING CONNECTED


Magic happens when the CEO and Senior Management actively work with the production facilities to help build the team and develop products.

EXPERIENCED WORKFORCE

Our local workforce has been hand-picked and has an excellent reputation for second-to-none industry craftsmanship.

RAISING THE QUALITY BAR

We put every Grand Design RV through a series of quality inspection gates during the manufacturing process. Once completed, the unit undergoes a comprehensive "final finish" inspection. At this point, most manufacturers ship their coaches to the dealer for retail sale. We aren't most manufacturers. Every one of our coaches is moved to a PDI (Pre-Delivery Inspection) area where they are put through a rigorous 300+ point inspection checklist. It is only after this PDI that we certify a unit ready to ship to our dealers.



SUPERIOR SERVICE

Anything built by humans that travels down the open road is subject to issues. It's how those issues are addressed that makes Grand Design so special to our owners. Visit the independent owners page on Facebook (Grand Design RV Owners) and see for yourself. We take care of our customers after the sale. An informed customer will be a Grand Design customer!

CLASS LEADING WARRANTY

We back every one of our coaches with a 3-year limited structural warranty.

REV 12.14.

Colton RV & Marine 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com Colton RV 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.Coltonry.com