SUISEEKER BY FOREST RIVER









Shown in Truffle Decor with optional Rustic Cherry cabinetry



Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Sunseeker comfortable and loads of fun. Sunseeker's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Sunseekers are "Certified Green" by TRA Certification.

CLASS C TOP FEATURES

- 7' Ceiling height
- Crowned fiberglass roof
- Trekker front cap option
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Firestone Ride-Rite[™] suspension
- Heated enclosed tanks
- Water filtration system
- 7,500 Lb. tow rating (Ford only)
- Two Cab-over windows (Bunk area)
- Premium residential appliances with 1.3 cu. ft. microwave
- 40" 12V LED TV
- Standard side view and back-up cameras
- Waste Master® RV sewer management system







This outdoor camp kitchen is standard on 2860DS.



Shown in Latte Decor with optional Rustic Cherry cabinetry









OXFORD Full body paint

TOPAZ Full body paint

STANDARD Exterior

Sunseeker Ford • Chevy Chassis	2290S	2420MS	2500TS	2860DS	3010DS	3050S	3270S
Wheelbase	158" • 159"	182"	182" • 183"	202" • 203"	220"	220"	220"
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000
UVW	10624 • 10452	11593	11721 • 11500	12300 • 12400	12400	12848	12838
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000
CCC	3876 • 3748	2907	2779 • 2700	2200 • 1800	2100	1652	1662
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3	31' - 11"	31' - 11"
Exterior Height With A/C	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15' - 6"	18'	18'	14'	15' - 6"	18'	16'
Water Heater (Gal.)	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	81.8	81.8

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fluids and LP

Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.


*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

SUNSEEK CONSTRUCTION



- 2. Luan Decking
- 3. Block Foam Insulation
- 4. A/C Ducts
- 5. Tubular Aluminum Framing
- 6. Interior Ceiling Material

Vacuum-Bond **Laminated Sidewalls**

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum

INTERACTIVE MOBILE MANUALS Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These

- 12. Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

Vacuum-Bond **Laminated Floor System**

- 14. Fiberglass Bottom Board
- 15. Block Foam Insulation
- 16. Seamless Floor Decking
- 17. Resilient Shaw Floors Throughout
- 18. Aluminum Framing



interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Sunseeker product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!



LARGE WINDOWS WITH **BLACK-OUT ROLLER SHADES** Large panoramic windows for plenty of fresh air and natural light.



LED LIGHTING LED lights generate almost no heat compared to incandescent lights and use substantially less power.



RESIDENTIAL STYLE CABINETRY Sunseeker is appointed with ball bearing drawer glides and rich hardwood cabinetry.



USB CHARGING STATION 12V 4-port USB charging station (Living room/bedroom)



ATWOOD FULLY DUCTED AIR All floorplans are ducted for high performance air flow throughout the coach and front cabover.



ENCLOSED BATTERIES Two batteries in a single housing for easy access. (One battery LE and Transit)



MEMORY FOAM Memory foam mattress will ensure a good night's sleep.



CAB OVER BUNK SAFETY NET The overhead bunk is rated for 440 lbs.



KING JACK ANTENNA This HD digitally amplified antenna enhances reception.



FIBERGLASS ROOF Durable, easy to clean (R-18) crowned fiberglass sheds water and doesn't cause black streaks like a rubber roof.



HEATED/ENCLOSED HOLDING TANKS Heated/enclosed utility station uses warm air from the furnace to protect tanks and valves. (N/A 2250 SLE, MBS and Transit)



WATER FILTRATION This compact unit filters water for the entire coach, eliminating those unwanted contaminants and odors. ensuring safe drinking water for you and your family. (N/A LE)



SEAMLESS FRONT CAP For enhanced aerodynamics



WASTE MASTER SEWAGE MANAGEMENT SYSTEM Rugged for quick, easy and sanitary waste disposal. (N/A LE, MBS and Transit)



SOLAR PREP



OUTSIDE SPEAKERS



WINTERIZING TUBE Easy access for quick maintenance includes bypass valve.



INTEGRATED STEP Sunseeker's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



THEATER STYLE SEATING Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



POWER AWNING WITH LED STRIP Extend and retract your awning with the push of a button. Both arms are adjustable to get just the right angle.

TRADITIONAL

WATER HEATER



STEREO SYSTEM Pairs up with your smart phone to access GPS and other applications. (N/A on Transit or LE)



WHOLE HOUSE ENTERTAINMENT This multimedia system features AM/FM/DVD, Bluetooth, plus outside speaker control.



RESILIEN⁻

& Waterproof

MAXX AIR FAN Recirculates air throughout the entire coach.





7,500 LB. TOW CAPACITY

Ford E450



ATWOOD WATER HEATER Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.



This holding tank odors and gases





SUNSEEKER 2" Wall with Block Foam and Superlite (R-10)



SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.







Sunseeker LE Series is the industry's best value on the market today! Enjoy years of carefree travel with these well-built Class Cs.



2350LE








LE Series Kid's sofa sleeper with flip-down bunk

Shown in Latte Decor with optional Rustic Cherry cabinetry

Ford • Chevy	2250SLE	2350LE	2850SLE	3250DSLE
Wheelbase	158" • 159"	158" • 159"	220"	220"
GVWR	14500 • 14200	14500 • 14200	14500	14500
GAWRR	9600 • 9600	8500 • 9600	9600	9600
GAWRF	5000 • 4600	4600 • 4600	5000	5000
UVW	9660 • 9640	9950 • 9890	11742	12500
GCWR	22000 • 20000	18500 • 20000	22000	22000
CCC	2840 • 4560	2550 • 4310	2758	2000
Fuel Capacity (Gal)	55 • 57	55 • 57	55	55
Hitch Rating	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500
Length - Bumper To Bumpe	r 23' - 10" • 24' - 4"	24' - 6" • 25' - 4"	31' - 5" • NA	32' - 3"
Exterior Height With A/C	11' - 3"	11' - 3"	11' - 3"	11' - 3"
Exterior Width	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (G	al) 35/32/27	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal)	9.8	9.8	9.8	9.8
Awning Length	14'	15' - 6"	15' - 6"	11'
Water Heater (Gal)	6	6	6	6
Exterior Storage (Cu. Ft.)	32	61	102	80
Fuel Capacity (Gal) Hitch Rating Length - Bumper To Bumpe Exterior Height With A/C Exterior Width Interior Width Interior Height Frt/Rear Fresh/Grey/Black Water (Gi L.P. Capacity (Gal) Awning Length Water Heater (Gal)	55 • 57 7500/500 • 5000/500 r 23' - 10" • 24' - 4" 11' - 3" 101" 95.5" 84"/77" 35/32/27 9.8 14' 6	55 • 57 7500/500 • 5000/500 24' - 6" • 25' - 4" 11' - 3" 101" 95.5" 84"/77" 44/39/39 9.8 15' - 6" 6	55 7500/500 31' - 5" • NA 11' - 3" 101" 95.5" 84"/77" 44/39/39 9.8 15' - 6" 6	55 7500/500 32' - 3" 11' - 3" 101" 95.5" 84"/77" 44/39/39 9.8 11' 6








GRAND TOURING SERIES





The streamlined GTS is the perfect vehicle for the ultimate getaway.



Sunseeker GTS	2800QS
Wheelbase	212"
GVWR	14500
GAWRR	9600
GAWRF	5000
UVW	11596
GCWR	22000
CCC	2904
Fuel Capacity (Gal)	55
Hitch Rating	7500/500
Length - Bumper to Bumper	30' - 4"
Exterior Height with A/C	10' - 8"
Exterior Width	97"
Interior Width	91"
Interior Height Front/Rear	81"/75.5"
Fresh/Grey/Black Water (Gal)	43/42/28
L.P. Capacity (Gal)	9.8
Awning Length	18'
Water Heater (Gal)	6
Exterior Storage (Cu. Ft.)	73

Shown in Pewter Decor with Rustic Cherry cabinetry.

SUNSEEKER WBS MERCEDES - BENZ® SERIES
The quality you've come to expect pairs

The quality you've come to expect, paired with a fuel efficient diesel platform.



	OFTION	\$0FA 2400R, 2400S, 2400W 2 4 (0 O R
		OHC OHC	
Z	QUEEN BED 60" x 75"	DINETTE 42" x 68" STORAGE 54" x 80" BUNK MAT OR OPT. ENT. CENTER	
	WARD	WARD REFER MICRO OHC LED TV	
		19" OPT. OUTSIDE TV	

Company MDC	24000	24005	240004	
Sunseeker MBS	2400R	2400S	2400W	
Wheelbase	170.3	170.3	170.3	
GVWR	11030	11030	11030	
GAWRR	7720	7720	7720	
GAWRF	4080	4080	4080	
UVW	9852	9700	9924	
GCWR	15250	15250	15250	
CCC	1178	1330	1106	
Fuel Capacity (Gal)	26.4	26.4	26.4	
Hitch Rating	4200/350	4200/350	4200/350	
Length - Bumper To Bumper	24' - 11"	24' - 8"	24 '- 11"	
Exterior Height With A/C	11' - 3"	11' -3"	11' - 3"	
Exterior Width	94.5"	94.5"	94.5"	
Interior Width	91"	91"	91"	
Interior Height Frt/Rear	81"/74"	81"/74"	81"	
Fresh/Grey/Black Water (Gal)	35/30/30	35/33/33	35/32/32	
L.P. Capacity (Gal)	16.6	16.6	16.6	
Awning Length	16'	15'- 6"	15'- 6"	
Water Heater (Gal)	6	6	6	
Exterior Storage (Cu. Ft.)	75	67	50.3	

BLUETEC DIESEL ENGINE

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.0l V-6 engine boasts 188 hp and 325 lb-ft of rated torque.






Optional low profile Trekker cap is accented with LED light strips.

Standard swivel seats and booster cushions.





Shown in Pewter Decor with optional Weathered Teak cabinetry.









TRANSIT SERIES


Ultra-Light weight and fuel efficient.





TS2370

materials.



TS2390



A	
1	
	WINTER TO SERVICE TO S

Sunseeker TS	TS2370	TS2390
Wheelbase	178"	178"
GVWR	10360	10360
UVW	8706	8050
GCWR	13500	13500
CCC	1654	2310
Fuel Capacity (Gal.)	25	25
Hitch Rating (Lb.)	0	0
Length - Bumper to Bumper	26' - 1"	25' - 6"
Exterior Height with A/C	10' - 5"	10' - 5"
Exterior Width	87"	87"
Interior Width	84"	84"
Interior Height Front/Rear	78"	78"
Fresh/Grey/Black Water (Gal.)	35/30/28	35/30/30
L.P. Capacity (Gal.)	9.8	9.8
Awning Length	15'	15'
Exterior Storage (Cu. Ft.)	30.5	38
Seat Belts	4	4

Transit Series is available in Charcoal decor only.



WARRANTY	SS	GTS	MBS	LE	TS
12 Months/12,000 mile basic limited warranty	S	S	S	S	S
Chassis warranty (see owners manual)					
SYSTEMS	SS	GTS	MBS	LE	TS
Battery disconnect	S	S	S	S	S
Water heater bypass	S	S	S	S	S
(2) Deep cycle coach batteries (1 battery in LE and Transit)	S	S	S	S	S
"Easy Access" battery in step-well	S	S	S	S	S
30 Amp service with detachable cord	S	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	S	_
30,000 BTU furnace	S	S	S	S	
Truma Combi water heater/furnace	_	_	_	_	S
Emergency start switch	S	S	-	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	S
4.0 KW Onan Microquiet generator	S	S	_	S	
	3	3	S	_	
3.6 KW Onan LP generator			3	-	S
2.5 KW Onan LP generator	S	S	S		S
Automatic generator transfer switch	_	_		_	3
Firestone Ride-Rite air helper springs	S	S	- S	-	
Hellwig sway bar	-	_ S	_	-	-
Water filtration system	S		S	_	S
Heated, enclosed holding tanks and valves (N/A 2250SLE)	S	S	-	S	_
Arctic Package (12V tank heaters)	0	0	S	0	С
15K BTU A/C with heat pump	0	0	0	0	=
		_			
	S	S	S	S	_
Jack digital antenna	S	S	S	S	S
ack digital antenna EXTERIOR	S SS	S GTS	_	S LE	S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls	S	S	S MBS	S LE S	S TS
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls	S SS S	S GTS S	S MBS - S	S LE S	S TS
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate	\$ \$\$ \$ - \$	S GTS S - S	S MBS - S S	S LE S - S	S TS
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass	\$ \$\$ \$ - \$ \$	S GTS S - S S	S MBS - S S	S LE S - S S	S T: - S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation	\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S - S S S	S MBS - S S S	S LE S - S S	S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip	\$ \$\$ \$ \$ \$ \$ \$ \$ \$ \$	S GTS S - S S S	S MBS - S S S S	S LE S - S S S S	S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S	S MBS - S S S S	S LE S - S S S S	S S S S
2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S	S MBS - S S S S S	S LE S - S S S - S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	\$ \$\$\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S TS S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S	S TS S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S	S TS S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S - S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Fiberglass running boards Fiberglass running boards	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards 110V. GFI protected exterior receptacle Tinted sliding windows	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S S S S S S S S S S S S S S S S S S S	S MBS S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards I10V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS S S S S S S S S S S S S S S S S S	S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350)	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Fither did sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V. GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Jack digital antenna EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Azdel Superlight composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards I10V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	S GTS S S S S S S S S S S S S S S S S S S S	S MBS - S S S S S S S S S S S S S S S S S S	S LE S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S

For more information please visit: www.forestriverinc.com/sunseeker 914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825

						Carl D. Car
	SS		MBS		TS	300 200
Automatic leveling system (4-point)	0	0	-	0		0.5%
Stabilizer jacks (2-point)	-	-	S	_	-	
LP quick connect	S	S	S		S	
Full body paint	0	0	0		0	PRE-DELIVERY INSPECTION F
Outside shower	S	S	S	_	S	20,000 square feet of quality assur
Outside 12V LED TV (See floorplans)	0	-	0	_	-	This state-of-the-art facility gives in
Black tank flush	S	S	S		S	assurance in every unit built.
CAB AREA	SS		MBS		TS	
7" Touch screen radio with USB and Bluetooth	S	S	S	S	-	
Cab area privacy curtain	S	S	-	S	S	24/7 EMERGENCY
Magnetic privacy shades	-	_	S	-	-	
Ultra leather driver and passenger seats	S	S	S	_	S	For a worry-free
Power windows and door locks	S	S	S	S	S	ownership experience
Keyless entry (N/A Chevy)	S	S	S	S	S	Forest River includes one year of Coach-Net RV Technical
Color back-up camera	S	S	S	S	S	Assistance with each RV purcha
Side view cameras	S	S	S	-	S	new to the RV lifestyle or an e
Removable cab mat		==	S	-	-	Forest River owners have 24/7
Swivel driver seat (N/A Chevy, Power)	0	0	S	-	-	operational and emergency roa
Power driver seat (Ford only)	0	0	-	-	-	coverage throughout the US &
Swivel passenger seat (N/A Chevy)	0	0	S	-	-	Coach-Net's fast, dependable service is just a phone
KITCHEN	SS	GTS	MBS	LE	TS	call away.
Recessed 3-burner range with flush glass cover	S	S	S	S	-	tun away.
Range hood with fan and light	S	S	S	S	-	
Oven IPO drawer	-	-	0		-	
Microwave oven	S	-	-	S	-	DOME
Convection microwave	0	S	S	-	S	Learn More
6 Cu. ft. double door refrigerator	S	S	S	S	-	Scan this bard
12 Cu. ft. four door refrigerator with ice maker			-		-	a QR Reader
(2860DS, 3010DS, 3050S, 3270S)	0	-	-	-	-	smart phone
5.3 Cu. ft. lightweight LP/Electric 110V Refrigerator		-	-	-	S	more about F
Raised wood refrigerator panel (N/A 12 cu. ft.)	S	S	S	-	-	IEI (TAINEAC)
Full extension ball bearing drawer guides	S	S	S	S	S	Aller or an indicate to
Flip-up countertop extension	S	S	S	S	-	All information contained in this brochur However, during the model year, it may l
BATHROOM	SS	GTS	MBS	LE	TS	reserves the right to make all such chang
Lightweight composite toilet with hand sprayer	S	S	S	S	S	equipment and specifications as well as t
Glass shower door	S	S	-	-	-	models shown in this brochure. Therefore
Lightweight Arcadia shower door	-	-	S	S	-	confirm the existence of any materials, d
Towel bar, tissue, toothbrush and soap holder	S	S	S	-	S	purchase decision. ©2017 Sunseeker - a l Company 12/17
Electric roof fan	S	S	S	S	S	Company 12/17
Shower head with flexible extension	S	S	S	S	S	сиѕтом
Shower skylight	S	S	S	S	S	
BEDROOM	SS		MBS		TS	FOR
Upgraded memory foam mattress	S	S	S	S	S	PA enco
Bedspread	S	S	S	S	S	CH.
Black-out roller shades	S	S	S	S	_	THE LEWIS CONTRACTOR OF THE PARTY OF THE PAR
Bedroom TV	0	0	0	_	0	
LIVING ROOM	SS		MBS		TS	7,0
	S	S	S		13	it,
Dream dinette (N/A with U-shape dinettes)	S	-	5			PAREFER REMITAL SERVICE
Visionary pull out sofa (60" x 74") (3010DS)	S			-	-	7
12V LED flat panel adjustable side TV		S	S	S	S	www.Fores
Child seat head tethers in dinette	S	S	S	S	-	
Maxx Air fan in living room	S	S	S	-	SC	olton RV
LED lighting throughout	S	S	S	S		
12V USB charging station	S	S	S	-		orth Tonawanda, NY 14120
					(7	716) 694-0188
						2001 200 1000







PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. @2017 Sunseeker - a Division of Forest River, Inc. - a Berkshire Hathaway

www.ColtonRV.com

CUSTOMER SATISFACTION



www.Forest River Buy Local.com

Your Local Sunseeker Dealer Colton RV

Orchard Park, NY 14127

(716) 957-3250 (800) 628-4889

www.Coltonrv.com

www.forestriverfrog.com