
EASTERN

# HIDEOUTE TRAILERS . FIETH WHEELS



## HIDEOUT



HIDEOUT I TRAVEL TRAILERS I FIFTH WHEELS

### READY FOR AN RV? HIDEOUT HAS A CAMPER FOR THAT.

Explore easy to tow, single-axle travel trailers, destination trailers, and fifth wheel floor plans. Whatever you're looking for, Keystone Hideout affordable RV's make it incredibly easy to become a camper. With its sharp, automotive-inspired exterior design and light and airy interiors, Hideout sets the stage for carefree camping. Hideout owners are delighted by unexpected features like electric stabilizer jacks, hidden pantries, and central vacuum systems.

For more information, please visit keystonerv.com/Hideout

## **KEYSTONE EXCLUSIVE** INNOVATIONS

Designed to deliver superior performance, quality, and a best-inclass camping experience, every Hideout model includes engineering innovations available EXCLUSIVELY to Keystone owners. For more information about these features and the Keystone Innovation Lab, visit us online at www.keystonerv.com/innovations.



#### Blade™ High-Performance Air Flow System & Tuf-Lok™ A/C Duct Joiners

Blade™ & Tuf-Lok™ are designed to accelerate air flow, eliminate leakage and failure points, and deliver 360° circulation.



#### 4G LTE and WI-FI Prep

All units are equipped with a new antenna that integrates 4G LTE and Wi-Fi with standard VHF/UHF/AM/FM reception.



#### KeyTV™

No more connection guesswork or poor reception. KeyTV offers a game-changing, single point of control of over-the-air, cable, and satellite feeds.



#### Color-Coded Unified Wiring Standard

Easy-to-trace circuits simplify electrical and entertainment system troubleshooting.



#### Tru-fit™ Slide Construction

A more durable slide room design that minimizes functional motor and structural stress and resists leaking.



#### In-floor Heating Ducts

Distributes heat evenly through your coach for superior comfort.



#### 3-YEAR LIMITED STRUCTURAL WARRANTY, 1-YEAR LIMITED BASE WARRANTY

Every new Keystone RV comes with the industry's best three-year limited structural warranty AND a one-year limited base warranty. Ask your dealer, visit keystonerv.com, or call Keystone Owner Relations for details.









## **INTERIORS**

Textured glass cabinet doors and distinctive batten ceiling strips offer warm and luxurious touches to the segment. Stylish wood flooring and deep tint windows throughout make double-axle models a traditional and comfortable space.

## INTRODUCING DESIGNER WHITE CABINETRY, AVAILABLE EXCLUSIVELY ON HIDEOUT SINGLE AXLES.





Hideout's unique contemporary white shaker cabinets offer a clean and laid-back feel to their single-axle coaches. Tonal furniture and matte black fixtures provide depth and contrast to the space. Rough-hewn plank-style flooring ushers in a touch of warmth to complete this inviting design.



ALL HIDEOUTS OFFER THE **CHOICE BETWEEN ALBANY** AND LODGE DECORS.





- ALBANY —

- LODGE -



## **BLADE™ HIGH** PERFORMANCE AIR HANDLING SYSTEMS

Engineered to maximize the output from today's high-performance RV air conditioners, Keystone's NEW patented air handling system delivers an average of 20% more cooling power and is built to withstand the rigors of the road. The Blade™ system is designed to accelerate air flow, eliminate leakage and failure points, deliver 360° circulation in the cabin, and withstand environmental and road stressors that lead to reduced performance.

## **WINEGARD AIR 360+ OMNIDIRECTIONAL ANTENNA**

With 360° VHF/UHF/FM signal reception and signal amplification, the combination of the Air 360+ and KeyTV™ provides Keystone RV owners with the most reliable, easiest to operate over-the-air entertainment package in the industry.

\*Not available on single axle models



## **MODERN AMENITIES**

Exclusive and unexpected features that set the stage for carefree camping.



















#### 1. LCI SOLIDSTEP® (N/A 38' MODELS)

Ultra safe and secure main entry step (N/A on 38' or LHS models).

#### 2. 10 CU. FT. 12V REFRIGERATOR (N/A SINGLE AXLES)

Stock up without sacrifice.

#### 3. ELECTRIC FIREPLACE (N/A NON-SLIDE & SINGLE AXLES)

Sit back and relax indoors on chilly days.

#### 4. PIVOT™ FURNITURE (SELECT MODELS)

Exclusively from Keystone, the Pivot levered dinette seatback shifts to create an expansive I-shaped sofa.

#### 5. HIDDEN PANTRY (SELECT MODELS)

Extra storage for snacks aplenty.

#### 6. FURRION® BACKUP & SIDE CAMERA PREP

Makes installation simple and easy.

#### 7. CENTRAL VACUUM SYSTEM (N/A SINGLE AXLES)


Built-in to reduce cargo and make cleanup a breeze.

#### 8. FRONT WINDSHIELD (FW ONLY)


Allows an abundance of natural light into the coach.

#### 9. 50" HDTV (SELECT MODELS)


Large screen offers premium entertainment viewing.




174RK | Single axle, one side, rear kitchen, roof mount A/C, 6 cu. ft. fridge Weight: 4009 lb | Length: 21'5"




Single axle, single-over-single bunkhouse Weight: 3324 b | Length: 21'5"




176BH Singleaxle, one slide, double bunks, roof mount A/C, 6 cu. ft. fridge Weight: 3715 lb | Length: 21'5'




| Single axle, rear dinette | Weight: 3350 lb | Length: 21'5"




Single axle, rear bath Weight: 3254 lb | Length: 21'5"



Single axie, rear bathroom, roof mount A/C, 6 cu. ft. fridge Weight: 3670 lb | Length: 21'5"




Single axle, largest pantry/ward in its class, roof mount A/C, 6 cu. ft. fridge Weight: 4161 lb | Length: 22'10"






No slides, rear dinette Weight: 4508 lb | Length: 24'11"






**243RB** 

XL rear bath w/ residential shower, and dual vanities Weight: TBID | Length: 28'5"






One slide, double-over-double bunkhouse, camp kitchen Weight: 6077 lb | Length: 29' 11"






**253RL** 

One slide, rear living w/ rediners, hidden pantry, 50° HDTV Weight: 6061 lb | Length: 29' 11"




**262BH** 

No slide bunkhouse, sleeps up to 10 Weight: 4989 lb | Length: 29' 3"




272BH

One silde, double-over-double bunkhouse, dual entry Weight: 6088 lb | Length: 30' 8"



**290QB** 


One slide, private bunkroom, massive wrap around storage Weight 6604 lb | Length: 33' 4"




318BR

Two slides, private bunkroom, camp kitchen Weight: 7688 lb | Length: 35'11"







27RLS Rear living room w/ recliners, hidden pantry, & walk in shower Weight: 6797 lb | Length: 31'11"




28RKS One side, rear kitchen, camp kitchen, 50° HDTV Weight: 6954 lb | Length: 32'11"




29DFS One slide, double bunks, exclusive hidden pantry Weight: 7138 lb | Length: 33'11"




Two slides, rear living room w/ theater seating, kitchen island, paintry Weight: 799 0 lb | Length:  $34'\,11''$ 



32FBTS | Two slides w/ bed slide, bunkhouse, patlo door Weight: 8607 lb | Length: 36'11"




32LBH | Bunkhouse, queen bed, ptvot furniture Weight: TBD | Length: 36'9"




34FKDS


Front kitchen, hidden pantry, w/d prep, patio door Weight: 8293 lb | Length: 38' 11"




38BHDS Two slides w/ bed slide, bunkhouse, patio door Weight: 8281 lb | Length: 39'11"




38FDDS | Two slides w/ bed slide, front sectional, patio door Weight 8277 lb | Length: 39'11"




38 FKTS | Three slides, mid-bunkhouse, patto door Weight: 9079 lb | Length: 39' 11"




Three slides, double queen bedroom, 1½ baths, patio door Weight: 9230 lb | Length: 39'11"




300RLDS | Two slides, rear living, kitchen island, large pantry Weight 9247 lb | Length: 34 4\*



301DBS One slide, double-over-double bunks, hidden pantry, 1½ baths Weight: 8699 lb | Length: 34′2″



308BHDS Two slides, private bunkroom, 13/2 baths, 50" HDTV, outdoor kitchen Weight: 9288 lb | Length: 35' 5



320MBDS | Two slides, mid-bunk, L-shaped countertop Weight: 9661 lb | Length: 39' 6"

#### HIDEOUT | MODEL SPECIFICATIONS

MODEL	WEIGIT	CARRYING CA!!ACITY	HIECH WEIGIT	FR TESH VAAJTER	YAASTE YAATER	GRAY VALTER	[ PG	LENGTH*	WIDTH	HEIGHT	AWNING
THRK	4009	1191	505	27	30	30	20	2/15"	8'	10' 2'	10'
TS CH	3324	1076	485	27	30	30	20	2115"	81	10' 2'	10'
Deem	375	785	580	27	30	30	20	2115"	8	10, 5,	10'
UTRO	3350	1050	540	27	30	30	20	21 5	8'	10' 2'	10'
TERB	3254	1886	440	27	30	32	20	2115"	8	10, 5,	10'
TERB	36/0	810	480	27	32	30	20	211'5"	8	10' 2'	10'
18655	4161	839	65	27	30	30	20	22 10	81	10'4'	141
202RD	4508	2532	490	43	39	39	40	24/ητ	8	10' 3'	121
243RB	TBD	TBD	TBD	43	39	69	40	28 5	8	11'1'	16'
2508H	6077	<b>V23</b>	810-	43	30	69	40	29'11'	8	1011	18
2511	<b></b>	1699	765	43	30	39	40	29'11'	8'	11/11	16'
262BH	4989	23.5	545	43	30	39	40	29' 3"	8'	10' 3'	12
272BH	6088	7892	780	43	30	30	40	30' 8'	8	11/11	16
290QB	6604	3046	875	43	39	39	40	33 4 <sup>n</sup>	8	18:15	181
310ER	7'688	2012	900	43	39	69	40	35 TI	8)	π/2"	18'
338 BR	8005	1695	935	43	78	69	40	37º 11 °	8	11'2'	12
		CARRYING	нітсн	FRESH	VALSTE	GRAY					
MODEL	WEIGIT	CAPACITY	WEIGIT	VALTER	VALTER	VALTER	LPG	1ENG[H	WIDTH	HEIGHT	AWNING
MODEL 27RLS	WEIGIT						LPG 40	TENGLH.	WIDTH 8	HEIGHT	AWNING
		CAPACITY	WEIGIT	VALTER	VALTER	YAJER		10.7	167	177	540
27RLS	69	CAPACITY 27(I)	WEIGITT 85	YAAJER 43	YAATER 30	VALTER 30	40	31 <sup>1</sup> 11 <sup>n</sup>	8	11/11	18
27RLS 28R NS	69-54	ZAUS	860 860	VALTER  43	WATER 30 30	78	40 40	31'11" 32'11'	8' 8'	1811	18' 18'
27RLS 28RMS 29 OPS	6954 7168	Z/US 2/US 2/US 2/US	WEIGIT 855 860 920	VALTER 43 43	30 30 30 30	78 78	40 40 40	31'11" 32'11'	8' 8'	14.1. 14.1.	18' 18'
27RLS 28RMS 29 OPS 30RLOS	6954 7168 7990	Z/US Z/US Z/US 2542 1900	WEIGHT 865 860 920 1090	VALIER  43  43  43	39 39 30 30 30	78 78 78	40 40 40 40	31'11" 32'11' 33'11' 34'11'	8' 8' 8'	18/1* 18/1* 18/1* 18/2*	18' 18' 16'
27RLS 28RNS 29 OPS 30RLOS 30 FBTS	6797 6954 7138 7990 8607	ZAUS  ZAUS  ZAUS  ZAUS  ZAUS  2542  1900  2898	WEIGHT 815 860 920 1090 1150	VALTER 43 43 43 43 43	39 30 30 30 30 30 39	78 78 78 39	40 40 40 40 40	31'11" 32'11" 33'11" 34'11" 36'11"	8' 8' 8' 8'	18/11 18/11 18/11 18/21 18/21	18' 18' 16' 12'
27RLS 28RMS 29 OPS 30RLOS 30FRTS 30LBH	6797 6954 7138 7990 8607 TBD	27/US 27/US 27/US 25/42 19/00 28/98 TIBID:	WEIGHT 815 860 920 1090 1180 TBD	VALTER  43  43  43  43  44  44  45	WATER 30 30 30 30 30 30 30 30 30	78 78 78 78 39 69	40 40 40 40 40 40	31'11" 32'11' 33'11' 34'11' 36'11'	8' 8' 8' 8' 8'	18/11 18/11 18/11 18/21 18/21 18/04	18' 16' 12' 18'
27RLS 28R NS 29 OPS 3URLOS 30 FRTS 30 LBH 36 FKDS 38 RDOS 38 RDOS	6797 6954 7138 7990 8607 TBD 8293 8281 8227	Z/US  Z/US  Z/US  Z/US  Z/US  2542  1900  2898  TBD  1609  1689  T/23	WEIGHT  815  860  920  1090  1180  TBD  1100  1170	WATER  US  US  US  US  US  US  US  US  US  U	WASTER 39 30 30 30 39 30 30 30 30 30 30 30	78 78 78 39 69 78 39 39 39	40 40 40 40 40 40 60 60	31'11" 32'11" 33'11" 34'11" 36'11" 36'9" 38'11" 39'11"	8' 8' 8' 8' 8' 8'	18/11 18/17 18/17 18/17 18/21 18/21 18/21 18/21 18/21	18' 16' 12' 18' 18' 18' 18' 18' 18'
27RLS 28RMS 29 OPS 30RLOS 30 FRTS 30 LBH 36 FKDS 38 FKTS 38 FKTS	6797 6954 7038 7990 8607 TBD 8295 8281 8227 9079	Z/US  Z/US	WEIGHT  815  860  920  1090  1150  TBD  1100  1770  1205	WAJER  43  43  43  44  45  45  45  45  45  45	WASTER 39 30 30 30 30 30 30 30 30 30 30 30 30 30	7/A/TER 3/0 7/8 7/8 7/8 3/9 6/9 7/8 3/9 3/9 7/8	40 40 40 40 40 40 60 60 60	31'11" 32'11' 33'11' 34'11' 36'11' 36'9' 38'11' 39'11' 39'11'	8' 8' 8' 8' 8' 8'	18/17 18/17 18/17 18/17 18/27 18/27 18/27 18/27 18/40	18' 15' 12' 18' 18' 18' 18' 18' 18'
27RLS 28RNS 29 OPS 3URLOS 30 FRTS 30 LBH 36 FKDS 38 RDOS	6797 6954 7138 7990 8607 TBD 8293 8281 8227	Z/US  Z/US	WEIGHT  815  860  920  1090  1180  TBD  1100  1770  1205  1200	WATER  43  43  44  45  45  45  45  46  46  46  46  46	WASTER 39 30 30 30 30 30 30 30 30 30 30 30 30 30	78 78 78 39 69 78 39 39 78 39 78 78 78	40 40 40 40 40 40 60 60	31'11" 32'11" 33'11" 34'11" 36'11" 36'9" 38'11" 39'11"	8' 8' 8' 8' 8' 8'	18/11 18/17 18/17 18/17 18/21 18/21 18/21 18/21 18/21	18' 16' 12' 18' 18' 18' 18' 18' 18'
27RLS 28RMS 29 OPS 30RLOS 30 FRTS 30 LBH 36 FKDS 38 FKTS 38 FKTS	6797 6954 7038 7990 8607 TBD 8295 8281 8227 9079	Z/US  Z/US	WEIGHT  815  860  920  1090  1150  TBD  1100  1770  1205	WAJER  43  43  43  44  45  45  45  45  45  45	WASTER 39 30 30 30 30 30 30 30 30 30 30 30 30	7/A/TER 3/0 7/8 7/8 7/8 3/9 6/9 7/8 3/9 3/9 7/8	40 40 40 40 40 40 60 60 60	31'11" 32'11' 33'11' 34'11' 36'11' 36'9' 38'11' 39'11' 39'11'	8' 8' 8' 8' 8' 8'	18/17 18/17 18/17 18/17 18/27 18/27 18/27 18/27 18/40	18' 15' 12' 18' 18' 18' 18' 18' 18'
27RLS 28RNS 29 OPS 3URLOS 30FRTS 30 LBH 36 FKDS 38 FKDS 38 FKDS 38 FKTS 38 FKTS	6797 6954 7138 7990 8607 TBD 8293 8281 8227 9079	Z/US  Z/US	WEIGHT  815  860  920  1090  1180  TBD  1100  1770  1205  1200  H. EGH	VALER  AS  AS  AS  AS  AS  AS  AS  AS  AS  A	WASTER  39  30  30  30  30  30  30  30  30  30	78 78 78 39 69 78 39 39 78 78 78 78 78 78 78 78 78 78 78 78 78	40 40 40 40 40 60 60 60 60	31/11 <sup>n</sup> 32/11 <sup>n</sup> 33/11 <sup>n</sup> 34/11 <sup>n</sup> 36/11 <sup>n</sup> 36/9 <sup>n</sup> 38/11 <sup>n</sup> 39/11 <sup>n</sup> 39/11 <sup>n</sup> 39/11 <sup>n</sup>	8' 8' 8' 8' 8' 8' 8'	18/11 18/17 18/17 18/17 18/17 18/21 18/21 18/21 18/21 18/40 18/40	18' 16' 12' 18' 18' 18' 18' 18' 18' 18'
27RLS 28RMS 29 OPS 30RLOS 30 FRTS 30 LBH 36 FKDS 38 FKTS 38 FKTS 38 FKTS 38 FQTS	6797 6954 7138 7990 8607 TBD 8295 8281 8227 9079 9230	CAPACITY  27/US  27/US  27/US  25/42  19/00  28/9S  TBD  1607  168/9  7/23  19/21  21/30  CARRYING  CAPACITY	WEIGHT  815  860  920  1090  1150  TBD  1100  1770  1205  1200  H.EGH  WEIGHT	VALIER  US  US  US  US  US  US  US  US  US  U	VALTER 30 30 30 30 30 30 30 30 30 30 30 30 30	78 78 78 39 69 78 39 78 39 78 78 78 78 78 78 78 78 78 78 78 78 78	40 40 40 40 40 40 60 60 60 60	31'11" 32'11' 33'11' 34'11' 36'11' 36'11' 36'11' 39'11' 39'11' 39'11' 39'11'	8' 8' 8' 8' 8' 8' 8'	18:11 18:17 18:17 18:17 18:21 18:21 18:21 18:21 18:21 18:40 18:40	18' 18' 12' 18' 18' 18' 18' 18' 18' 18' 18'
27RLS 28RMS 29 OPS 30RLOS 30FRTS 30LBH 36FKDS 38FADS 38FADS 38FATS 38FATS 38FATS	6797 6998 7138 7990 8607 TBD 8293 8281 8227 9079 9230	CAPACITY  27/US  27/US  27/US  25/42  19/00  28/98  TBD  1607  168/9  17/23  19/21  21/30  CARRYING  CARACITY  28/53	WEIGHT  815  860  920  1090  1180  1100  1170  1205  1200  1200  H. ECH WEIGHT  1910	VALTER  AS  AS  AS  AS  AS  AS  AS  AS  AS  A	WASTER 39 30 30 30 30 30 30 30 30 30 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40	78 78 39 69 78 39 78 39 78 78 78 78 78 78 78 78 78 78 78 78 78	40 40 40 40 40 60 60 60 60 60	31'11" 32'11" 33'11" 34'11" 36'11" 36'9" 38'11" 39'11" 39'11" 39'11" 39'11"	8' 8' 8' 8' 8' 8' 8' 8'	18:11  18:17  18:17  18:21  18:21  18:21  18:21  18:40  18:40  EGHT  20:19:	18' 18' 18' 18' 18' 18' 18' 18' 18' 18'

DISCLAMER Product information is as accurate as possible as of the date of publication of this brockure. All features, Blog plans, and specifications in this big charge are subject to the neew West reduce. Pleased too consult Keystone's web site atwww Deystonery comil or more consulted in ferration and specifications. Tow Vebicle Disclaim or CAUTION: Owners of Keystone represticed vebicles are so leby responsible further selection and properties of low vehicles. All castomers should conseit with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable now vehicles for Keystone products. Ceystone disclaims any liability or damages suffered an a reset of the selection, are or misuse of a tow validal, KEYSTONE'S LIMITED WARRANTY DOOR NOT DOVER DAMAGET O THE ENCREATIONAL VEHICLE DRINETOW VEHICLE AS A RESWY OF THE SELECTION, OPENANON, HISE OR BUSUSE OF THEI OW VIEHIBLE. \*Length is defined as the distance from the contentine of hitch professional there are hemper of trade r. Please review ow ner's manual prior to po chase for more information one envice wantropies, extended esq. lowing and maintenance Owner's mangais can be formal at heystoners.com.

EXTLENOR	SA	l MS	Π	l)H
Pewer stab jacks	N/A	SFP	\$	\$
Power rongue jack	NJ'A	\$	\$	\$
Black tank flush	H/A	N/A	\$	\$
Gas/electric waterheater	H/A	N/A	\$	\$
Gasonty water heater	\$	\$	N/A	N/A
Powerawning	\$	\$	\$	\$
ICI Solid Step	\$	\$	\$	\$
Friction hinge door (n/a on 38'destination IT models)	\$	\$	\$	\$

LXTLRIOR (CORI)	\$A_	tHS	[1	1//
2nd A/C	M/A	0	0	0
\$0 Amp service w/ 2nd ArC prep	N/A		1	\$
Furrion® backup ands idecamera prep	\$	\$	\$	\$
Exterior ladder	M/A	N/A	1	\$
Bluet EO lighted ext. speakers	\$	\$	\$	\$
Tioted windows	Nj'A	\$	\$	\$
So lar prep	\$	\$	\$	\$
XL entry assist handle	N/A	M/A	S	S

## HIDEOUT STANDARDS & OPTIONS

EXTERIOR (CONT.)	SA	LHS	Π	FW
110v outside receptacle	S	S	S	S
Front diamond plate	S	S	S	S
Winegard® antenna	S	S	S	S
Laminated fiberglass sidewalls	N/A	N/A	N/A	S
Painted front cap with windshield	N/A	N/A	N/A	S
Max Turn Technology™ front cap with Hitch Vision™	N/A	N/A	N/A	S
Rota-Flex* pin box	N/A	N/A	N/A	S
Electric adjustable front landing gear	N/A	N/A	N/A	S
Aluminum wheels	N/A	N/A	N/A	S
Spare tire	S	0	0	S
INTERIOR	SA	LHS	Ш	FW
BK BTU A/C	S	N/A	N/A	N/A
13.5K BTU A/C	0	S	S	N/A
ISK BTU A/C	N/A	0	0	S
3 cu. ft. refrigerator	S-FP	N/A	N/A	N/A
6 cu. ft. refrigerator	S-FP	N/A	N/A	N/A
3 cu. ft. refrigerator (n/a 38'destination TT models)	N/A	N/A	N/A	S-FI
2v refrigerator	N/A	S	S	0
20K BTU furnace	S	N/A	N/A	N/A
BOK BTU furnace	N/A	S	S	S
Residential refrigerator (38' destination TT models only)	N/A	N/A	S-FP	N/A
ri-fold sofa	N/A	N/A	0	S
Platinum Maple interior cabinets	N/A	S	S	S
Designer white interior cabinets	S	N/A	N/A	N/A
Black cabinet hardware	S	S	S	S
Blackout night shades	S	S	S	S
Central vacuum	N/A	S	S	S
Electric fireplace	N/A	S-FP	S	S
HD TV (40" or 50" by floorplan)	N/A	0	S	S
Furrion® Bluetooth® radio	S	S	S	S
Opening bunk room windows	S	S	S	S
Cubby bear bunk mats	S-FP	S-FP	S-FP	S-FI
Free standing table	N/A	N/A	0	0
Do-More™ dinette table	N/A	N/A	S-FP	S-F
High-rise faucet	N/A	S	S	S
Stainless-steel sink	N/A	N/A	S	S
(ub surround	N/A	S	S	S
Porcelain foot flush toilet	N/A	S	S	S
Curved shower rod	S-FP	S-FP	S-FP	S-FI
Laundry chute	N/A	S	S	S
Mirrored wardrobe	N/A	S	S	S
USB charging station	S	S	S	S
Monitor panel	N/A	N/A	S	S
Under-bed storage	S	S	S	S
Kitchen sink cover	N/A	N/A	S	S

Furrion® oven with glass top	N/A	S	S	S
Storage under dinette	S	S	S	S
Hidden pantry	N/A	N/A	S-FP	S-FP
Seamless pressed countertops	N/A	N/A	S	S
Backsplash	S	S	S	S
Patio door (38' destination TT models only)	N/A	N/A	N/A	N/A
38" walk-in shower or tub	S	S	S	S
Accent lighting	N/A	S	S	S
SAFETY	SA	LHS	II	FW
Fire extinguisher	S	S	S	S
Smoke detector	S	S	S	S
LP detector	S	S	S	S
CO detector	S	S	S	S
Safety chains	S	S	S	S
Emergency breakaway switch	S	S	S	S
CONSTRUCTION	SA	LHS	II	FW
Fully walkable roof	N/A	\$	S	\$
Dual battery rack	N/A	\$	\$	S
Residential in-floor heating ducts	N/A	\$	S	\$
Color coded and numbered wiring	S	\$	\$	S
Powder coated frame	S	\$	S	\$
Dexter E-Z Lube® axle	S	\$	S	S
Full width outriggers	S	\$	S	S
Tru-fit™ five point slideout construction	S	\$	\$	\$
Rotocast holding tanks	S	S	S	S
Hurricane straps	S	S	S	S
Radial tires	S	\$	S	S
Cambered chassis	S	\$	S	S
Seamless 5/8" thick floor decking	S	\$	S	S
Tuf-Lok* A/C duct joiners	S	\$	\$	\$
4 1/2" crowned roof	S	S	S	S
Flex pex tubing with 10 year warranty	S	\$	\$	\$
Insulated water lines	S	\$	S	S
Heated and enclosed underbelly	N/A	N/A	S	S

SA - SINGLE AXLE LHS TRAVEL TRAILER TT - LUXURY TRAVEL TRAILER

LHS - LHS TRAVEL TRAILER

FW - LUXURY FIFTH WHEEL

S = STANDARD / O = OPTIONAL

N/A = NOT AVAILABLE / S-FP = SELECT FLOORPLANS

#### BUILT FOR THE LONG HAUL



#### TEASIER SHOPPING.

At Keystone, we make choosing an RV as easy as finding the Big Dipper on a dark summer night. With comprehensive online product information, Key Connect™ product advisors, and an unparalleled dealer network, we will help you select the perfect RV for your family's adventure.

#### INNOVATIVE THINKING.

The road's a nicer place when you have the industry's smartest features behind you. Keystone leads the pack in patented innovations that make our RVs safer, more comfortable, and easier to operate.

#### LONG HAUL QUALITY.

To keep you on the road, there are certain things we just won't build a Keystone RV without. Game-changing features like our Unified Wiring Standard, Tru-Fit™ five-point slide construction, and no-fail Tuf-Lok™ A/C duct joiners combined with exhaustive testing and inspections are some of the reasons why Keystone is able to offer our owners the industry's best 3-year limited structural warranty.

#### WORRY-FREE CUSTOMER SERVICE.

Wherever the road takes you, you're never too far from an authorized Keystone service center. We also offer live service assistance, ultra-fast parts shipping, online maintenance tips and tricks, and a single-point warranty claims policy. That's peace of mind.

#### **5 KEYSTONE NATION.**

When you choose Keystone, you become a part of one of the largest camping families in the country. We're Keystone Nation. A friendly community where people share photos, travel tips and amazing stories — all in the spirit of camaraderie and adventure. Come join us.

Colton RV 3122 Niagara Falls Blvd. North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com Colton RV 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.ColtonRV.com Colton RV 489 Bushkill Plaza LN #9665 Wind Gap, PA 18091 (610) 863-5239 www.ColtonRV.com



