



"Liveable" may mean what you see, what you feel or even what you trust about a Jayco. But one thing is for certain, "liveable" is the reason why more people across North America are making Jayco their choice in RVs.

EAGLE[™] The Enthusiast's RV.

Invisible Liveables.

You know what you like...and this is it! Structural steel, welded aluminum and our TuffShell™ vacuum-bonded sidewalls, tell you this RV is built to last.

- 1 (Left) End view of Jayco's I-Class™ structural steel chassis frame made of 10" heavy-gauge formed steel. (Right) End view of the welded I-beam frame used by many competitors that is subject to warping.
- 2 Jake Plate[™] adjustable axle hanger plates allow you to adjust the height of your fifth wheel up to 2 inches for more level towing.
- 3 EZ Lube® axles with removable caps make maintenance a snap.
- 4 Lightweight welded tubular-aluminum sidewall framework
- 5 Jayco's V-Tec[™] flush-floor slideout systems increase your living space with the push of a button and use only 10 amps of electricity.
- 6 All models come equipped with an outside shower, making it a breeze to rinse off after fishing or hiking which helps keep the inside of your Eagle clean.
- The Large, lockable storage compartments keep bulky outdoor equipment close at hand but out of sight, and keep your living space clutter-free. The pass-through design permits access from either side and the front trunk on the fifth wheel allows easy access for otherwise hard-to-reach items.



- 8 FRP smooth fiberglass sidewalls provide a low maintenance and abrasion resistant surface
- 9 1/8" luan board
- 10 Bead-foam insulation in sidewalls (R-9 in FW, R-7 in TT)
- 11 Seamless one-piece rubber roof with 12-yr. warranty
- 12 Roof rafters, constructed of residential-style tapered 4½" trusses allow for greater water run-off
- (FW) 2"x 3" longitudinal floor studs placed on 16" centers (FW) Unitized, 1½" laminated construction of floor (TT)
- 14 5/8" tongue and groove plywood floor decking (FW)
- 15 Carpet pad provides enhanced durability and comfort
- [16] Attractive, easy-care carpet
- 17 The standard diamond-plate front panel adds protection and an impressive element to your Eagle travel trailer's exterior.
- 18 The Eagle travel trailer's sturdy gas bottle cover, made of molded ABS, offers protection from road debris.

- 19 Carefree® patio awning
- [20] Electro Galvanized (EGS) metal backing strips
- **21** R-7 fiberglass insulation in FW floor and TT roof, R-11 fiberglass insulation in FW roof, R-9 bead foam insulation in TT floor
- [22] Insulated, foam air conditioning ducts for improved air flow and cooling
- 23 Enclosed, insulated (R-7 FW, R-9 TT) and heated underbelly with PolyFlex™ one-piece moisture barrier covering greatly reduces drag for better fuel economy and protects from grime and road debris
- 24 Tinted safety glass windows
- **25** TuffShell™ vacuum-bond laminated sidewalls offer durable and lighter weight construction
- **26** Electric-powered front jacks and snap jacks come standard on all Eagle fifth wheels.
- 27 3/8" plywood roof decking
- 28 Longer-lasting galvanized steel wheel wells
- 29 Aerodynamic fiberglass endcap is reinforced and dent resistant (FW).





Incredible Liveables.

An Eagle[™] gives you front row seats to nature's most spectacular shows while providing the conveniences of home. Relax underneath the Carefree® patio awning and enjoy the security of our Big Easy™ triple entrance steps and outdoor lighting.



The beautifully coordinated interior surrounds you in style, from the comfortable hide-a-bed sofa and dinette to the distinctive kitchen countertops.



After active days, you can look forward All the ingredients of an efficient kitchen are here, top queen mattress.



to restful nights on the luxurious pillow- including a three-burner range, deep residentialstyle sink, high-rise faucet, and microwave.









EAGLE[™]

The Enthusiast's RV.

Desirable Liveables.

Reflect your personal style with one of the Eagle's three nature-inspired color schemes. The coordinating fabrics and finishes, plus little extras like the vanity, add a pampering touch. Eagle, the experienced RVer's choice.



Feel right at home in this residential-style bathroom, complete with a one-piece tub/shower surround, mirrored wood medicine cabinet, and foot-flush toilet. A skylight is included in the Customer Value Package.

Fabric-covered box valances and pleated night shades combine for attractive and practical window treatments.



Interior Colors







1. Main 2. Upholstery 3. Bedspread 4. Wallpaper 5. Drapery 6. Accent Panel 7. Countertop 8. Carpet



Measurable Liveables.

2007 Standards and Options

| Standard Construction Features | Travel Trailer | W |
|--|--|-----------|
| 2"x3" longitudinal floor studs placed on 16" centers | | Ĵ |
| 4½" arched truss roof rafters w/ R-11 insulation | 1 | ľ |
| %" tongue and groove plywood main floor decking | | |
| 8" & 10" Cambered structural steel I-Beam frames | 1 | V |
| 81" living room ceiling height | 1 | |
| Aerodynamic wrap around front fiberglass cap | | • |
| Bead-foam insulation in sidewalls (R-7) | √ | L. |
| Bead-foam insulation in sidewalls (R-9) Cabinetry crafted w/screwed stile construction | , | • |
| Electric-powered slideout | 1 | ľ |
| Enclosed, insulated and heated underbelly | 1 | ľ |
| FRP smooth fiberglass sidewall exteriors | 1 | J |
| Fully-decked roof with ¾" plywood | 1 | |
| Heated and enclosed fresh water tank & holding tank | cs 🗸 | · |
| Pin box, long | | • |
| Platforms for dinette, bed and bunks | , | |
| constructed of ½" plywood PolyFlex™ one piece moisture barrier underbelly covering | \ | , , |
| Reflective foil insulation in main floor (R-15) | • | , |
| Seamless rubber roof | 1 | ľ |
| TuffShell™ vacuum-bond laminated sidewalls | 1 | ľ |
| Unitized, 1½" laminated construction of floor | 1 | ľ |
| Welded tubular-aluminum sidewall framework | 111 | , |
| Standard Bathroom Equipment | | |
| | , | ١. |
| ABS tub/shower surround Glass shower door (select models) | 1 | , |
| Laundry bag | • | , |
| Marine toilet with foot flush | 1 | |
| Thetford porcelain toilet with foot flush | s) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | V |
| Residential 6-panel passage door | 1 | J |
| Shower curtain w/curved shower track (select model | s) 🗸 | |
| Switches for all ceiling lights | 1 | |
| Towel holder | 1 | . |
| Vanity light fixture | 1 | ľ |
| Wood medicine cabinet with mirror | ✓ | ~ |
| Standard Bedroom Equipment | | |
| Accordion door to bedroom (select models) | 1 | , |
| Bed lifts up easily on struts, storage below | 1 | V |
| Coordinated, quilted bedspread | 1 | |
| Decorative headboard | 1 | |
| Dresser lamp | | • |
| Large pass-through storage (select models) | . √, | |
| Pleated night shades | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | ۲. |
| Trackless carpeting w/padding TV cabinet or flip-up TV shelf (select models) | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | <u>ار</u> |
| | • | ′ |
| Standard Kitchen Equipment | | |
| 3-burner range w/9,000-BTU SuperBurner™ & piezo igni | ter 🗸 | ✓ |
| 8 cu. ft. flush-mounted refrigerator w/double door | √ | √ |
| 2 Antique brass high-rise faucet | ₩ | • |
| Bi-fold cover for range | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | ۲. |
| Color-coordinated countertops Decorative wood spindles on base cabinets | - | 1 |
| 2 Deep residential-style sink | 1 | , |
| Drawer for silverware, divided for utensils | 1 | ľ |
| Large dinette picture window | 1 | Ĺ |
| Large dinette picture window Oversized 21" oven | 1 | V |
| Range hood w/light and exhaust fan | 1 | 1 |
| Sink cover/cutting board (1) | 1 | |
| | | |

| Standard Interior Equipment | Travel Trailer | |
|---|--|----|
| 24" TV with hardwood trim package | mantel | |
| 3 color-coordinated interior choices | 1 | ľ |
| Arched step treads into bathroom | • | ľ |
| Antique brass cabinet hardware | 1 | Į, |
| Antique brass lighting at sofa and dinette | 1 | ļ, |
| Cable TV hookup | 1 | ŀ |
| Ceiling fan | | |
| Crank-up antenna for TV with signal booster | \checkmark | ŀ |
| Fabric-covered box valances w/lambrequin legs Free standing end table (n/a 325 BHS & 345 BHS | √ , | ľ |
| 3 Hardwood message center (select models) | 1 | |
| Hide-a-bed sofa | 1 | I. |
| High-intensity 12V lighting package | 1 | |
| Linoleum floor in entryway | 1 | |
| Manchester Oak raised-paneled doors | | |
| and drawers throughout | \checkmark | |
| Oak trim around main entrance door | ✓ | |
| Overhead cabinetry in slideout room above sofa | , | |
| w/ decorative glass Pleated night shades | 1 | |
| Residential trim package throughout | • | |
| Solid hardwood interior grab handle | | |
| for main entrance door | 1 | |
| Swivel rocker(s) (select models) | 1 | |
| Trackless carpeting with padding | 1 | |
| Transom window w/wood trim above main slideout | | |
| TV overhead cabinet | \checkmark | |
| Ventilating windows in slideout end walls | - | |
| Standard Safety Equipment | \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| Break-away switch | √, | |
| Carbon monoxide detector | 1 | |
| Dead bolt lock on entrance door Dual hitch safety chains | 1 | |
| Fire extinguisher | 1 | |
| Multiple egress windows | 1 | ľ, |
| Propane/gas detector | 1 | |
| Smoke detector | 1 | Į, |
| Tinted safety glass windows | ✓ | ŀ |
| Standard Heat, Power and Water Equipment | | |
| 110V G.F.C.I. protected exterior receptacle | 11 | I. |
| 12V demand water pump | 1 | Į, |
| 12V electrical system with deluxe 110V, | | |
| 45-amp power converter | 1 | ŀ |
| 30-amp power cord | ✓ | |
| 50-amp power cord | | ŀ |
| A/C chill grill | √, | ľ |
| Auto-ignition furnace with thermostat Black holding tank sprayer | 1 | ľ |
| Cable and satellite TV prepped | / | ľ |
| Double 30-lb. propane gas bottles w/regulator | 1 | ľ |
| In-floor ducted heating | | |
| Hook-up for city water | 1 | ļ, |
| Outside shower | 1 | ı |
| Outside utility center in front basement area | | |
| (select models) | , | ŀ |
| Systems monitor panel Water heater bypass system | 1 | ľ |
| Water system winterization kit | 1 | ľ |
| Water system wintenzation kit | • | |

















| | Washer/dryer combo (select models) | | / |
|---|---|-------------------|----------------|
| | Customer Value Package | Travel Trailer | Fifth Wheel |
| | 6-gal. gas/electric DSI auto-ignition water heater | 1 | |
| | 9-gal. XLT gas/electric DSI auto-ignition water hea | ter | 1 |
| | Bathroom power vent | 1 | 1 |
| | Carefree® patio awning | 1 | 1 |
| | Central A/C, 13,500 or 15,000 BTU with | | |
| | louvered and directional ceiling vents | 1 | 1 |
| | Deluxe pillow-top mattress | 1 | 1 |
| Ī | Extra roof insulation (R-11) | | / |

Roof ladder Slideout awnings

Sofa in lieu of 2 chairs (313 RKS) Thermal pane tinted safety glass Trundle bed in lieu of futon (345 BHS)

> Floor safe Foldable exterior grab handle Home theater system, Dolby® Digital 5.1
> Surround Sound with DVD 8 Microwave oven with carousel Security lights (2) Skylight in tub/shower


Water purification system


Available Liveables.


Travel Trailer Floorplans











LEGEND:

- = Carpeted
- = Vinyl Flooring
- = Outside Storage Compartments








Fifth Wheel Floorplans







| Specifications | & Meas | urements |
|-----------------|----------|----------|
| | | Exterior |
| TDAVEL TDAILEDS | Exterior | Height |

| TRAVEL TRAILERS | Exterior Length | Exterior Height (with opt. A/C) | Bedroom Interior Height | Unloaded Vehicle Weight (bs.) | Dry Hitch Weight (bs.) | Gross Vehicle Weight Rating (lbs.) | Cargo Carrying Capacity (bs) | Fresh Water Capacity (gal.) Includes Water Heater | Gray Wastewater Capacity(gal.) | Toilet/Black Wastewater Capacity(gal) |
|-----------------|--------------------|---------------------------------------|-------------------------------|-------------------------------------|---------------------------|--|------------------------------------|---|--------------------------------------|---|
| 288 RLS | 30' 2" | 134" | 81" | 6515 | 760 | 8500 | 1985 | 46 | 37 | 37 |
| 314 BHDS | 33' 11" | 134" | 81" | 7420 | 790 | 9200 | 1780 | 46 | 37 | 37 |
| 322 FKS | 33' 11" | 134" | 81" | 7700 | 1110 | 9500 | 1800 | 46 | 85 | 48 |
| 328 RLS | 34' 11" | 134" | 81" | 7050 | 715 | 9200 | 2150 | 46 | 74 | 37 |
| FIFTH WHEELS | | | | | | | | | | |
| 291 RLTS | 34' 10" | 148" | 76" | 9915 | 2100 | 12500 | 2585 | 46 | 72 | 35 |
| 299 RLS | 30' 10" | 158" | 77" | 8935 | 1740 | 12000 | 3065 | 46 | 80 | 45 |
| 313 RKS | 34' 4" | 156" | 77" | 9950 | 2290 | 12500 | 2950 | 46 | 70 | 35 |
| 325 BHS | 35' 4" | 156" | 72" | 9605 | 1825 | 12500 | 2895 | 46 | 82 | 45 |
| 341 RLQS | 37' 2" | 157" | 77" | 10650 | 2030 | 14000 | 3350 | 46 | 70 | 35 |
| 345 BHS | 37' 5" | 157" | 77" | 10500 | 2130 | 14000 | 3500 | 46 | 70 | 35 |
| | | | | | | | | | | |

and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the peryou must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up, and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials,

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Carry Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo, and dealer-installed accessories that can be carried by the trailer. CCC

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of



Customer First Roadside Assistance

Travel worry-free in your Eagle™ with Jayco's Customer First Roadside Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net®, the largest RV emergency road service in the country, and gives you immediate access to dependable roadside assistance and support services with a simple phone call.

- 24-hour toll-free emergency message service
- Toll-free nationwide service appointment assistance Free tire changes
- Free custom trip routing and full color map service
- Free dispatch of on-site mechanical service
- •\$1,000 auto theft or hit-and-run reward
- \$2,000 trip interruption reimbursement

- Free jump starts
- Free fuel delivery
- Free lockout service
- Free travelers checks

Co-Pilo WARRANTY 2 YEAR LIMITED WARRANT

We Back What We Build.

The Jayco Co-Pilot Warranty is a manufacturer's limited warranty. It comes from the people who build Jayco recreation vehicles to the people who buy them. Each Jayco is warranted to the original purchaser for twenty-four (24) months or twentyfour thousand (24,000) miles (mileage limitation applies to motorized products only), whichever occurs first, from the original date of purchase against defects in materials and workmanship. In addition, our limited warranty may be transferred one time within the warranty period. Go ahead and compare the Jayco warranty with other manufacturers' warranties. You'll find it's the best in the business!

For a copy of the limited warranty with full terms and conditions, ask your local Jayco dealer or visit our website at www.jayco.com.



AMERICA'S MOST LIVEABLE RVS.

Jayco, Inc., P.O. Box 460, Middlebury, IN 46540 www.jayco.com

Your Jayco Dealer Colton RV 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 (800) 628-4889 www.ColtonRV.com



From RV insurance to extended warranties, JayPlus has it covered. Ask your Jayco dealer about our exclusive JayPlus program today.



As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco, or visit our website.

See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayob reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. RVQ is a registered trademark of Vitco, Inc. E-Z Lube is a registered trademark of the Dexter Axle Company, Carefree is a registered trademark of Carefree of Colorado. Dolby and the double-D symbol are registered trademarks of Dolby Laboratories. ©2007 Jayco, Inc. 07-EAGL-PL 0307-50K Printed in U.S.A. 🚯 💵