


Generations of family fun.

# TOYHAUGHRS

## 2015 OCTANE AND SEISMIC BY JAYCO

SEISMI





This 1986 brochure cover inspired our 2015 literature.

# BUILT TO OCCAPE USO A WORLD OF FUN



Octane Super Lite One of the industry's lightest toy haulers — PAGE 4

FIFTH WHEELS

Octane A hard-core, toy-toting travel trailer — PAGE 4 Seismic Wave Our all-new, value-packed crossover — PAGE 8

Seismic Jayco's most luxurious crossover — PAGE 10

For 45 years, Jayco has helped create generations of family fun, and over the course of that time, fun still looks remarkably the same. From campfires to fishing, from relaxing to eating, fun has the same feel generations later and all with a Jayco RV nearby. Today, we're the largest family-owned RV manufacturer in the world, and our promise is to continually strive to build family-friendly products that will outlast just about everything but your memories. Join us in our generations of family fun.

**On the cover:** The 1986 brochure artwork, illustrated by Tim MacDonald, was part of a successful ad campaign. These illustrations inspired the 2015 Jayco brochure covers, which are live re-creations of Tim's artwork.



**The best toys deliver the most fun**, which is why the 2015 Jayco toy hauler lineup packs a radical list of amenities. For 2015, the Octane travel trailer and the Seismic fifth wheel deliver more cargo amenities than any other toy hauler, making these versatile models a toy in themselves.

## **OPEN FOR FUN**

ACTABLE BUNK BEDS

Ramp up your adventure with our hard-core garage, complete with 2,500-lb. rated D-rings, integrated steel backers for wheel chocks and an industry-leading, fully-insulated, vacuum-bonded 2" floor construction.

2,500-LB. RATED D-RINGS

67

**party deck** [Optional — become the life of the party.]

UEL STATION (STANDARD ON SELECT MODELS)




Scan this QR code to watch how Jayco delivers Generations of Family Fun or visit www.GenerationsOfFamilyFun.com.

## TRAVEL THE UNBEATEN PATH

Your toy hauler needs to be tough enough to handle whatever the road throws at it. That's where the MOR/ryde suspension system\* comes in. Replacing typical steel equalizers, MOR/ryde uses rubber springs to create a smooth ride while helping isolate road shock. E-Z Lube axles and Dexter Nev-R-Adjust brakes make sure you get to where you're going — safely.

\* Not available on Octane Super Lite





**Toy-toting travel trailers** 

With seven floorplans and so many standard features in two of the industry's lightest toy haulers, we prefer to call the 2015 Octane a fun hauler.

RIGHT: Octane Super Lite | FAR RIGHT: Octane



6.5

OCTANE SUPER LITE 222 | METAL

4



## **OCTANE INTERIOR DÉCOR CHOICES**

SAHARA














STEEL








OCTANE T31B | SHOWN WITH OPTIONAL CENTER-FACING SOFAS

## **OCTANE SUPER LITE FLOORPLANS**


#### OPTIONS: A, B



#### OCTANE SUPER LITE | 161


Ext. Length: 20' 7" Ext. Height: 134" Unloaded Wt. (Ibs.): 3,815 Sleeps: 2-4

#### **OPTIONS: A, B**




#### OCTANE SUPER LITE | 222

Ext. Length: 26' 4" Ext. Height: 133" Unloaded Wt. (lbs.): 4,795 Sleeps: 3-6




### OCTANE SUPER LITE | 273

Ext. Length: 30' 10" Ext. Height: 141" Unloaded Wt. (lbs.): 5,710 Sleeps: 3-6



## OCTANE FLOORPLANS


### **OPTIONS: A, B**



### OCTANE | T26Y

Ext. Length: 30' 7" Ext. Height: 147" Unloaded Wt. (lbs.): 6,220 Sleeps: 7-8

#### **OPTIONS: A, B**



### OCTANE | T31B

Ext. Length: 33' 7" Ext. Height: 149" Unloaded Wt. (lbs.): 6,805 Sleeps: 7-8



#### OCTANE | T32C

Ext. Length: 34' 11" Ext. Height: 150" Unloaded Wt. (Ibs.): 8,130 Sleeps: 7-8



#### OCTANE | T32E

Ext. Length: 35' 3" Ext. Height: 149" Unloaded Wt. (lbs.): 7,935 Sleeps: 7-8

## **OCTANE SPECIFICATIONS**

MODELS	MODELS DIMENSIONS			WEIGHTS (LB	TANKS (GALS.)							
MODEL	FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR WIDTH	EXT. HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT *	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH (INCLUDES WATER HEATER)	GRAY	BLACK
OCTANE	161	20' 7"	102"	134"	89"	3,815	572	7,000	3,185	59	28	45
SUPER	222	26' 4"	102"	133"	89"	4,795	690	8,000	3,205	56	45	45
LITE	273	30' 10"	102"	141"	89"	5,710	930	9,950	4,240	59	45	45
OCTANE	T26Y	30' 7"	102"	147"	99"	6,220	870	10,900	4,680	102	45	45
	T31B	33' 7"	102"	149"	94"	6,805	1,075	11,950	5,145	102	45	45
	T32C	34' 11"	102"	150"	94"	8,130	1,410	12,250	4,120	102	45	45
	T32E	35' 3"	102"	149"	94"	7,935	1,345	12,250	4,315	102	45	45

\* The weights of certain options and/or option packages are not included in the UVW listed in the specification charts.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC. Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight. It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.

## **OCTANE SUPER LITE STANDARDS & OPTIONS**

#### STANDARD EXTERIOR EQUIPMENT .024 mesa crimp exterior aluminum Fiberglass, radius-profile front wall 2", unitized, laminated floor with welded, tubular aluminum frame and block-foam insulation 102"-wide-body construction I-Class cambered structural-steel I-beams Magnum Truss Roof System G20 dark-tinted, safety-glass windows Marine-grade exterior speakers (2) Nitrogen-filled radial tires E-Z Lube axles Dexter Nev-R-Adjust brakes Spare tire and carrier RVQ grill hook-up Diamond-plated panel on front 30-amp power service Double 20-Ib. propane bottles with regulator Battery tray on A-frame Systems monitor panel Outside shower Black tank flush Water heater bypass system Water system winterization kit LED taillights

#### STANDARD INTERIOR EQUIPMENT

Espresso wood cabinetry
Ball bearing drawer guides, 75-lb. capacity
with full-drawer extension
Stainless-steel appliances
2-burner range
Deep double-bowl sink with cutting
board cover (1)
Auto-ignition furnace with wall thermostat
Indoor/outdoor dinette table
Command center (select models)
USB charging port
Crank-up digital TV antenna with signal booster
Vinyl flooring throughout
Pleated night shades
ABS tub/shower surround
Glass shower door (select models)
Marine toilet with foot flush

#### Air conditioner ducts in front bedroom (select models) Under-bed storage with gas struts (select models) Fold-away sleeper/sofas (2) **STANDARD RAMP & CARGO EQUIPMENT** Radius-cornered ramp door, 2,500-lb.

capacity, 96" wide ramp door opening High-intensity rear ramp lights (2) Bar-lock latches and keyed ramp door locks Flush floor-mounted tie-down rings anchored to frame, 2,500-lb. capacity each Garage vent ports

#### **CUSTOMER VALUE PACKAGE** Aluminum rims

Stabilizer jacks (4) Patio awning with adjustable pitch 18-gal./hr. quick-recover gas/electric DSI water heater 13,500-BTU air conditioner with wall thermostat 6 cu. ft. refrigerator Convection microwave Sony Xplod AM/FM/CD stereo system with two speakers Bathroom power vent

#### OPTIONS

Customer Value Package with 15,000-BTU A/C
Inclosed underbelly
electric patio awning with adjustable pitch
3,500-lb. electric tongue jack
leritage Mocha raised-panel cabinet doors
in lieu of Espresso)
uel station with 24-gal. tank
Self-contained 3,500-watt generator
Retractable screen wall
Removable carpet in cargo area
old-away dinette in lieu of doorside sofa
ree-standing table with two black chairs
n lieu of doorside sofa (n/a with Sahara
lécor option)
Power bed in cargo bay
Sony Xplod subwoofer and amplifier

## **OCTANE STANDARDS & OPTIONS**

STANDARD EXTERIOR EQUIPMENT
Laminated fiberglass sidewalls
2", unitized, laminated floor with
welded, tubular aluminum frame
and block-foam insulation
102"-wide-body construction
I-Class cambered structural-steel I-beams
Magnum Truss Roof System
G20 dark-tinted, safety-glass windows
Sony marine-grade exterior speakers (2)
MOR/ryde CRE 3000 rubber axle equalizer
Nitrogen-filled radial tires
E-Z Lube axles
Dexter Nev-R-Adjust brakes
Spare tire and carrier
RVQ grill hook-up
Triple-tread entrance step
Lockable baggage doors, insulated and
radius-cornered
Diamond-plated panel on front
30-amp power service
Cable and satellite TV prepped
Double 30-lb. propane bottles with regulator
Generator prep with 19-gal. fuel tank
Double battery tray on A-frame
Systems monitor panel
Outside shower
Black tank flush
Water heater bypass system
Water system winterization kit
LED taillights
STANDARD INTERIOR EQUIPMENT
Espresso wood cabinetry
Ball bearing drawer guides 75-lb capacity

#### Ball bearing drawer guides, 75-lb, capaci with full-drawer extension Stainless-steel appliance 3-burner range with 9,000-BTU SuperBurner and piezo igniter Deep double-bowl sink with cutting board cover (1) Auto-ignition furnace with wall thermostat Indoor/outdoor dinette table Command center USB charging port Crank-up digital TV antenna with signal booster Vinyl flooring throughout Pleated night shades throughout ABS tub/shower surround Glass shower door (select models) Marine toilet with foot flush Air conditioner ducts in front bedroom (select models) Under-bed storage with gas struts (select

models)

Fold-away sleeper/sofas (2) (select models)

### **STANDARD RAMP & CARGO EQUIPMENT**

Radius-cornered ramp door, 2,500-lb. capacity,
96" wide ramp door opening
High-intensity rear ramp lights (2)
Bar-lock latches and keyed locks
on ramp door
Flush floor-mounted tie-down rings anchored
to frame, 2,500-lb. capacity each
Welded-steel floor storage compartment
Garage vent ports
Overhead storage cabinets
Dual retractable electric queen bunk beds
Retractable screen wall
CUSTOMER VALUE PACKAGE
Stabilizer jacks (4)
Electric patio awning with adjustable pitch

Stabilizer jacks (4)
Electric patio awning with adjustable pitch
Transition ramp
3,500-lb. electric tongue jack
Fuel station with 24-gal. tank
18-gal./hr. quick-recover gas/electric
DSI water heater
13,500-BTU air conditioner with wall thermostat
8 cu. ft. double-door refrigerator
Convection microwave
Bi-fold range cover
Sony Xplod AM/FM/CD stereo system with
four speakers, subwoofer and amplifier
Bathroom power vent
Skylight in tub/shower

#### OPTIONS

Customer Value Package with 15,000-BTU A/C Enclosed underbelly Heritage Mocha raised-panel cabinet doors (in lieu of Espresso) 32" LED TV 4,000-watt generator with auto-changeover switch ToyLok retractable security cable Removable carpet in cargo area Party Deck with folding rails Fold-away dinette in lieu of doorside sofa (select models) Free-standing table with two black chairs in lieu of doorside sofa (select models) (n/a with Sahara décor option) Front-to-rear flip sofas in lieu of bottom rear electric queen bunk bed (n/a with Center-facing flip sofas in lieu of bottom rear electric queen bed





## AN AMPED-UP STEREO SYSTEM

We didn't toy around with Octane's entertainment features, packing a Sony Xplod stereo system, four speakers (two on Octane Super Lite), a subwoofer and an amplifier into our Customer Value Package. (The subwoofer and amplifier are optional on Octane Super Lite.)



## Seismic Wave

The value-packed crossover

Pack the toys without breaking the bank. The all-new Seismic Wave answers demand for a value-packed yet feature-filled crossover. Our newest addition boasts an impressive list of features, like theater seats,\* solid-surface countertops\* and MCD roller night shades.











LEFT: SOUND SYSTEM SOUND BAR RIGHT: CUSTOMER VALUE PACKAGE THEATER SEATING

## SEISMIC WAVE STANDARDS AND OPTIONS

#### STANDARD EXTERIOR EQUIPMENT

High-gloss fiberglass sidewalls
Fiberglass front cap with Jayco logo
3/8" roof decking on 5" crowned wood truss rafters (R-30)
5/8" tongue-and-groove plywood main floor decking
10" I-Class cambered structural-steel I-beams
Heat reflective foil insulation in living area, bedroom, slideout floors
One-piece seamless roof membrane
Climate Shield insulation package (see package details)
Magnum Truss Roof System
MOR/ryde CRE 3000 rubber axle equalizer
16" nitrogen-filled radial tires
E-Z Lube axles
Dexter Nev-R-Adjust brakes
30" x 72" radius-cornered entrance door with step light
G20-tinted, automotive, frameless windows
Metal slam-latch lockable baggage doors, insulated
and radius-cornered
Exterior TV hook-up in basement area
Marine-grade Sony exterior speakers (2)
Heated, enclosed outside utility center
Double 30-lb. propane bottles
Triple battery compartment and disconnect switch for 3 batteries
Generator prep with 27-gal. fuel tank
24-gal. fuel station with command center gauge
146-gal. fresh water capacity
Black holding tank sprayer and sewer hose compartment
Water system winterization kit
Outside shower
LED taillights
STANDARD INTERIOR EQUIPMENT
Residential-style, pre-drilled and screwed Amish-crafted cabinet
construction with hidden hinges
Ball bearing drawer guides, 75-lb. capacity
3-humer stainless-steel range-ton with 9 000-BTU SuperBurner

construction with maden migos
Ball bearing drawer guides, 75-lb. capacity
3-burner stainless-steel range-top with 9,000-BTU SuperBurner
and piezo igniter
Oversized 21" oven
Under-mounted, stainless-steel sink and sink covers (2)
Water heater bypass system
Water purification system
USB charging port in kitchen
Premium sound system with Blu-ray disc player, sound bar
and Bluetooth
40,000-BTU furnace, auto-ignition and black digital thermostat
Shower with surround
Denver Mattress Advanced queen-sized (60" x 80") pillowtop mattress
Gas-strut, under-bed storage
Walk-in closet with triple-sliding mirrors (select models)
MCD blackout roller shades in living room
TV prep in bedroom

Bedroom wired and framed for second 15,000-BTU air conditioner

#### STANDARD RAMP AND CARGO EQUIPMENT

_	Vacuum-bonded, laminated, 2" garage floor, fully insulated
_	with block foam
_	Hinged spring-assist, radius-cornered ramp door, 2,500-lb. capacity,
	93 3/8"-wide opening with anti-slip, non-skid flooring
_	High-intensity, flush-mounted ramp lights (2)
	12"-wide tread plate splash guard
	Tuff-ply, rubberized garage floor liner
	Flush floor-mounted tie-down rings, anchored to frame,
-	2,500-lb. capacity each
	Steel backers in floor for wheel chocks
_	24" x 72" garage door with step light
-	Patio door with screen (select models)
	Black pull-down retractable screen wall/privacy curtain
_	Vinyl snap-on window coverings
_	Power queen beds with convertible sofas
	Washer/dryer prep
	Cargo bay wired and framed for 15,000-BTU air conditioner
_	Vent ports, tinted power roof vent and closeable, directional
	air conditioner ducts
-	Sony Mechless stereo with built-in Bluetooth
_	CUSTOMER VALUE PACKAGE (MANDATORY)
_	Heated, insulated and enclosed holding tanks
_	Aluminum rims
-	Spare tire with carrier
-	Folding roof ladder
-	Electric awning
-	Security lights (2)
-	Bi-fold range cover
-	Solid-surface kitchen countertops
	20-gal./hr. quick-recovery gas/electric auto-ignition water heater
	Whisper Quiet 15,000-BTU air conditioner
	TV entertainment system with 40" TV
_	Theater seating
	Bath skylight
	Bathroom power vent
	OPTIONS
_	Customer Value Package with 15,000-BTU A/C and heat pump
_	Dual-pane, frameless, tinted, safety-glass windows
-	5,500-watt generator with auto changeover switch
_	MOR/ryde pin box
	6-point electric automatic-leveling system
_	Party deck with folding rails and awning
_	2nd 12V electric awning with LED lights (select models)
_	Convection microwave with oven in lieu of cooktop and drawers
5	32" LED HDTV in bedroom
	2nd 15 000-BTU air conditioner in bedroom

32" LED HDTV in bedroom 2nd 15,000-BTU air conditioner in bedroom 15,000-BTU air conditioner in cargo area Removable carpet in cargo area

### SEISMIC I TOY HAULERS

SEISMIC 3914 | SADDLE



The luxury crossover

The 2015 Jayco Seismic is more than just a toy hauler. It's a luxury fifth wheel. Comfort seekers will enjoy solid-surface counters and a heart-pounding entertainment system, while toy enthusiasts will love the 6-point leveling system that packs a 30,000-lb. lifting capacity.







LEFT: MCD BLACKOUT ROLLER SHADES **RIGHT: FULL-FEATURED BATHROOMS** 

Denver Mattress Advanced gueen-sized (60" x 80") pillowtop mattress

Walk-in closet with triple-sliding mirrors (select models)

Gas-strut, under-bed storage

## SEISMIC STANDARDS AND OPTIONS

STANDARD EXTERIOR EQUIPMENT
High-gloss fiberglass sidewalls
Fiberglass front cap with Jayco logo
Integrated LED front cap docking light
3/8" roof decking on 5" crowned wood truss rafters (R-30)
5/8" tongue-and-groove plywood main floor decking
12" I-Class cambered structural-steel I-beams
Heat reflective foil insulation in living area, bedroom, slideout floors
and pass-thru storage compartment
One-piece seamless roof membrane
Climate Shield insulation package (see package details)
Magnum Truss Roof System
Wide-stance landing gear
6-point automatic-leveling system
MOR/ryde pin box
MOR/ryde CRE 3000 rubber axle equalizer
16" nitrogen-filled radial tires
E-Z Lube axles
Dexter Nev-R-Adjust brakes
30" x 72" radius-cornered entrance door with LED step light,
oversized window and keyless entry
Second 12V electric awning
Hand-held remote for awning, slideouts and patio lights
G20-tinted, automotive, frameless windows
Stor-Galore basement storage
Metal slam-latch lockable baggage doors, insulated
and radius-cornered
Exterior TV hook-up in basement area
Marine-grade exterior Sony speakers (2)
Heated, enclosed Uni-Dock utility center
5,500-watt generator with auto-changeover switch
Triple 30-lb. propane bottles with regulator and slide tray
Triple battery compartment and disconnect switch for 3 batteries
24-gal. fuel station with command center gauge
148-gal. fresh water capacity
Black holding tank sprayer and sewer hose compartment
Water system winterization kit
Outside shower
LED taillights
STANDARD INTERIOR EQUIPMENT
Residential-style, pre-drilled and screwed Amish-crafted cabinet
construction with hidden hinges
Ball bearing drawer guides, 75-lb. capacity
Stainless-steel appliances
3-burner, stainless-steel range-top with 9,000-BTU SuperBurner
and piezo igniter

30" residential-style stainless-steel microwave oven

stainless-steel sink and sink covers (2) Toe-kick kitchen accent lighting

Radius shower with colored surround

LED recessed lighting package

Water heater bypass system

Water purification system USB charging port in kitchen

and Bluetooth

Theater seating

High-gloss, solid-surface countertops with under-mounted

Premium sound system with Blu-ray disc player, sound bar

40,000-BTU furnace, auto-ignition and black digital thermostat

Oversized 21" oven

MCD blackout roller shades in main living area 32" LED HDTV/ cable jacks in bedroom Bedroom wired and framed for second air conditioner STANDARD RAMP AND CARGO EQUIPMENT Vacuum-bonded, laminated, 2" garage floor, fully insulated with block foam Hinged spring-assist, radius-cornered ramp door, 2,500-lb. capacity, 93 3/8"-wide opening with anti-slip, non-skid flooring High-intensity, flush-mounted ramp lights (2) 18"-wide tread plate splash guard Tuff-ply, rubberized garage floor liner Welded steel, beaver-tail storage in garage floor Flush floor-mounted tie-down rings, anchored to frame, 2,500-lb. capacity each Steel backers in floor area for wheel chocks 30" x 72" garage door with LED step light Patio door with screen (select models) Premium coach/cargo passage door with window and LED light strip (select models) Black retractable screen wall/privacy curtain Vinyl snap-on window covering Power queen beds with convertible sofas Touchscreen entertainment system with DVD and Bluetooth Washer/dryer prep Cargo bay wired and framed for air conditioner Vent ports, tinted power roof vent and closeable, directional air conditioner ducts **CUSTOMER VALUE PACKAGE (MANDATORY)** Heated, insulated and enclosed holding tanks Aluminum rims 16" spare tire with carrier Folding roof ladder Electric patio awning Security lights (2) 12-gal. gas/electric auto-ignition water heater Whisper Quiet 15,000-BTU air conditioner Home theatre system with 50" HDTV Bath skylight Bathroom power vent **OPTIONS** Customer Value Package with 15,000-BTU A/C and heat pump Premium Paint Package Dual-pane, frameless, tinted, safety-glass windows Party Deck with folding rails, electric awning and remote control Slideout awnings (2) Slideout awnings (3) Convection microwave with oven in lieu of cooktop and drawers 12 cu. ft. refrigerator Fireplace (3902) Swivel chair (1) in cargo area Swivel chairs (2) in cargo area Dyson vacuum 2nd 15,000-BTU air conditioner in bedroom 15,000-BTU air conditioner in cargo area Forward- and rear-facing sofa beds Removable carpet in cargo area 11

## **SEISMIC WAVE FLOORPLANS**



SEISMIC WAVE | 310W

Ext. Lgth: 36' 5" Ext. Ht: 162" Unloaded Wt (lbs.): 11,215 Sleeps: 6



SEISMIC WAVE | 352W Ext. Lgth: 37' 4" Ext. Ht: 162" Unloaded Wt (lbs.): 11,435 Sleeps: 6



#### SEISMIC WAVE | 320W

Ext. Lgth: 35' 5" Ext. Ht: 162" Unloaded Wt (lbs.): 10,975 Sleeps: 6




SEISMIC WAVE | 362VV Ext. Lgth: TBD Ext. Ht: TBD Unloaded Wt (lbs.): TBD Sleeps: 6

## **SEISMIC FLOORPLANS**



#### SEISMIC FULL-PROFILE | 3902

Ext. Lgth: 42' 2" Ext. Ht: 159" Unloaded Wt (lbs.): 14,065 Sleeps: 7



#### SEISMIC FULL-PROFILE | 3914

Ext. Lgth: 42' 10" Ext. Ht: 159" Unloaded Wt (lbs.): 14,200 Sleeps: 8



#### SEISMIC FULL-PROFILE | 3912

Ext. Lgth: 42' 7" Ext. Ht: 160" Unloaded Wt (lbs.): 14,480 Sleeps: 8

## SEISMIC WAVE SPECIFICATIONS

MODELS	DIMENSIONS					WEIGHTS (LBS.)				TANKS (GALS.)		
FLOORPLAN	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXT. HEIGHT (WITH A/C)	EXT. HEIGHT (WITH OPT. BEDROOM A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT**	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH (INCLUDES WATER HEATER)	GRAY	BLACK
310W	36' 5"	102"	162"	162"	103"	11,215	2,480	15,750	4,535	146	87	50
320W	35' 5"	102"	162"	162"	103"	10,975	2,270	15,500	4,525	146	87	50
352W	37' 4"	102"	162"	162"	103"	11,435	2,570	15,950	4,515	146	87	50
362W	TBD	102"	TBD	TBD	103"	TBD	TBD	TBD	TBD	TBD	TBD	TBD

## SEISMIC SPECIFICATIONS

MODELS	DIMENSIC	DIMENSIONS					WEIGHTS (LBS.)				TANKS (GALS.)		
FLOORPLAN	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXT. HEIGHT (WITH A/C)	EXT. HEIGHT (WITH OPT. BEDROOM A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT**	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH (INCLUDES WATER HEATER)	GRAY	BLACK	
3902 3912	42' 2" 42' 7"	102" 102"	159" 160"	159" 160"	103" 103"	14,065 14,480	3,185 3,160	19,000 19,000	4,935 4,520	148 148	122.5 122.5	50 82.6	
3914	42' 10"	102"	159"	159"	103"	14,200	3,270	19,000	4,800	148	87	50	

\*Distance from the pin box to the bumper; total exterior length may be longer. \*\*The weights of certain options and/or option packages are not included in the UVW listed above.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above

## **SEISMIC WAVE AND SEISMIC INTERIOR DÉCOR CHOICES**



STEEL



#### SADDLE



## **SEISMIC EXTERIOR CHOICES**



STANDARD GRAPHICS PACKAGE OPTIONAL PREMIUM PAINT PACKAGE

# WE START WITH ONE OF THE INDUSTRY'S SCHOOLOGESC foundations

**Full-width outriggers:** We build on full-width outriggers that are spaced 4-6 feet apart (vs. 8 ft.) to better support the weight of the wall.



Jayco builds on custom-sized frames, designed specifically for each floorplan. Other manufacturers use stock frames, modifying and welding the frame to fit.

I-Class cambered structural-steel I-beams: Jayco uses a unique molded, one-piece design to prevent unit from twisting; competing three-piece I-beams can warp over time at the welded seams.

## – so that we can build the industry's most reliable RV





## **Extend your camping season**

with the Jayco Climate Shield, featured on Seismic. Designed for efficient heating and cooling, Climate Shield protects against extreme heat and extreme freezing — even when temperatures hit a high of 100° F or a low of 0° F.



UNIT AREA	TYPE OF
All vertical walls	Block foa
Behind front cap	Fiberglass
Roof	Fiberglass
Main floor	Fiberglass
Slide floor	Foil
Bedroom floor	Fiberglass
Inside open pin box	Foil
Enclosed drop-frame overhang	Foil

Block foam Fiberglass insulation Fiberglass insulation + foil Fiberglass insulation + foil Foil Foil Foil Foil

INSULATION




## FIFTH WHEEL CONSTRUCTION

#### extra measures for extra warmth

In the upper area of the fifth wheel floorplan, Jayco uses a double layer of fiberglass insulation behind the front cap, along with Flexfoil and fiberglass insulation in the floor, to provide extra warmth where it's needed most — in the bedroom.


Jayco's aerodynamic front cap is engineered to withstand the rigors of the road. This gel-coated fiberglass cap features more support with 1/4" plywood bracing, not typically found on other fifth wheels.

\* Seismic was tested in 0° F and 100° F weather over an extended period of time in a controlled environment and all functions of the coach were fully operational. Testing cannot account for natural elements, such as wind or moisture. In actual use, unit may not perform as tested. In addition, outside components are subject to freezing and require steps to properly insulate. Jayco's warranty does not cover damage caused by freezing.



Octane travel trailer integrated A-frame: The A-frame runs through the main frame, preventing the hitch from buckling like competing tack-welded frames.

8)9



Seismic fifth wheel frame: The frame over the truck bed is built on superior 2"x 6" tube perimeter structure to better support the bedroom sidewalls. Some fifth wheels have a smaller frame, and these manufacturers may add a sidewall support seam to compensate for expansion joints.

## THE MAGNUM TRUSS ROOF SYSTEM 50 percent stronger

5

SIM

In a side-by-side comparison test, Jayco's exclusive Magnum Truss Roof System withstood 4,500 lbs. — 50 percent more than other roofs. The difference?

3 Jayco uses 5" crowned wood trusses (4 1/2" on Octane), solid-wood studs and oversized nail plates to maximize the roof's load capacity.

Then, we screw down 3/8" roof decking at every seam, a process that is more durable than stapled construction.

Finally, our one-piece, sidewall-wrapped DiFlex II material provides the ultimate in leak protection.

## WALL CONSTRUCTION

#### vacuum-bonded walls

Octane

Using 144 tons of pressure for 16-18 minutes, Octane and Seismic feature durable, vacuum-bonded walls, while smooth, high-gloss fiberglass exteriors provide long-lasting appeal (n/a Octane Super Lite).

6

3

Welded aluminum framing gives our toy haulers a durable, lightweight structure.

### GARAGE CONSTRUCTION fortified for your toys

Octane and Seismic are among only a few toy haulers in the industry with vacuum-bonded, block foam-insulated, 2" garage floors, delivering added durability for your heavy toys.

D-rings, rated for 2,500 lbs., are mounted through the vacuum-bonded floor and bolted to a steel plate attached to the frame. Some manufacturers don't add this extra reinforcement. **Bumper-to-front limited warranty\*** 

# FAMILY **FULD** starts with peace of mind

At Jayco, we build our RVs to handle every adventure, then we back our products with an industry-leading 2-year limited warranty. You won't find a better warranty in the business because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere.

\*For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.

## FREE Roadside Assistance

Travel worry-free with Jayco's Customer First Roadside Assistance program, yours at no cost during the first year of ownership. This program is offered through Coach-Net, the country's largest RV emergency road service, and gives you immediate access to assistance.

## **eco** advantage<sup>\*\*</sup>

**YEA** 

## Jayco's long-term commitment to generations of family fun



Scan this QR code with your smartphone to watch a video about our efforts and the impact we're making on our planet.

ecoadvantage.jayco.com

#### The fun starts with your local Jayco dealer

Colton RV & Marine 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com Your local dealer

Colton RV & Marine 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.Coltonrv.com

From giving advice to selling and servicing products, we consider our loyal dealers the glue in our family bond. Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you consider them a part of your camping family.



Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com 🗊 Rua See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2014 Jayco, Inc. 15-TYHL-PL 1014-80K Printed in U.S.A.



Generations of family fun.