COUGAR

FIFTH WHEELS / TRAVEL TRAILERS

WESTERN EDITION

Colton RV & Marine 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188 www.ColtonRV.com Colton RV & Marine 3443 Southwestern Blvd. Orchard Park, NY 14127 (716) 957-3250 www.Coltonrv.com



AN AMERICAN ICON

Step into the legacy of RVing with the iconic Keystone Cougar. Our 2024 collection invites you to join generations of campers who have trusted Cougar as their choice for extraordinary journeys. With a range that includes fifth wheels, half-ton fifth wheels, and travel trailers, Cougar stands as a leader in the industry, embodying not just a brand, but a tradition of innovation, style, and unforgettable experiences.

From winding trails to wide highways, Cougar has been there, evolving with the spirit of RVing leading the way with unparalleled comfort and unmatched quality. Join the ranks of those who have discovered the thrill of travel with Cougar RVs – where the past meets the future, and where every adventure becomes an extraordinary chapter in your own unique American story.

COUGAR EXCEPTIONAL FEATURES


- One-Piece Alpha Super Flex TPO Roof Membrane w/ Limited Lifetime Warranty
- Electric, 4-Point Auto Leveling System (OPTIONAL ON SELECT TRAVEL TRAILER MODELS)
- Lippert Road Armor™ Suspension & Pin Box (FIFTH WHEEL MODELS ONLY)
- Goodyear™ Endurance 10-Ply E-Rated Tires w/ Roadside Assistance (N/A SPORTS)
- Lippert Tire Linc TPMS Prep
- Climate Guard Four-Season Protection Package
- 30K BTU Gas Furnace
- Coleman-Mach Quiet Series 15K BTU Air Conditioner (N/A SPORTS)
- Coleman-Mach Quiet Series13.5K Bedroom Air Conditioner (OPTIONAL ON SOME MODELS) (N/A SPORTS)
- Blade Pure™ High-Performance, Airflow System w/MERV 9 Filtration (N/A SPORTS)
- Giggy Box 12-Volt Distribution Center w/ Battery Disconnect
- Hyperdeck[™] High-Performance, Water-Resistant RV Floors (HALF-TON FW & TT MODELS ONLY)
- NEW MORryde® Safe-T-Rail Entry Handle (FIFTH WHEEL MODELS ONLY) (N/A SPORTS)
- Lippert SolidStep® Entry Steps
- Lippert Entry Door Thin Shade
- Durable Rubber Flooring in Pass-Through Storage (FIFTH WHEELS MODELS ONLY)
- iN-Command® w/ Global Connect® Smart RV Control System (N/A SPORTS)

- Winegard Air 360+ Omni-Directional Rooftop Antenna w/ Exclusive Satellite Pass-Through
- Key TV Multi-Source Signal Controller
- · Color-Coded & Numbered Wiring
- Girard Tankless On-Demand Water Heater
- Amy Gray Signature[™] Interior Design
- NEW Luxe Driftwood Decor (SEE KEYSTONERV.COM FOR DETAILS)
- Heated & Massage Theater Seats (MOST MODELS)
- NEW Soft-Close Cabinet Doors
- Ceiling Fans (MOST FIFTH WHEEL MODELS)
- Black Out Roller Shades (MOST FIFTH WHEEL MODELS)
- Furrion 12V Refrigerator
- Furrion 21" Oven w/ 3-Burner Cooktop
- Outdoor Kitchen w/ Griddle (select models)
- Deeper Bed Slide w/ More Walkaround Space (FIFTH WHEEL MODELS ONLY)
- CPAP-Ready Nightstands (MOST MODELS)
- NEW Recessed Medicine Cabinet (SELECT MODELS)
- Stackable Washer and Dryer Prep (FULL SIZE MODELS ONLY)
- SolarFlex™ Protect 220, Discover 440i, and
 Outlast 660i-L Solar Power Systems w/ Optional Dragonfly Energy
 Lithium-ion Batteries
- 1-Year Limited Base Warranty & 3-Year Limited Structural Warranty (SEE KEYSTONERV.COM FOR DETAILS)




Available on Premium Fifth Wheel Models SEE KEYSTONERV.COM FOR FULL DETAILS.







260MLE WEIGHT 9575 LENGTH 30' 11"



290RLS WEIGHT 10124 LENGTH 33' 8"



316RLS | WEIGHT 10679 | LENGTH 35' 8"



320RDS | WEIGHT 11133 | LENGTH 36' 10"




354FLS WEIGHT **11041** LENGTH **39' 2"**




355FBS | WEIGHT 11357 | LENGTH 39'3"







368MB | WEIGHT **11847** | LENGTH **39' 3"**







24RDS | WEIGHT 7612 | LENGTH 28' 10"

















29RLI WEIGHT 8893 LENGTH 32' 9"





VISIT OUR WEBSITE FOR PHOTOS, 360° TOURS, AND FULL PRODUCT DETAILS $\ensuremath{\mathsf{T}}$
















25FKDWE | WEIGHT TBD | LENGTH 29' 11"












26RBSWE | WEIGHT 6796 | LENGTH 29' 11"


29RLKWE | WEIGHT 7798 | LENGTH 33'3"




29RLSWE WEIGHT 7611 LENGTH 33' 3"




30BHSWE | WEIGHT 7282 | LENGTH 34' 5"




31BHKWE WEIGHT 7697 LENGTH 34' 9"




32RDBWE WEIGHT 8087 LENGTH 36' 4"







30RKD WEIGHT 7772 LENGTH 34' 9"





INTRODUCING COUGAR

New high-spirited, ultra-affordable floorplans built for adventure and beyond.

SEE KEYSTONERV.COM FOR FULL PRODUCT DETAILS.




WEIGHT TBD

LENGTH 23' 8"








2300BHWE WEIGHT TBD LENGTH TBD

2100RK WEIGHT 6815 LENGTH 26' 3"





2400RE WEIGHT TBD LENGTH 28' 9" **2700**BH WEIGHT **7580** LENGTH 32' 3"





"We recently upgraded to a Keystone Cougar travel trailer and have been very pleased with it. It is roomy and very functional and it is clear that a lot of attention to detail went into designing and building the trailer. It has many thoughtful features throughout that make it a pleasure to stay in and use. Everything is well laid out and very convenient to access. It has all the latest available technology and it all works together very well to provide a great experience."

- RODRIGO COUGAR 33RLI OWNER

COUGAR SPECIFICATIONS

| MODEL | WEIGHT | CARRYING CAPACITY | HITCH WEIGHT | FRESH WATER** | WASTE WATER | GRAY WATER | LPG | LENGTH* | WIDTH | HEIGHT | AWNING |
|------------|--------|----------------------|-----------------|------------------|----------------|---------------|-----|--------------|-------|--------|---------|
| PREMIUM F | W | CALACITI | WEIGHT | WAILK | WAILK | WAILK | | | | | |
| 260MLE | 9725 | 2275 | 1895 | 75 | 38 | 76 | 60 | 30′ 11″ | 8' | 13' 4" | 20' |
| 290RLS | 10124 | 2776 | 1805 | 75 | 38 | 76 | 60 | 33′ 8″ | 8' | 13' 4" | 11'/10' |
| 316RLS | 10679 | 1621 | 1900 | 75 | 38 | 76 | 60 | 35′ 8″ | 8' | 13' 4" | 13'/10' |
| 320RDS | 11133 | 2617 | 1775 | 75 | 38 | 76 | 60 | 36′ 10″ | 8' | 13' 4" | 20' |
| 354FLS | 11041 | 2959 | 2365 | 75 | 38 | 76 | 60 | 39′ 2″ | 8' | 13' 4' | 20' |
| 355FBS | 11357 | 2543 | 1900 | 75 | 76 | 76 | 60 | 39′ 3″ | 8' | 13' 4' | 16'/10' |
| 364BHL | 11404 | 2596 | 2200 | 75 | 76 | 76 | 60 | 39′ 0″ | 8' | 13' 5" | 12'/12' |
| 368MBI | 11847 | 2133 | 1980 | 75 | 38 | 76 | 60 | 39′ 3″ | 8' | 13' 4" | 16'/11' |
| HALF-TON F | | | | | | | | | | | |
| 23MLE | 7678 | 2222 | 1200 | 54 | 30 | 60 | 60 | 27′ 11″ | 8' | 12' 0" | 16' |
| 24RDS | 7612 | 2388 | 1430 | 54 | 30 | 60 | 60 | 28′ 10″ | 8' | 12' 7" | 20' |
| 27SGS | 8211 | 2079 | 1495 | 54 | 30 | 60 | 60 | 30′ 6″ | 8' | 12' 7" | 10' |
| 29BHL | 8345 | 2655 | 1610 | 54 | 30 | 60 | 60 | 33′ 4″ | 8' | 12' 8" | 20' |
| 29RKS | 8958 | 1442 | 1605 | 54 | 30 | 60 | 60 | 32′ 9″ | 8' | 12' 7" | 20' |
| 29RLI | 8893 | 2107 | 1630 | 54 | 30 | 60 | 60 | 32′ 9″ | 8' | 12' 8" | 10'/10' |
| 32BHS | 9428 | 2072 | 1570 | 54 | 60 | 60 | 60 | 35′ 8″ | 8' | 12' 7" | 18' |
| HALF-TON T | 5880 | 1320 | 760 | 54 | 38 | 38 | 60 | 26′ 10″ | 8' | 11' 5" | 18' |
| 22RBSWE | 5648 | 1552 | 580 | 54 | 38 | 76 | 60 | 25′ 11″ | 8' | 11' 3" | 16' |
| 25DBSWE | 6287 | 2513 | 800 | 54 | 38 | 76 | 60 | 29′ 10″ | 8' | 11' 3" | 20' |
| 25RDSWE | 6361 | 2439 | 790 | 54 | 38 | 76 | 60 | 29′ 10″ | 8' | 11' 3" | 18' |
| 26RBSWE | 6728 | 2072 | 690 | 54 | 38 | 76 | 60 | 29′ 11″ | 8' | 11' 3" | 20' |
| 29RLKWE | 7798 | 1702 | 810 | 54 | 38 | 76 | 60 | 33′ 3″ | 8' | 11' 3" | 9' |
| 29RLSWE | 7611 | 1889 | 940 | 54 | 38 | 76 | 60 | 33′ 3″ | 8' | 11' 5" | 9'/11' |
| 30BHSWE | 7282 | 2218 | 880 | 54 | 30 | 60 | 60 | 34′ 5″ | 8' | 11' 5" | 19' |
| 31BHKWE | 7697 | 1803 | 810 | 54 | 38 | 76 | 60 | 34′ 9″ | 8' | 11' 3" | 18' |
| 32RDBWE | 8087 | 2413 | 920 | 54 | 38 | 76 | 60 | 36′ 4″ | 8' | 11' 5" | 19' |
| 25MLEWE | TBD | TBD | TBD | 54 | 30 | 60 | 60 | 29 ft, 11 in | 8' | 11' 5" | 18' |
| 25FKDWE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 27BHS | 7008 | 1992 | 730 | 54 | 30 | 60 | 60 | 31′ 11″ | 8' | 11' 3" | 19' |
| 30RKD | 7772 | 1728 | 955 | 54 | 30 | 60 | 60 | 34′ 9″ | 8' | 11' 5" | 19' |
| 33RLI | 8690 | 1810 | 1215 | 54 | 30 | 60 | 60 | 37′ 5″ | 8' | 11' 4" | 14'/10' |
| 34TSB | 8678 | 1822 | 1150 | 54 | 30 | 60 | 60 | 37′ 5″ | 8' | 11' 4" | 8'/11' |
| SPORT | | | | | | | | | | | |
| 1900RBWE | 4780 | 2640 | 420 | 54 | 30 | 30 | 40 | 23′ 8″ | 8' | 10' 8" | 15' |
| 2300BHWE | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD | TBD |
| 2100RK | 6815 | 1685 | 1120 | 54 | 30 | 60 | 60 | 26′ 3″ | 8' | 12' 0" | 17' |
| 2400RE | TBD | TBD | TBD | 54 | 30 | 60 | 60 | 28′ 9″ | 8' | 12' 7" | 16' |
| 2700BH | 7580 | 1920 | 1390 | 54 | 30 | 60 | 60 | 32′ 3″ | 8' | 12' 7" | 20' |





FOLLOW US FOR THE LATEST!







DISCLAIMER: Product information is as accurate as possible as of the date of publication of this brochure. All features, floor plans, and specifications in this brochure are subject to change without notice. Please also consult Keystone's web site at www.keystonerv.com for more current product information and specifications. Tow Vehicle Disclaimer. CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystonerv.com.