



Find road trip inspiration in our *Driving Across America* guide.



There's a Flying Cloud on your horizon.



Wake up in a dream.


No matter what configuration, the Airstream Flying Cloud is a dream written in metal, wood and glass. You see it from the perfectly riveted aluminum, to the gleaming cabinetry, to the windows – which are everywhere. Whether you're lounging on one of the couches or spending a late morning in bed, you can choose between a panoramic view bathed in natural light – or draw the blinds to spend the day in cozy seclusion.



Dinette? Lounge? Bed? Sure.













Choose between a queen for extra sprawl or two twins for ease of access.



Fun fact: One boot cubby saves 3000 hours of sweeping.







Flying Cloud Floorplans

Flying Cloud 19



19CB



19CBB Bunk

Flying Cloud 20



20FB



Flying Cloud Floorplans

Explore every Flying Cloud floorplan online.



Flying Cloud 23







23CBB Bunk 23FB

Flying Cloud 25

23CB

25FB Twin







26RB







25RB



25RB Twin 26RB Twin

Flying Cloud 27



27FB



27FB Twin

Flying Cloud 28



28RB



28RB Twin

Flying Cloud 30



30RB



30RB Twin



30FBB Bunk

Flying Cloud Interiors

Landmark: Sandpiper Ultraleather® Dwell Décor



Accent (Bedroom)

Countertops



Seating



Accent (Lounge)



Flooring



Bedspread



Cabinetry



Awning

Landmark: Truffle Ultraleather® Dwell Décor





Seating



Bedspread



Accent (Bedroom)



Accent (Lounge)



Cabinetry



Countertops



Flooring



Awning

Landmark: Wild Honey Ultraleather® Dwell Décor



Accent (Bedroom)

Countertops



Seating



Accent (Lounge)



Flooring



Bedspread



Cabinetry



Awning



Graduate to a full bath.

Flying Cloud Specifications

	19CB	19CB Bunk	20FB	23CB	23CB Bunk	23FB	25RB	25FB	26RB	27FB	28RB	30RB	30FB Bunk
Exterior Length	19 ft. 2 in.	19 ft. 2 in.	20 ft. 10 in.	23 ft.	23 ft.	23 ft. 9 in.	25 ft. 11 in.	25 ft. 11 in.	26 ft. 11 in.	28 ft.	27 ft. 11 in.	30 ft. 11 in.	30 ft. 10 in.
Exterior Width	8 ft.	8 ft.	8 ft.	8 ft.	8 ft.	8 ft.	8 ft. 5.5 in.						
Interior Width	7 ft. 7 in.	7 ft. 7 in.	7 ft. 7 in.	7 ft. 7 in.	7 ft. 7 in.	7 ft. 7 in.	8 ft. 1 in.	8 ft. 1 in.	8 ft. 1 in.	8 ft. 1 in.	8 ft. 1 in.	8 ft. 1 in.	8 ft. 1 in.
Exterior Height with A/C	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.	9 ft. 9 in.
Interior Height with A/C	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.	6 ft. 7.5 in.
Hitch Weight (with LP & Batteries)	550	550	631	654	654	467	835	837	903	791	899	899	903
Unit Base Weight (with LP & Batteries)	3,852	3,912	4,271	4,761	4,821	4,806	5,600	5,503	5,973	5,868	5,979	6,517	6,557
Maximum Trailer Capacity (GVWR) (lbs.)	4,500	4,500	5,000	6,000	6,000	6,000	7,300	7,300	7,600	7,600	7,600	8,800	8,800
Net Carrying Capacity (lbs.)	648	588	729	1,239	1,179	1,194	1,700	1,797	1,627	1,732	1,621	2,283	2,243
Fresh Water Tank (gal.)	23	23	23	39	39	39	39	39	39	39	39	54	54
Gray Water Tank (gal.)	21	21	21	21	21	30	35	37	39	37	37	38	39
Black Water Tank (gal.)	18	18	18	18	18	18	37	39	37	39	35	38	37
30 AMP Service Single A/C with Heat Pump (BTU)	13,500	13,500	13,500	13,500	13,500	13,500	15,000	15,000	15,000	15,000	15,000	15,000	15,000
50 AMP Service Dual A/C with Heat Pump (13,500 BTU)	_	_	_	_	_	_	OPT	OPT	OPT	OPT	OPT	STD	STD
Ducted Furnace (BTU)	16,000	16,000	18,000	25,000	25,000	18,000	25,000	25,000	25,000	25,000	30,000	30,000	30,000
Refrigerator	2-way 4 cu. ft.	2-way 4 cu. ft.	2-way 4 cu. ft.	2-way 5 cu. ft.	2-way 5 cu. ft.	2-way 5 cu. ft.	2-way 7 cu. ft.	2-way 7 cu. ft.	2-way 7 cu. ft.	2-way 7 cu. ft.	2-way 7 cu. ft.	2-way 8 cu. ft.	2-way 8 cu. ft.
Oven (LP Gas)	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD	STD
Microwave (*Removed with Convection Option Selected)	_	_	_	STD*	STD*	STD*	STD*	_	STD*	STD*	_	STD*	STD*
Convection Microwave Oven (*Replaces Oven)	OPT*	OPT*	OPT*	OPT	OPT	OPT	OPT	OPT*	OPT*	OPT*	OPT*	OPT*	OPT*
Interior Windows & Skylights	11	11	11	16	16	12	17	17	22	18	19	21	19
Master Bed Configurations (*Replaces Queen)	48" x 76"	48" x 76" Bunk (27" x 78")	48" x 76"	48" x 76"	48" x 76" Bunk (27" x 78")	Queen (60" x 75")	Queen (60" x 75") Twin* (34" x 80")	Queen (60" x 75") Lower (54" x 76") Bunk (30" x 78")					
Convertible Dinette, Lounge and Bed	40" x 91"	40" x 91"	39" x 76"	42" x 91"	42" x 91"	38" x 76"	42" x 97"	42" x 97"	62" x 91"	42" x 97"	42" x 76"	42" x 76"	42" x 76"
Sleeping Capacity	Up to 4	Up to 5	Up to 4	Up to 6	Up to 7	Up to 4	Up to 6	Up to 6	Up to 4	Up to 6	Up to 6	Up to 6	Up to 8

Flying Cloud Features

Semi-Monocoque Aluminum Superstructure

Fluorocarbon Treated UV Protected Aluminum Exterior

Temperature Reducing One Piece White Aluminum Roof

Thermal Barrier Protection Between Interior and Exterior

Manual ZipDee® Patio Awning with Sunbrella® Fabric

LP (2 - 30 lb. Steel Tanks) with auto 2-stage regulator

2 Deep Cycle Group 24 Batteries with Multistage Converter

LED Dimmable Patio Awning Light

Exterior LP Quick Connect Service Port

Exterior Shower with Hot & Cold Water

Stainless Steel Front Stone Guard Protection

City Water Inlet with Water Pressure Regulator

Polished Bumper with Storage

Solar Front Window Protection

Lockable Fresh Water Tank Inlet

Black Tank Flush System

Torsion Axle Suspension

Powered Hitch Jack with Light

Stylized Aluminum Wheels

Rear View Monitoring System

Dedicated Waste Hose Storage

Nev-R-Lube® Bearings

Nev-R-Adjust® Brakes

Spare Tire - Full Size

Cable TV Hookup

Satellite TV Hookup

4 Manual Heavy Duty Stabilizer Jacks

Goodyear® ST225/75R15 Tires, Balanced

Solar Pre-wire (Rooftop & Front Access Points)

80w Solar Package with Interior Monitor & AGM Battery (19 ft.-23 ft.)

160w Solar Package with Interior Monitor & AGM Battery (25 ft.-30 ft.)

Hand Painted Chassis

Shock Absorber

Aluminum LP Cover

Hand Crafted Welded Extruded Aluminum Window Frames

Tempered Tinted Windows with Double Cam Latching System

ZipDee® Rear & Roadside Window Awning with Sunbrella® Fabric

Exterior Features

Cus	tom Handcrafted 26 in. Wide Entry Door with Window
Alun	ninum Entry Door Handle
Unic	que Front Door Key with Heavy Duty Deadbolt
Cas	t Aluminum Door Hinges
Airst	ream Custom Aluminum Step (19 ft.:Thule® Aluminum S
LED	Entrance Light
LED	Tank Service Light
LED	Storage Compartment Light
Cas	t Aluminum LED Taillights
Lice	nse Plate Bracket with LED Light
Encl	osed Aluminum Insulated Heated Underbelly
Int	erior Features
Con	nplete Aluminum Interior Walls and Ceiling
Quie	etstream™ A/C with Heat Pump & Electronic Thermosta
Fant	tastic® Fan with Thermostat & Automatic Rain Sensor
Prob	peless Tank Monitoring System
Eco	Batt™ Insulation
5/8	in. WBP Tongue-and-Groove Wood Floor
Anti	-wicking Outside Edge Floor Sealant
Han	dcrafted Aluminum Screen Door with Guards
Pan	oramic Front Windows with Blackout Shades
Han	d Crafted Italian Lite-Ply Laminated Interior Cabinetry
Sea	mless Vinyl Flooring
LED	Interior Lighting with Dimmer
Ove	rhead Roof Lockers with Heavy Duty Hinges
Elec	tric/LP Water Heater (6 gal.; 9 gal. production)
100	0W Pure Sine Inverter
Coa	t & Key Hooks
Ga	lley, Dinette & Lounge Features
3 Bı	urner Cooktop (LP Gas)
Bara	aldi Cooking Vent with Light
Lam	inate Galley Top
Stail	nless Steel Sink with Cutting Board Sink Cover
Lam	inate Dinette Top
Ultra	aleather® Dwell Lounge and Dinette Seating

STD

STD

STD

STD

STD

STD

STD

OPT

STD

OPT

STD

STD

STD

STD

Dinette Converts to a Lounge and Sleeping Accommodations

Pull out Lounge for Sleeping Accommodations

STD

See more Flying Cloud features on our website.



STD

STD
STD
STD
STD
STD
STD
STD
STD
STD
STD STD

3 Year 24/7 Coach-Net® Roadside Assistance



(AIRSTREAM

419 West Pike Street P.O. Box 629 Jackson Center, OH 45334 USA

937-596-6111 www.airstream.com

The Airstream Travel Trailer Fleet



















Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate

Warning – This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing, and towing instructions. Do not overload the travel trailer.

AIRSTREAM®, FLYING CLOUD®, and all related model names, slogans, logos, trade dress, and trademarks are owned or used under license by Airstream, In

All content and images © Airstream 2018

FC 30k 4/18