






Hardwood, light-weight, 99% knot free; 1/3 the weight of pine. Used in framing cabinets for the Aluma-Lite.




Pine


Used in framing cabinets by other RV manufacturers.





















Enclosed Heated Undercarriage



Aluma Lite Benefits

Super Light Weight

· Safe, easy, fuel efficient towing

Enclosed Undercarriage

 Improves fuel efficiency significantly, improves appearance, allows for much more interior storage space, better insulation and heated holding tanks. Corrosion free underbelly for effortless towing, low maintenance.

Laminated Aluminum Framed Construction

 Superior strength, light weight and exceptional durability

Aerodynamic Molded Front LP Bottle Cover

· Protects LP bottles and battery.

Lower Center of Gravity

 Stable, safe towing with today's down sized tow vehicles.

Works in the Basement

 Water tank, holding tanks, and heat ducts located under floor in the "Basement" providing for warm floors, more inside storage space, and low center of gravity.

Independent Torsion Suspension System with Radial Tires

 Unsurpassed towing stability with EZ-Lub™ hubs

One-Piece Steel Chassis (Clean-Bond)

 Not bolted together, welded for extra strength

Bed Storage

- Storage tubs under queen beds with access doors
- Tackle box under bed storage with 2 large tubs


6'6" Interior Height

· Spacious feeling




Sidewall • 2" Thick Laminate R-7

- Fiberglass Skin dent resistant, low maintenance
- 2. Lauan
- 3. Aluminum Frame and Foam
- 4. Wallboard



Floor • 2" Thick Laminate R-7

- Lauan
- 2. Lauan
- Aluminum Frame and Foam
- 4. Lauan
- 5. Darco




Roof • 3" Laminate R-13

- 1. Rubber Roof
- 2. Lauan
- Aluminum Frame and Foam
- 4. Ceiling Board

	8230	8263S	8306S	8308S	8310S	8311S
Length	24'1"	27'1"	31'2"	30'9"	31'6"	30'3"
Width (w/o Awning)	96"	96"	96"	96"	96"	96"
Height (w/AC)	9'10"	9'10"	9'10"	9'10"	9'10"	9'9"
Awning Length	15'	18′	20'	20'	20'	20'
*Hitch Dry Wt. (Appr.)	411	450	704	524	698	605
*Axle Dry Wt. (Appr.)	3160	3972	4400	4738	4162	4034
GVWR	7311	7350	7604	7424	7598	7605
Total Dry Wt.	3471	4322	5004	5162	4760	4739
Load Cap.	3840	3028	2600	2262	2838	2966
Tire Size	205/75 14C					
Fresh Water Tank Cap.	40	40	40	40	40	40
Grey Water Cap.	40	40	40	40	40	40
Black Water Cap.	40	40	40	40	40	40

*Weights are approximate and based on standard features, optional equipment not included.



Holiday Rambler uses modern race car technology to bring you towing ease and stability. The enclosed chassis is clear of the exposed holding tanks, crossmembers and outriggers that create turbulence when the trailer is towed. Airflow is smooth and drag is greatly reduced. Towing an Aluma Lite is a breeze!

Specifications

Appliances/Equipment

- Flush Mount 6 Cu. Ft. Refrig.

- 3 Burner Range Top Power Range Hood w/Light Six Gallon DSI Water Heater Furnace 30,000 BTU (20,000 BTU on
- Model 8230)
- Air Conditioner Ready Water Heater Bypass Kit Demand Water Pump
- Laminated Galley Top w/Double Stainless Sink and Euro Style Faucet Copper LP Gas Lines P.E.X. Water Lines

- Monitor Panel

- Fiberglass Reinforced Tub
- Shower Curtain w/Valance
- Thetford Toilet
- Medicine Cabinet w/Mirror
- Towel Bar, Toothbrush Holder and Tissue Holder Power Roof Vent
- Light w/Wall Switch
- Large Bath Sink Full Tub

Electrical

- Patio Light w/Amber Lens Ceiling Lights w/Wall Switches 120 Volt GFI Protected Circuits

- 120 Volt Fuse Panel Outside 120 Volt Recept
- 30 Amp, 28' Power Cord (Detachable)
- 55 Amp, Whisper Quiet Converter w/Charger Battery Box w/Positive Ventilation Pre-Wired for Air Conditioner
- Pre-Wired for Microwave

Exterior

- Rubber Roof
- Tinted Jalousie Windows
- Aerodynamic Front Profile Flush Mount Front Window/Awning
- 26" Entry Door(s) w/Radius Corners, Window, Screen Door, and Flush Mount Latch

- Locking Baggage Doors
 Self-Storing Step(s) (Powder Coated)
 Large Front Storage Compartment
 Enclosed 30# LP Tanks
 2-5/16" Coupler
 Break-away Switch

- Break-away Switch Enclosed, Heated Underbelly
- Sewer Hose Compartment
- Easy Access Dump Valves

Interior

- Panoramic Galley Window
- Reversible Dinette Cushions
- Mini Blind at Galley No-wax Vinyl Flooring
- Mortise and Tenon Cabinet Doors

- Hidden Plumbing and Wiring High Pressure, Laminated Plywood Countertops
- Queen Bed w/Quilted Pillow Top Bedspread
- Light/Air Roof Vent(s)
- Fire Extinguisher, Smoke Detector, LP Detector Cabinets and Slide-Out Facia Large Residential Kitchen Sink

- Designer Radiused Window Treatment
- Under Bed Storage w/Struts

Running Gear

- 14" Radial Trailer Tires White Spoke Wheels w/10" Electric Brakes
- Independent Torsion E-Z Lube Hubs Suspension System, Rubber Ride
- Welded I-Beam, Steel Frame

Super Lite Weight

- Enclosed Chassis/Undercarriage
- Aerodynamic Front Profile
- Laminated Aluminum Frame Construction Thick Wall Construction (2")
- Fiberglass Exterior Skin
- **Enclosed LP Bottle Area**

- Low Center of Gravity I-Beam, Steel Chassis Tinted Jalousie Windows
- **Ducted Air Conditioning (All Models)**
- Shirt Closets Beside Queen Beds

Towing Guide

VEHICLE	ENGINE	TOW	3500 QC LB DRW 4WD Ford	5.9L TD	15,400	Lincoln-Mercury Mark LT 4WD	5.4L V8	8600
Acura		2000	Ranger SC Short Box, 2WD	4 01 V.6	5860	Mariner	3.0L V6	3500
MDX	3.5L V-6	4500/3500	Ranger SC Short Box, 4WD		5580	Mountaineer AWD 5 pass.	4.6L V8	7060
Buick			Escape	3.0L V-6	3500	Navigator 4WD	5.4L V8	8300
Rainier RWD	4.2L I-6	6300	Explorer 4WD, six pass.	4.6L V-8	7050	Mazda	5.4L TO	0300
Rendezvous	3.5L V-6	3500	Expedition 4WD	5.4L V-8	8600	B4000 4WD	4.0L V-6	5580
Terraza	3.9L V-6	3500	Explorer Sport Trac 4WD	4.0L V-6	5080	Tribute	3.0L V-6	3500
BMW	0.00		F150 Reg Cab LWB 2WD	5.4L V-8	8800	Mercedes-Benz	3.UL V-0	3000
X3 3.0i	3.0L I-6	3500	F150 SuperCrew LWB 4WD		9100	G-500	V-8	7842
X5 4.8is	4.8L V-8	6000	F350 SC DRW 4WD	6.8L V-10	15,000	ML 500	V-8	7842
Cadillac		0000	F350 CC DRW 4WD	6.0L TD	18,100		V-0	7842
Escalade AWD	6.0L V-8	8100	Honda	0.02 10	10,100	Mitsubishi	0.01.11.0	0000
SRX	4.6L V-8	4250	Odvssev	3.5L V-6	3500	Endeavor	3.8L V-6	3500
Chevrolet/GMC	4.00 4.0	4250	Pilot	3.5L V-6	3500/4500	Montero	3.8L V-6	5000
Colorado/Canyon			Ridgeline	3.5L V-6	5000	Raider Ext Cab 2WD	4.7L V-8	5400
Ext. Cab 2WD	3.5L I-5	3600/4000	Hummer	3.0L V-0	5000	Raider Ext Cab 4WD	3.7L V-6	3950
Equinox	3.4L V-6	3500	H2	6.0L V-8	6700	Nissan	22232	
	3.5L V-6	3500	H3		4500	Armada 4WD	5.6L V-8	9000
Uplander Avalanche 1500 4WD	5.3L V-8	7100	1 T T T T T T T T T T T T T T T T T T T	3.5L I-5	4500	Frontier	10.20 2.00	
	8.1L V-8	1200	Hyundai	051110	0000	KC SE, LE, Nismo 4WD	4.0L V-6	6300
Avalanche 2500 4WD	5.3L V-8	8400	Santa Fe 2WD pass.	3.5L V-6	3000	Murano	3.5L V-6	3500
1500 Reg Cab SWB 2WD 2500 CC SWB 4WD	6.6L TD	12.000/14.200	Infinity			Pathfinder	4.0L V-6	6000
3500 CC SWB 4WD	8.1L V-8		FX	ALL	3500	Quest	3.5L V-6	3500
	6.6L TD	12,000/15,000	QX56 AWD	5.6L V-8	8900	Titan KC	5.6L V-8	9400
3500 CC DRW 4WD Tahoe/Yukon 4WD	5.3L V-8	12,000/16,000 7700	Isuzu			Xterra	4.0L V-6	5000
Suburban/Yukon XL 4WD	5.3L V-8 5.3L V-8	8200	Ascender 7 pass. 4WD	5.3L V-8	6200	Pontiac		
Suburban/Yukon XL 4WD Suburban/Yukon XL 4WD	8.1L V-8	10,300	i350 Crew Cab P/U	3.5L 1-5	4000	Montana	3.5L V-6	3500
		6600/6500	Jeep			Torrent	3.4L V-6	3500
Trailblazer/Envoy SWB 4WD	5.3L V-8	6600/6500	Commander 4WD	5.7L V8	7200	Porsche		
Daimler Chrysler			Grand Cherokee	5.7L V8	7200	Cayenne	All	7716
T&C,			Liberty 4WD	2.4L I-4	2000	Saab		
Caravan/ Grand Caravan	3.3L V-6	3600	Wrangler	4.0L I-6	2000	9-7X	5.3L V8	6500
T&C,			Kia			Subaru		
Caravan/ Grand Caravan	3.8L V-6	3800	Sorento	3.5L V-6	3500	B9 Tribeca	F-6	3500
Dakota CC 2WD	4.7L V-8	5500	Land Rover			Forrester	F-4	2400
Durango 4WD	4.7L V-8	7200	Freelander	2.5L, V6	2500	Suzuki		
Durango 4WD	5.7L V-8	7150	Range Rover Sport	All	7716	Grand Vitara	2.7L V6	3000
Magnum	5.7L V-8	3800	Lexus	10000	Transfer (XL-7	2.7L V6	3000
Ram 1500 Reg Cab SB 2WD		6650	RX330	3.3L V-6	3500	Toyota		0000
Ram 1500 Reg Cab SB 2WD		8000	GX 470	4.7L V8	6500	4Runner 4WD	4.7L V-8	7000
Ram 2500 QC SB 4WD	5.9L TD	13,000			0000	William AMD	4.76.10	7000

Highlander	2.4L I-4	3000
Highlander Hybrid	3.3L V6	3500
Land Cruiser	4.7L V8	6500
Sienna	3.3L V6	3500
Sequoia 4WD	4.7L V8	6200
Tacoma Access Cab	4.0L V6	6500
Tundra Reg Cab 2WD/4WD	4.7L V8	7100
Touareg	All	7716
\$80	2.5L I-5	3300
XC90	All	5000

OF	PTIONS	APPROX. WT. (LBS.)
Ai	r Conditioning, 13,500 BTU	104
	Conditioning, 15,000 BTU	110
	M/FM CD Player	4
	vning, A & E	40-60
	vivel Rocker Chair	35
	crowave	30
	ven	30
	pare Tire & Wheel	35
	abilizer Jacks (Four)	24
	Antenna/Cable/Satellite Ready	6
	of Ladder	5
	utside Grill	15
	utside Shower	3
	utside Sliding Drawer	36
	nk Cover	1
	ove Cover	1
	b Surround	10
- 00	ouble Entry Step	7
	rome Trim Rings w/Cap	3
	n-Tastic Fan	15
	Bar Stools	20

Listed are tow ratings that are the highest available for the respective 2006 models. Certain optional equipment may be required and other restrictions may apply. Check with your automotive dealer for exact specifications.

Warranties

12 Month basic limited warranty

2 Year limited warranty on aluminum or steel frame structure of sidewall, roof, front and rear cap

- 2 All tank capacities are estimated based upon calculations provided by the tank manufacturers and represent approximate capacities. The actual "usable capacity" may be greater or less than the estimated capacities based upon fabrication and installation of the tanks.

Actual filled LP capacity is 80% of listing due to safety shut-off required on tank.

The actual overall length of the recreational vehicle may differ from that indicated in the brochure due to variances in the manufacturing process and/or installed components. The actual length may be greater or less than that indicated. Due to the large variety of options and floorplan arrangements available to our customers, actual weights for each unit can differ significantly. Monaco Coach provides a weight sticker on each unit we produce which includes that unit's tank capacities and approximate weight. Consult your local Monaco Coach dealer for unit availability and further information. The information printed in this brochure reflects product design, fabrication, and component parts at the date of printing. The manufacturer reserves the right, at any time, to make changes in product design or material or component specifications as its sole option, without notice. This includes the substitution of components of a different brand or trade name which will result in comparable performance. All information printed in this brochure is subject to change after the date of printing. Some features shown or mentioned in this brochure are optional and may only be available in selected floorplans. Photographs may show props or decorations that are not standard equipment on Monaco Coach models. Monaco Coach, the Monaco logo and its design, are registered trademarks. All other products and company names are trademarks and/or registered trademarks of their respective holders. While the color of the motorhome's exterior and the interior fabrics depicted in this sales brochure are fair and reasonable depictions, the colors depicted may not be an exact match of the actual colors because of the variances in photo-processing and variances caused by inserting the photographs within the sales brochure. Due to product improvements, changes during the model year and/or transcription errors that may occur, information represented within this br



606 Nelson's Parkway Wakarusa, IN 46573 www.holidayrambler.com (800) 245-4778



MONACO COACH CORPORATION

Monaco is traded on the New York Stock Exchange under the listing MNC. 2006, Monaco Coach Corporation R-80-049 Litho USA



Colton RV & Marine 3122 Niagara Falls Blvd North Tonawanda, NY 14120 (716) 694-0188

www.ColtonRV.com

Colton RV & Marine 3443 Southwestern Blvd Orchard Park, NY 14127 (716) 957-3250 www.Coltonrv.com