

WE ARE PRULLASS

ABSOLUTE NORTHWOOD: WHERE OUR QUALITY BEGINS

Our Commitment to:



QUALITY STRENGTH DURABILITY

Loaded with ALL these Standard Features

Shock Absorbers Certified Off-Road Chassis TG Plywood Floor Decking Plywood Roof Decking **Heavy Gauge One Piece Roof Membrane** ...plus these amenities...

12 Volt LED Power Awning Rear Receiver Hitch 10 Gallon Water Heater Generator Ready...

...and these Absolute Northwood Features

LED Lighting Inside and Out Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry

All Conditions-Insulated & Heated Holding Tanks & Valves Heavy Gauge, Fully Welded, Thick Wall Aluminum Frame Solid Fill - Full Thread Depth Anchor Blocking Virgin 2lb. Rigid Dense Block Foam Insulation One Piece Fiberglass Exterior Wall Cathedral Arched Ceiling

...STANDARD ON EVERY NASH!

INTERIOR COLORS FOR 2021





BUILT OFF ROAD TOUGH

(11)

12

11

13

12

ALUMINUM SUPERSTRUCTURE

ROOF

FULL WALK ON ROOF WITH BONDED ROOF TRUSS SYSTEM CATHEDRAL ARCHED CEILING

HEAVY GAUGE FULLY WELDED ALUMINUM SUPERSTRUCTURE

COMMERCIAL GRADE LINOLEUM, FULLY INSULATED TONGUE AND GROOVE PLYWOOD (NOT CHIPBOARD)

DE OUTS

4 SEALS, DUAL RACK & PINION RAMS (MAIN SLIDES) INSULATED, CROSS VENTILATING WINDOWS

CHASSIS

CUSTOM BUILT, INDEPENDENTLY TESTED & CERTIFIED

CABINETS

WALL & CEILING MOUNTED, FACE FRAME CONSTRUCTION

A. NORTHWOOD ROOF TRUSS SYSTEM

- Heavy Gauge One Piece Roof Membrane 3/8" Plywood Sheathing (Bonded to Trusses) R-15 Reflective 'Arctic' Foil Insulation
- R-14 Dual Layer Fiberglass Insulation
- Cathedral Arched Roof Trusses (More overhead space)
- Interior Lamination Grade Lauan Plywood (Bonded to trusses)
- Designer Interior Decor Finish Paneling

B. HIGH DENSITY ONE PIECE LAMINATED WALLS 8 Designer Interior Decor Vinyl Finish

- Heavy Gauge Fully Welded Aluminum Superstructure Solid Wood Fill Full Thread Depth Anchor Blocking

- 11 Virgin 2 lb Rigid Dense Block Foam Insulation
 12 Steel Inlaid Bonderizer Anchor Strips
 13 Lamination Grade Lauan Plywood Exterior Wall Layer
- 14 Corona Treated High Durability Fiberglass Outer Layer

PACIFIC WEST ASSOCIATES, INC BUILT BY NORTHWOOD

C. ULTIMATE DURABILITY FLOOR STRUCTURE

- 15 Commercial Grade Linoleum with 20 mil Surface
- 16 5/8" T&G Plywood Decking (Not Chipboard)
- 17 R-7 Residential Grade Fiberglass Insulation 18 Reinforced Woven Highway Moisture Barrier

D. DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 19 4 Seal System w/ Inner & Outer Bulb Seal
- 20 ...including Wiper Seal for Continual Seal (Any Position)
- 21 ...and Outer Bulb Seals

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

ALL CONDITIONS UNIT

E. CHASSIS

- 22 Independently Certified Custom Built Northwood Chassis 23 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
- 24 Corrugated Underbelly Panels 25 Heated and Insulated Large Capacity Holding Tanks
- 26 Easy Lube Axles and Shock Absorbers
- 27 Heavy Duty Radial Tires
- 28 Sealed All Metal Heat Ducts

MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 29 All Foam Condensation Resistant A/C Ducts

- 30 Large Bath Skylight
 31 Hi Output Roof Mount A/C
 32 Roto Molded High Durability Wheel Skirts
- 33 Diamond Scored Sidewall Skirts (Some Models)
- 34 Diamond Plate Gravel Guard















































WHATABSOLUTE NORTHWOOD?

L CHASSIS

✓ Custom Built, Independently Tested & Certified



✓ Fully Welded Aluminum Superstructure



✓ Full Walk On, Bonded Roof Truss System



✓ Wall & Ceiling Mounted, Face Frame Construction

💶 INSULATION

✓ A True 4 Season Coach

Our Commitment to QUALITY ABSOLUTE STRENGTH DURABILITY

When you purchase a DFox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a DFox remains higher, and your investment retains its value longer. If you ever decide to trade in your DFox, you will get top dollar. That is why you don't see many used DFox trailers on the market, folks buy them up as quickly as they become available because DFox Toy Haulers have a reputation for durability and longevity.

THICK WALL ALUMINUM FRAME



Aircraft Grade Tubing Up to 1/8" Thick .125"-.060" Thick frame with fully welded heavy gauge, thick wall aluminum tubing.



ALL CONDITIONS

4 SEASON COACH

WARM AIR AROUND TANKS


Heated enclosed holding tanks & dump valves. Designed for cold northern climates.



SOLID CORE ANCHOR BLOCKING

UTILIZING EVERY THREAD

At all critical anchor points, we include solid fill anchor blocking so all the threads of the fasteners anchor securely and completely.



RESIDENTIAL QUALITY

CUSTOM BUILT CABINETRY

Our cabinetry is built w/solid wood doors, built with residential face frame construction methods. Drawers slide effortlessly on heavy gauge roller bearing drawer glides.



ELECTRICAL FEATURES

LED LIGHTS & SURGE TESTS

You will find energy efficient LED lighting both inside and out. Additionally, our 110V systems are surge tested multiple times with 1080 volts and the 12V systems are surge tested with 600 volts.





NORTHWOOD ROOF TRUSS SYSTEM BONDED ROOF TRUSS SYSTEM WITH CATHEDRAL ARCHED CEILING

FULL WALK-ON ROOF

GLUE BONDED STRUCTURE

* Exterior marine grade decking

* One piece heavy gauge membrane. UP TO 4" OF EXTRA HEADROOM

* Fully bonded ceiling, trusses and roof sheathing.

* Trusses w/ 5-1/2 inch height for plenty of runoff slope.

CERTIFIED

OFF-ROAD CHASSIS

WE BUILD OUR OWN!

We are one of the few manufacturers who build

their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing lab.













ALL CONDITIONS/FOUR SEASONS

Cozy camping in the Nash 25C 4-Season Trailer. When it was time for an upgrade for the Allan family of Calgary, they didn't hesitate to upgrade to Northwood's biggest bunkhouse trailer, the Nash 29S. Submitted by: The Allan Family





QUALITY CONSTRUCTION CAN BE A LIFE SAVER!

This picture was sent in to Northwood by a repeat customer who lived in her 17K near Portland, OR. Due to excessive snow load, this tree uprooted and landed on her trailer while she was asleep inside!!!

Fortunately, we build Nash Trailers with 16" on center, select quality studs and quality plywood (instead of OSB board and 24" OC framing). If this had been a lesser quality trailer, it could have turned out much worse!!! Fonda said she was so impressed with Northwood quality that she just bought a brand new 2019 Arctic Fox 22G."

Submitted by: Fonda W.

Memorial day weekend in Central Oregon. Maiden voyage in our new 24M. Same Northwood quality as our 22H was, but with extra space for the kids. Submitted by: Andy Suing





We just purchased a new 2018 Nash 26N. Like the Johnny Horton song says "North to Alaska" we brought it home from WA to AK. This trailer is exactly what we were looking for. We bought it sight unseen and absolutely love it!

Submitted by: Eric Lucas



We absolutely love our Nash! This is our second travel trailer (first one being another brand) and switching to Northwood made everything about camping in Montana more enjoyable! Your company is Awesome keep up the good work!

Submitted by: Steven Thompson



Thought I would send in a pic of my 2015 17k after an early snowstorm in McLean Creek Alberta. Trailer performed great as usual.

Submitted by: Alex Morgan

A LEGACY OF QUALITY

STANDARD CONSTRUCTION FEATURES

Northwood Built, Independently Certified, Off-Road Chassis Fully Welded, Thick-Wall Aluminum Frame Construction One-Piece, Corona Treated, Continuous Fiberglass

Hot, Polyurethane Laminated, Multi-Layered Substrate Walls

High Density Block Foam Insulation

Cathedral Arched Ceiling / Aerodynamic Front Contour

E-Z Lube Axles w/Nev-R Adjust Forward, Self Adjusting Brakes

15" Aluminum Wheels / Tires & White Mod Spare

Shocks On All Four Wheels

12-Volt Power Tonque Jack / Stabilizer Jacks

Easy Access LP Cover / Dynamic "Flight" Graphics

4" Sewer Hose Carrier Bumper

All-Conditions/Four Seasons Insulation With R-14 Ceiling

R-15 Reflective Foil Insulation in Roof / Slide

Heated and Enclosed Tanks

Nash Fiberglass Front Cap w/ Diamond Plate Front Gravel Guard

Dinette Slide (18FM, 23D, 24B, 25DS, 26N, 29S)

Sofa Slide (24M, 29S)

Second Entry (24M, 25DS, 26N, 29S)

Efficient Residential-Style Ducted Heating

Generator Ready / Satellite Ready / Solar Ready

STANDARD EXTERIOR FEATURES

Easy Access LP Cover

4" Sewer Hose Carrier Bumper

LED Exterior Lighting

Roof Rack & Phatt Ladder

Exterior Marine Grade Speakers Pass Thru Storage / Full Width Storage in 18FM, 22H

LPG Quick Connect & Black Water Flush System

Large Exterior Entry Grab Handle / Entry Door Friction Hinge

Exterior Shower / Magnetic Catches

Semi-Automatic Winterization/By-Pass System

10 Gal DSI Gas/Elect Quick Recovery Water Heater

13.5m BTU Air Conditioner w/Condensation-Resistant Ducting

Carefree Travel'R 12V LED Awning w/Adjustable Pitch HW

TV Antenna with Wi-Fi Extender Ready/Battery Disconnect

45 Watt Solar Panel

Sidewall Solar Port

Rear Receiver Hitch

STANDARD INTERIOR FEATURES

Custom One Piece Formed Countertops & Dinette Table

LED Interior Lighting

Interior Command Center

Knotty Alder Cabinetry

Roller Bearing Drawer Glides

Hidden Hinges on Cabinet Doors

Fabric Night Shade Window Treatments Charge Wizard / Digital Thermostat

AM/FM/CD/DVD Player w/Bluetooth

Smoke, LPG & CO Leak Detectors

Custom Nash Signature Key Rack

Jackknife Sofa (22H, 24M, 25DS, 29S) Booth Dinette (17K, 22H, 24M, 25DS, 26N)

U-shaped Dinette (18FM, 23D, 29S)

Etched & Glazed Passage Door



STANDARD KITCHEN FEATURES

Residential, Built-In Microwave Stainless Steel Appliances

High Output 3-Burner Range with Range Cover Large Fridge (7 Cu Ft) w/ Cold Weather Kit

Stainless Steel Sink Sink Cover/Cutting Board

STANDARD BATHROOM FEATURES

Hand Flush Toilet / Bath Skylight **Brushed Nickel Shower Screen** Full Tub (18FM, 24B, 26N, 29S) Shower Pan (17K, 23D, 24M & 25DS)

STANDARD BEDROOM FEATURES

Double Over Double Bunkhouse (24B, 29S) NW TruRest Queen Mattress w/ Bedspread Camping Clothes Closet with Removable Shelves USB Charging Ports on Both Sides of Bed Below Bed Storage

OPTIONS

Fan Vent - Bedroom

Fan Vent - Kitchen

Fan Vent - Bathroom (Exhaust Only)

Recessed Storage Headboard

Thermal Pane Windows

Holding Tank Heat Pads (All Tanks)

Slide Out Topper (18FM, 23D, 24M, 24B, 26N, 29S)

28" 12v LED TV (17K, 24M, 23D)

32" 12v LED TV (18FM, 24B, 26N, 25DS, 29S)

15K Air Conditioner w/ Ducting (23D, 24M, 25DS, 26N, 29S)

Gateway Router

2.5 Onan LP Generator & 11K Power Saver A/C (17K,18FM) 3.6 Onan LP Generator (23D, 24B, 24M, 25DS, 26N, 29S)

100 or 170 Watt Solar Panel

RV BBQ

Rear View Camera OTG Package









STANDARD FEATURES & OPTIONS

CUSTOMER PHOTOS AND TESTIMONIALS DO NOT NECESSARILY REFLECT THE VIEWS OR RECOMMENDATIONS OF NORTHWOOD MANUFACTURING.

Send us your testimonial with your pictures and you may be featured in our future promotions. Send your information to: feedback@northwoodmail.com

				/ /				
Model Number	17K	18FM	23D	24B	24M	25DS	26N	29S
Dry Axle Weight (approx. Lbs.)	4177	5106	5134	5702	5428	6090	5809	6564
Dry Hitch Weight (approx. Lbs.)	589	556	606	758	595	755	743	796
Net Carrying Capacity	2634	1738	1760	2740	3177	2355	2648	3340
Gross Dry Weight (approx. Lbs.)	4766	5662	5740	6460	6023	6845	6552	7360
Gross Vehicle Weight Rating (GVWR)-Lbs.	7400	7400	7500	9200	9200	9200	9200	10700
Exterior Length (approx. w/hitch)	22' 4"	22'11"	25'10"	28'8"	27'3"	29'2"	29'2"	32'4"
Exterior Height (approx. incl. AC unit)	11'1"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"
Exterior Width (approx. w/o awning)	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Tire Size	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225
	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Load Range	E	E	E	E	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	50	50	50	50	50	50	50	50
Gray Water Tank (approx. gal.)	35	42	42	42	42	40	42	40
Black Water Tank (approx. gal.)	36	35	35	35	35	35	36	35
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25	25

*All dry weights are calculated before adding options. Specifications are subject to change without notice. Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.

YOUR LOCAL DEALER:

Updated Dec. 2021

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com

Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information