
TRAVEL TRAILER

PROUDLY

Millersburg Made

SINCE 1974






# Includes:\*

- 3kW Inverter-charger

- · (5) 200W GoPower® Solar Panels
- Integrated 60A
- MPPT Charge
- Centralized System **Disconnect Switch**
- 13,500 BTU A/C w/Soft Start Technology

\*Power Package available in Select Mini Lite Models Only. Look for the 🐹 Icon Next to the Floorplan.





**2104**S

LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 11" HITCH: 681 AXLE: 4237


UVW: 4977 CCC: 1864 🏚 54 GAL 📵 30 GAL 🚯 30 GAL



21099

LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 3" HITCH: 557 AXLE: 3877

UVW: 4493 CCC: 1344 🍙 54 GAL 🔓 30 GAL 🚯 30 GAL





LENGTH: 23'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 634 AXLE: 4439

UVW: 5132 CCC: 1662 6 54 GAL 6 30 GAL 8 30 GAL





# Construction

# **SUPERIOR CONSTRUCTION**

- 1. Complete Composite Wall Construction
- 2. Fully Laminated Walkable Roof
- 3. 6-Sided Full-Aluminum Frame
- 4. Aluminum Truss Roof Bracing
- 5. 5/8" Tongue & Groove Plywood Floor
- 6. Aluminum Floor Joists
- 7. Frameless Windows
- 8. Painted Fiberglass Front Cap w/Clear Coat<sup>1</sup>
- 9. Automotive Glass Windshield

# **STANDARD FEATURES**

- 200W Solar Panel with 1800W Inverter
   30 AMP Charge Controller
- 11. Back-Up Camera Prep
- 12. Maxxair Fan with Cover
- 13. Winegard Air 360+ Prepped for Wi-Fi
- 14. Key-Alike Lock System
- 15. Slam Baggage Doors

- 16. Sport Tire and Wheel Package
- 17. PSX2 Power Stabilizers<sup>2</sup>
- 18. Additional Solar Prep.
- 19. Double Battery Boxes
- 20. Double 30 Lb. LP Tanks

# **SAFETY STANDARDS**

- 21. Nitrogen-Filled Goodyear Endurance Tires w/ TST Tire Pressure Monitor System
- 22. Dexter® Torflex® Axles
- 23. MORryde Strut Assist Steps<sup>3</sup>

# **CLIMATE PROTECTION PACKAGE**

- 24. 12V Thermostat-Controlled Heated Tanks
- 25. Radiant Foil In Front Cap

# **Optional Features**

- 26. Power Package (N/A 2109S, 2506S, 2516S)4
- 27. Additional 200W Solar Panel
- 1 Ultra Lite Only; Mini Lite comes with a fiberglass front cap. 2 Ultra Lite Only; Optional on Mini Lite.
  3 N/A Mini Lite 2109S 4 Mini Lite Only.

# Slide Options

Model	Theater Seat	Hide-A-Bed	Table & Chairs	Booth Dinette	King Bed
Mini Lite Travel Trailers					
2104S		<b>Ø</b>		Standard U-Dinette	
2109S					
2205S	Standard	<b>Ø</b>			
2506S	<b>Ø</b>	•		Standard U-Dinette	
2509S	<b>Ø</b>	<b>Ø</b>		Standard U-Dinette	
2511S	Standard	$\bigcirc$		$\bigcirc$	
2513S	Standard	<b>Ø</b>			
2515S	Standard			Standard	
2516S	Standard	<b>Ø</b>			
2517S		$\bigcirc$		Standard	
2518S	Standard	lacksquare			
Ultra Lite Travel Trailers					
2606WS	Standard	<b>Ø</b>		Standard	
2608BS	Standard	$\bigcirc$	lacksquare	Standard	
2614BS	Standard	igoremsize		Standard	
2616BH	Standard				
2706WS	Standard	•		Standard U-Dinette	
2720IK	Standard		$\bigcirc$	Standard	
2906BS	Standard	Standard		Standard	
2908RL	Standard	Standard			
2911BS	Standard	•		Standard U-Dinette	

# ULTRA LITE

Rockwood's Mini Lite and Ultra Lite provide one of the best values in the lightweight travel trailer market. Both models are built with superior build quality that exceed Rockwood's reputation.





Your RV is equipped with Lippert™ One Control®. This WiFi app-based interface provides comfort and convenience to control and monitor your RV's functions. Visit lippert.com/onecontrol for a complete list of capabilities.



# ROCKWOOD



**2506**S

LENGTH: 25'11" WIDTH: 8' HEIGHT: 10'11" HITCH: 724 AXLE: 4768

UVW: 5551 CCC: 1333 🌓 54 GAL 📵 60 GAL 🚯 30 GAL



**2511**S

\*



NEW! **2515**S

LENGTH: 25'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 681 AXLE: 5112

UVW: 5852 CCC: 1829 6 54 GAL 6 60 GAL 6 30 GAL



NEW! **2517**S

LENGTH: 25'11" WIDTH: 8' HEIGHT: 10'11" HITCH: 615 AXLE: 5100

UVW: 5774 CCC: 1841 🍙 54 GAL 📵 60 GAL 🚯 30 GAL

MINI LITE FLOORPLANS





**2509**S

LENGTH: 25'11" WIDTH: 8' HEIGHT: 10'11" HITCH: 773 AXLE: 4667

UVW: 5499 CCC: 1434 🍙 54 GAL 📵 30 GAL 🚯 30 GAL



**2513**S

LENGTH: 25'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 660 AXLE: 5252

UVW: 5971 CCC: 1689 🍙 54 GAL 🔞 30 GAL 🚯 30 GAL



**2516**S

LENGTH: 25'11" WIDTH: 8' HEIGHT: 10'11" HITCH: 778 AXLE: 5340

UVW: 6177 CCC: 1601 6 54 GAL 6 60 GAL 8 30 GAL



NEW!

25125

LENGTH: 25'10" WIDTH: 8' HEIGHT: 10'11" HITCH: 645 AXLE: 4915

\*

UVW: 5619 CCC: 2026 6 54 GAL 6 60 GAL 8 30 GAL



2606WS LENGTH: 29' 9" WIDTH: 8' HEIGHT: 11' 2" HITCH: 840 AXLE: 5742

UWW: 6641 CCC: 1999 \$ 54 GAL \$ 90 GAL \$ 45 GAL



2608BS LENGTH: 29'8" WIDTH: 8' HEIGHT: 11'2" HITCH: 946 AXLE: 5831

UWW: 6836 CCC: 1910 \$ 54 GAL \$ 90 GAL \$ 45 GAL



**NEW! 2616**BH

LENGTH: 29'9" WIDTH: 8' HEIGHT: 11'3" HITCH: 938 AXLE: 6137 UVW: 7134 CCC: 1604 6 54 GAL 6 90 GAL B 45 GAL



27201K LENGTH: 33'1" WIDTH: 8' HEIGHT: 11'3" HITCH: 978 AXLE: 7114

UVW: 8151 CCC: 1627 6 54 GAL 6 90 GAL 6 45 GAL



**NEW! 2908**RL

LENGTH: 35'5" WIDTH: 8' HEIGHT: 11'2" HITCH: 930 AXLE: 7295 UVW: 8284 CCC: 1446 6 54 GAL 6 45 GAL B 45 GAL





2614BS LENGTH: 29'9" WIDTH: 8' HEIGHT: 11'2" HITCH: 796 AXLE: 6133

UVW: 6988 CCC: 1608 5 54 GAL 6 90 GAL 6 45 GAL






2906BS LENGTH: 35' 5" WIDTH: 8' HEIGHT: 11' 3" HITCH: 1100 AXLE: 7400

UVW: 8559 CCC: 1341 6 54 GAL 6 45 GAL 6 45 GAL



2911BS LENGTH: 35'5" WIDTH: 8' HEIGHT: 11'2" HITCH: 1102 AXLE: 6708

UVW: 7869 CCC: 2033 \$ 54 GAL \$ 45 GAL \$ 45 GAL



purchasers. Consult written warranty for details. Limited Lifetime

roofing warranty.\*

Two-year fiberglass warranty.

Ten-year Torflex® axle warranty.

One-year bumper to bumper warranty.

# **Specification Definitions**

GVWR (Gross Vehicle Weight Rating): is the maximum permissible weight cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating): is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be

**UVW (Unloaded Vehicle Weight):** is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water,

CCC (Cargo Carrying Capacity): is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh the black and gray tanks to provide for more cargo capacity.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. © 2023 Rockwood RIV, a Division of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.





assurance in every unit built.

# RV WITH US







@RockwoodRVs

# **CUSTOMER SATISFACTION**



www.ForestRiverBuyLocal.com

# FOREST RIVER

## **FOREST RIVER OWNER'S GUIDE**

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the





YOUR ROCKWOOD DEALER



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



WWW.FORESTRIVERINC.COM/ROCKWOOD 574.642.2640

A Berkshire Hathaway company