

FIFTH WHEELS & TRAVEL TRAILERS

BUILT DIFFERENT

NORTHWOOD





WINDSWEPT INTERIOR

ilino.

MOONSTONE INTERIOR

WP A

-



R



22G CARBON

Fil (02)

0

5



22G CARBON

1 Internation





28F WINDSWEPT

a

NORTH FORK

ABLE WIDE BODY 85"

END

END

TABLE

479

 DINETTE CONVERTS INTO A 40"X 72" SLEEPING AREA

257

PANTR

MED CAR

NARD

0

WARD

WARD

60" × 80"

EP-4EC

O

3

25Y CARBON

1

.

NORTH FORK

ARCTIC FOX NORTH FORK TRAVEL TRAILERS

OHD

TRI-FOLD SOFA

287

MO

oo

WARD

WARE

60" × 80"

TV CA

MORRYCE Step-Aboy NTRY Step

FREE STANDING TABLE W/ 4 CHAIRS

LINEN

EXTERIOR ACCESS STORAGE NTRY

*Optional Theater Seating Shown



ET I

LINEN

WARD

60" × 80"

WARD

WARD

DINETTE CONVERTS INTO A 40"X 76" SLEEPING AREA

40° TELEVISION

29RK

Ø

......

I-Fold Sofe

STEPHAEOVE

*OPTIONAL THEATER SEATING SHOWN

FREE STANDING TABLE W/ 4 CHAIRS

Q

G

STER MER

P

60"

STEP-AROV

× 80"

OHD

TRI-FOLD SOFA

32A

IVICEATICS

MORPYDE STEP-ABOVE ENTRY STEPS 1

32A CARBON

12

*OPTIONAL THEATER SEATING AND ROCKERS SHOWN

is ABSOLUTE NORTHWOOD?



When you purchase an Arctic Fox, you are investing in the best guality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.





FRAME Thick Wall Aluminum w/Solid Anchor Blocking



CABINETS Wall & Ceiling Mounted, Face Frame Construction



NORTHWOOD BUILT **CERTIFIED CHASSIS**



DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.



THICK WALL TUBULAR ALLUMINUM SUPERSTRUCTURE

.060"-.125" (Up to 1/8" Thick) heavy gauge thick wall aluminum tubing in our travel trailers & fifth wheels.



SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS



Quality Superstructure!

BONDED ROOF TRUSS FULL WALK-ON ROOF



UP TO 4" OF EXTRA HEADROOM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is

then applied for a durable, long lasting seal to protect you and your coach from the elements.

Northwood's Bow Trusses

5-1/2 inch center height gives the roof plenty of runoff slope to eliminate standing water.



CUSTOM BUILT FACE FRAME CABINETS

CABINETRY W/SOLID WOOD DOORS, BUILT USING RESIDENTIAL FACE FRAME CONSTRUCTION METHODS & INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG







Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.

Solid Wood

cabinet doors ensure

lasting beauty and

rugged strength.

ABSOLUTE

MIN

Face Frame

cabinets 'high end'

residential quality.

MLM

GLUTE

A TRUE FOUR SEASON **ALL CONDITIONS UNIT**



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN & HOT SOUTHERN CLIMATES

Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing.

Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





***OPTIONAL REFRIGERATOR SHOWN**



9

COL

FREE STANDING TABLE W/ 4 CHAIRS SEAT 0 FIBERGLASS SHOWER 29-5T KING BED STD. 74×80 STEP STEP R TV LOCATION WIDE BODY 8'6" DRESSER

ОНО

TRI-FOLD SOFA

11

FULL WIDTH QUAD SLIDE WARD

OPTIONAL WASHER DRYER

GRANDE RONDE

FULL WIDTH QUAD SLIDE WARD

OPTIONAL WASHER DRYER

1250

BENCH SEAT HAMPER/STG

ARCTIC FOX **GRANDE RONDE 5TH WHEELS**

RI-FOLD SOFA

30-5RD

TV LOCATION

CAROUSEL DINETTE CONVERTS INTO A 43"X 94" SLEEPING AREA

WIDE BODY

MOREYDE STEP-ABOVE ENEWSHEE 12 CU FT FRIDGE

WARD

C

NIGHT STAND

KING BED STD. 74 x 80

TV LOCATION

5RD WINDSWEPT

ARCTIC FOX **GRANDE RONDE 5TH WHEELS**

SM

TVLOCATION

SEAT

FIBERGLASS SHOWER

LUSET

6

STEP-ABOVE ENTRY STERE FULL WIDTH OUAD SLIDE WARD

OPTIONAL WASHER DRYER

0

 $\left[\circ \right]$

TV LOCATION

OHD

THEATER SEATING

KING BED STD.

74×80

TV LOCATION

OHD TRI-FOLD SOFA

E

FREE STANDING TABLE W/

4 CHAIRS

32-5M CARBON ***OPTIONAL FIREPLACE SHOWN**

NOHS SSA

0 FIBERGL

LINEN

STEF

COATS

WIDE BODY 8'6"

TEP-ASOWE

14 CU FT

FREE

STANDING TABLE W/ 4 CHAIRS

Grande Ronde

G

2

KING BED

TV LOCATION

DRESSER

-

FULL WIDTH OUAD SLIDE WARD

OPTIONAL WASHER DRYER

BENCH SEAT



26



EXPLORE NORTHWOOD QUALITY

22

31

IRONHORSE CHASSIS

16

11

23

24 25

37

5 77777

17

(19)

(1)

18

35

33

32 >>

RE

ROOF Full Walk On Roof with **Bonded Roof Truss System** Thick Wall Aluminum w/Solid Anchor Blocking

IDE OUTS 4 Seals, Dual Rack & Pinion Rams (main slides) Insulated, Cross Ventilating Windows

Commercial Grade Linoleum, Fully Insulated Tongue and Groove Plywood (not chipboard)

CHASSIS Custom Built, Independently Tested & Certified

CABINETS Wall & Ceiling Mounted, Face Frame Construction

INSULATION

A True 4 Season Coach

1

NORTHWOOD ROOF TRUSS SYSTEM

- Heavy Gauge One Piece Roof Membrane
 3/8" Plywood Sheathing (Bonded to Trusses)
 R-15 Reflective 'Arctic' Foil Insulation

- 4 R-18 Dual Layer Fiberglass Insulation
 5 Bow Style Roof Trusses (Bonded to Ceiling)
 6 Interior Lamination Grade Lauan Plywood
- 7 Ozite Ceiling Carpet Finish (Grande Ronde 5th Wheels only)

R HIGH DENSITY ONE PIECE LAMINATED WALLS

- 9 Designer Interior Decor Finish Paneling
 9 Heavy Gauge Fully Welded Aluminum Superstructure
 11 Solid Wood Fill Full Thread Depth Anchor Blocking
 12 Virgin 2 Ib Rigid Dense Block Foam Insulation
 13 Steel Inlaid Bonderizer Anchor Strips
 14 Lamination Grade Lauan Plywood Exterior Wall Layer
- 15 Second Lauan Layer 16 Corona Treated High Durability Fiberglass Outer Layer

Arctic Fox is a True Four Season Coach





D DUAL RACK & PINION RAM MAIN SLIDE ROOM

22 White Accent Fiberglass Finish on Slide Out Side Wall 23 4 Seal System 24 w/Inner & Outer Bulb Seal ...including Wiper Seal 25 Continual Seal in Any Position ...and Outer Bulb Seals

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

A MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 26 Northwood Built Ironhorse Chassis
- 27 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
 28 Corrugated Underbelly Panels
 29 Heated and Insulated Large Capacity Holding Tanks

42

TIC FOX

60

39

- 30 Easy Lube Axles and Shocks 31 Heavy Duty Radial Tires 32 Sealed All Metal Heat Ducts

- 33 Aerodynamic Fiberglass Front Cap
 34 Mor/ryde RPB pin box
 35 All Foam Condensation Resistant A/C Ducts 36 Extra Large 'Starlite' Bedroom Skylight

- 37 Large Skylight38 Hi Output Roof Mount A/C
- Roto Molded High Durability Wheel Skirts
 Diamond Scored Sidewall Skirts
- 41 Front Plate Gravel Guard





Photo was taken a few days ago of our 2015 Arctic Fox crossing the Arctic Circle on the Dempster Highway that leads to Inuvik in the Northwest Territories, Canada. This is the beginning of a trip that will start at the Arctic Ocean in June and also take us to both the Pacific and Atlantic Oceans this summer and fall.

Unfortunately the truck and trailer are quite dirty, but show a bit of a testament of the challenge this trip and the Dempster highway was for the unit. No issues with the unit other than the layers of dust and mud from the final stretch of 735 kilometers of mountain gravel road.

Conrad and Margery Baetz





Attached are several photos I took during a recent camping and fishing trip to Bishop Creek Canyon in the Inyo National Forest in California. There are several campgrounds in the canyon. I stayed at Big Trees Campground, a small beautiful campground located adjacent to Bishop creek. The Arctic Fox performed flawlessly! Robert Tranter





About four miles northeast of Alcova WY is BLM's Pete's Draw Campground on the North Platte River. It's dry camping, but I could stay the entire 14 day limit in my 32-5M Mike Zander

Just finished a 40-day 6,500 mile road trip in our 2016 27-5L. We had a wonderful time visiting 11 states, 10 National Parks and 5 National Monuments. The 27-5L performed flawlessly and was very comfortable regardless of the weather. We experienced overnight lows in lower 20's, 7" of snow on the Grand Canyon north rim and last week afternoon highs in the upper 90's. Can't say enough good things about our 27-5L! Dave

NORTHWOOD

ARCTIC FOX NORTH FORK TRAVEL TRAILERS

Northwood Built Ironhorse Chassis

Fully Welded, Thick-Wall Aluminum Frame Construction Corona Treated Fiberglass Laminated, Multi-Layered Substrate Walls & Floor High Density Block Foam Insulation Wide-Body Floorplan / Dinette Slide E-Z Lube Axles 15" Aluminum Wheels / Tires & White Mod Spare Shocks On All Four Wheels Stabilizer Jacks / MORrvde Step Above w/Strut Assist Four Seasons Insulation With R-18 Ceiling R-15 Reflective Foil Insulation in Roof / Slide Heated Holding Tanks / Cathedral Arched Ceiling Aerodynamic One Piece Front Cap w/BackRoad Armor 2 Independently Switched LED Hitch Lights Easy Access LP Cover / Diamond Plate Bumper Wrap LED Interior & Exterior Lighting / Rear View Camera Ready Exterior HD Ladder /Omni-Directional TV Antenna SLAM Door Latches on Pass Thru Storage Doors 12V Light in Storage Compartment LPG Quick Connect & Black Water Flush System **Entry Door Friction Hinge** Exterior Shower / 2 Afox Logo Director's Chairs 10 Gal DSI Gas/Elect Quick Recovery Water Heater 13.5m BTU Air Conditioner w/Condensation-Resistant Ducting 12V LED Awning w/Adjustable Pitch

Standard Features SolX 4 - 400 Watt Solar Package 12-Volt Power Tongue Jack **Outside Speakers/Battery Disconnect** Frameless Thermal Pane Windows Generator Ready / Satellite Ready Interior Command Center 2.000 Watt Inverter W/Trans Switch Bedroom Carpet w/ Pad **Roller Bearing Drawer Glides** Slow Rise Night Shades 32" 12v LED TV & AM/FM Stereo w/Bluetooth Smoke, LPG & CO Leak Detectors Charge Wizard / Digital Thermostat Jackknife Sofa With Decorative Throw Pillows Booth Dinette / Premium Vent - Kitchen (Exhaust Only) Solid Surface Kitchen Countertops Custom One Piece Formed Countertops & Dinette Table 10 Cubic Foot 12 Volt Stainless Steel Refrigerator Solid Surface Bathroom Countertops w/SS Sink Dayliter Kitchen Skylight w/ Shade Premium Fan Vent (Bedroom) Porcelain, Foot-Pedal Toilet / Bath Skylight Premium Fan Vent - Bathroom (Exhaust Only) Hide-Away, Retractable Shower Screen Enclosure Garden Tub or Full Tub NW TruRest Queen Mattress w/ Bedspread Recessed Storage Headboard

USB Charging Ports & 110 Outlets on Both Sides of Bed

Options Battery Box Kit Weathergaurd Main Awning 15K Low Pro Air Conditioner w/Ducting 15K Air Conditioner w/ Ducting 2" Receiver Hitch Holding Tank Heat Pads (All Tanks) PWR Dual Motor Sliding Stab Jacks, Front & Rear Bedroom Carpet w/Pad 2.5 Onan LP Gen(22G, 25R)-----(tied to 11K A/C option) 3.6 Onan LP Gen(28F) SolX 6- +200 Watts of Solar SolX 8- +400 Watts of Solar SolX 10- +600 Watts of Solar(28F,29RK,32A) 400AH Lithium Battery FoxForward Multi-plex System **100AH Lithium Battery 5 Point Leveling System** Winegard Carryout G2+ Sat Dish-------(DISH/DIRECT) 11K Pwr Saver A/C----(use w/2.5 Generator option) RV BBQ **Rear View Camera Gateway Router**

Standard Features Northwood Built Ironhorse Chassis Fully Welded, Thick-Wall Aluminum Frame Construction Corona Treated Fiberglass Laminated, Multi-Lavered Substrate Walls & Floor **High Density Block Foam Insulation** Wide-Body Floorplan/MORryde Step Above w/Strut Assist E-Z Lube Axles Heavy Duty Greaseable Suspension / 2" Receiver Hitch 16" Aluminum Wheels / Tires & White Mod Spare MORryde RPB Pin Box / 4 Point Leveling System Ward-Linen Closet Slide / Flush Floor Super Slide Four Seasons Insulation With R-18 Ceiling R-15 Reflective Foil Insulation in Roof / Slides Heated Holding Tanks / Cathedral Arched Ceiling Aerodynamic One Piece Front Cap 2 Independently Switched LED Hitch Lights Fiberglass Rear Cap / LED Cap Accent Lights LED Interior & Exterior Lighting / Rear View Camera Ready Exterior HD Ladder / SolX 4 - 400 Watt Solar Package **Exterior Convenience Center** SLAM Latch Luggage Doors LPG Quick Connect & Black Water Flush System Entry Door Friction Hinge Exterior Shower / 2 Afox Logo Director's Chairs 16 Gal DSI Gas/Elect Quick Recovery Water Heater 13.5m BTU Air Conditioner w/Condensation-Resistant Ducting 12V LED Awning w/Adjustable Pitch HW Electric Power Reel / Digital Thermostat/50 Amp Service **Outside Speakers/Battery Disconnect**

Frameless Thermal Pane Windows w/Custom Wood Trim

Fifth Wheels

GRANDE RONDE

Omni-Directional TV Antenna/Generator Ready / Satellite Ready **Exterior Security Lights** Interior Command Center **Roller Bearing Drawer Glides** Slow Rise Night Shades 32" 110 LED Smart TV & AM/FM Stereo w/Bluetooth Smoke, LPG & CO Leak Detectors / Charge Wizard Free-Standing Table With 4 Chairs Solid Surface Kitchen Countertops 1.5 Cu Ft Over-The-Range, Convection Micro w/Range Hood 10 Cu Ft 12V Refer Premium Fan Vent w/Remote/Tstat/Rain Sensor (Kitchen) Solid Surface Bathroom Countertops w/SS Sink Exhaust Only Premium Fan Vent - Bathroom Porcelain, Foot-Pedal Toilet / Bath Skylight **Glass Shower Enclosure** Garden Pan / Bathroom Courtesy Light Telescoping Lighted Vanity Mirror / Lock Box NW TruRest Mattress w/UltraDeck Sleep System Premium Fan Vent w/Remote/Tstat/Rain Sen (Bedroom) Bedroom Starlite w/ Shade USB Charging Ports & 110 Outlets on Both Sides of Bed

Options 32" 110V LED Smart TV Bedroom Surround-Soundbar Slide-Out Topper Weathergaurd Main Awning 2nd A/C (Low Pro 13.5K) ------ Replaces Bdrm Fan Vent -- 50 Amp Service Required 15K Low Pro Air Conditioner w/Ducting--15K Air Conditioner w/ Ducting Holding Tank Heat Pads (All Tanks) PWR Dual Motor Sliding Stab Jacks, Rear 3.6 Onan LP Generator 5.5 Onan Gold LP Gen... .50 Amp Service Required SolX 6- +200 Watts of Solar SolX 8- +400 Watts of Solar SolX 10- +600 Watts of Solar 3000 Watt Inverter w/400AH Li Battery **400AH Lithium Battery** FoxForward Multi-plex System 100AH Lithium Battery Winegard Carryout G2+. ...Sat Dish (DISH/DIRECT) (HD Sat-Call For Options RV BBQ Rear View Camera **Gateway Router**





Send us your testimonial with your pictures and you may be featured in our future promotions. Send your information to: feedback@northwoodmail.com



YOUR LOCAL DEALER:

MOR		
	IRONHORSE	QUALITY
¥ Tı	avel Trail	ers

NORTH FORK

Descrihrini	april and a second		the starts	A STATE	10.1		a second	The second second	A de la composition de la comp	S. Carlos				
Model Number	22G	25R	25W	25Y	28F	29RK	32A	27-5L	29-5K	29-5T	30-5RD	32-5M	36-5VS	
Dry Axle Weight (approx. Lbs.)	4936	5898	6831	6640	7533	7705	7864	8689	10059	10140	10210	10563	11690	Ē
Dry Hitch Weight (approx. Lbs.)	599	711	764	802	769	805	1030	2246	2895	2490	2280	2928	2830	3
Net Carrying Capacity	1965	4091	3105	3258	2698	1890	2106	2665	3346	3170	3110	2809	1780	2
Gross Dry Weight-Ibs (approx. Lbs.)	5535	6609	7595	7442	8302	8510	8894	10935	12954	12630	12490	13491	14520	1
Gross Vehicle Weight Rating (GVWR)-Lbs.	7500	10700	10700	10700	11000	10400	11000	13600	16300	15800	15600	16300	16300	Ē
Exterior Length (approx. w/hitch)	23'10"	27'3"	29'6"	30'0"	30'0"	32'3"	34'4"	29'9"	35'10"	34'7"	35'1"	36'10"	39'8"	E
Exterior Height (approx. incl. AC unit)	11'4"	11'7"	11'7"	11'7"	11'11"	11'11"	11'11"	13'5"	13'6"	13'4"	13'6"	13'5"	13'5"	3
Exterior Width (approx. w/o awning)	8'6"	8'6"	8'6"	8'6"	8'0"	8'0"	8'0"	8'6"	8'6"	8'6"	8'6"	8'6"	8'6"	
Tire Size	ST225	ST225	ST225	ST225	ST235	ST235	ST235	ST235	LT235	ST235	LT235	LT235	LT235	Ē
	75R15	75R15	75R15	75R15	80R16	80R16	80R16	80R16	85R16	85R16	85R16	85R16	85R16	E
Load Range	E	E	E	E	E CE	E	E	E	G	G	G	G	G	E.
Fresh Water w/ Water Heater (approx. gal.)	50	63	57	57	58	58	67	88	88	88	88	88	88	
Gray Water Tank (approx. gal.)	42	44	35/35	47	40	35/40	55	67/35	67/35	67	72	67	67	2
Black Water Tank (approx. gal.)	35	35	35	35	35	35	42	65	65	65	65	65	65	3
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	20	20	20	20	20	20	5
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	
Auto Ignition Eurnace (1 000 BTU's)	25	25	30	30	30	30	30	35	35	35	35	35	35	

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com - Arctic Fox Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.