




KEYSTONE
SINCE 1996

BULLET

TRAVEL TRAILERS



2026

FLOORPLANS and SPECIFICATIONS





KEYSTONE
SINCE 1996

BULLET

TRAVEL TRAILERS

NEW CLASSICS



 **BULLET**


CLASSIC



BULLET


CLASSIC TRAVEL TRAILERS

16BHC Single Axle



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
2,860	1,120	300	21	34	34	20'2"	8'	10'4"	12'


16RBC Single Axle



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
2,735	1,265	310	21	34	34	20'5"	8'	10'4"	12'


CLASSIC

18RBC



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
3,855	1,445	475	45	34	34	22'4"	8'	10'9"	14'

21RKC



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
4,490	2,010	505	45	34	34	25'5"	8'	10'9"	16'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult Keystone's web site at www.keystone.com for more current product information and specifications. New Vehicle Disclaimer: CAUTION: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability for damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/connector to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystone.com.

VISIT OUR WEBSITE FOR PHOTOS,
360° TOURS, AND FULL PRODUCT DETAILS







BULLET

CLASSIC TRAVEL TRAILERS


CLASSIC



26BHC



28QBC



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
5,130	1,870	660	45	34	34	30'4"	8'	10'9"	16'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult Keystone's web site at www.keystone.com for more current product information and specifications. New Vehicle Disclaimer: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer as their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability for damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystone.com.

VISIT OUR WEBSITE FOR PHOTOS, 360° TOURS, AND FULL PRODUCT DETAILS





BULLET

CLASSIC TRAVEL TRAILERS

EXTERIOR FEATURES

- FORCED HEAT and ENCLOSED UNDERBELLY
- HYPERDECK® COMPOSITE FLOORING
- SOLAR FLEX PROTECT PACKAGE 220W OPTIONAL
- ALUMINUM WHEELS **NEW**
- EXTERIOR “EDGEVIEW” TRIM LIGHTING – W/DIMMER
- SOLID STEP ENTRY **NEW**
- POWER PKG: POWER TONGUE JACK, POWER AWNING
- LARGE FOLDING GRAB HANDLE **NEW**
- STANDARD SPARE TIRE
- OUTSIDE SHOWER
- 15BTU A/C **NEW**
- WALK ON ROOF
- DUAL LP TANKS W/COVER

INTERIOR FEATURES

- CONVECTION MICROWAVE **NEW**
- ON DEMAND TANKLESS WATER HEATER
- THERMOFORMED SEAMLESS COUNTERTOPS **NEW**
- LUXURY SHOWER SURROUND
- LED TV **NEW**
- 8 CU FT 12V REFER
- 500lb CAPACITY BUNKS

CLASSIC



WATER-RESISTANT RV FLOORS
ALL BULLET TRAVEL TRAILERS

HYPERDECK™



KEYSTONE
SINCE 1996

BULLET

TRAVEL TRAILERS

CROSSFIRE **AND** PREMIUM



 **BULLET**




CROSSFIRE

BULLET


CROSSFIRE TRAVEL TRAILERS

2290BHWE




WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
5,644	1,956	630	54	38	38	27'0"	8'	11'1"	19'

245RKSWE




WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
6,065	1,535	715	54	38	76	28'8"	8'	11'1"	19'

2530RDWE



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
6,01	1,588	640	54	38	76	29'10"	8'	11'1"	21'

260RBSWE



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
6,686	2,114	690	54	38	76	30'6"	8'	11'1"	21'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult Keystone's web site at www.keystone.com for more current product information and specifications. New Vehicle Disclaimer: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability for damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystone.com.

VISIT OUR WEBSITE FOR PHOTOS,
360° TOURS, AND FULL PRODUCT DETAILS






CROSSFIRE

BULLET


CROSSFIRE TRAVEL TRAILERS

287RLSWE



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
7,399	1,401	955	54	38	76	32'7"	8'	11'1"	10'10"

290BHSWE



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
6,956	2,044	820	54	38	76	33'3"	8'	11'1"	21'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult Keystone's web site at www.keystone.com for more current product information and specifications. **Tow Vehicle Disclaimer:** Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability for damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystone.com.

VISIT OUR WEBSITE FOR PHOTOS,
360° TOURS, AND FULL PRODUCT DETAILS






PREMIUM

BULLET


PREMIUM TRAVEL TRAILERS

265FKS




WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
7,140	1,360	855	54	38	76	30'10"	8'	11'3"	19'

310RES




WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
8,279	2,221	1,035	54	38	76	35'11"	8'	11'4"	11'11"

330BKQ



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
8,434	2,066	975	54	76	76	37'11"	8'	11'4"	21'

336BBK



WEIGHT	CARRYING CAPACITY	HITCH WEIGHT	FRESH WATER	WASTE WATER	GRAY WATER	OVERALL LENGTH	WIDTH	HEIGHT	AWNING
8,355	2,645	1,070	54	38	76	37'9"	8'	11'3"	21'

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult Keystone's web site at www.keystone.com for more current product information and specifications. New Vehicle Disclaimer: Owners of Keystone recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer as their dealer concerning the purchase and use of suitable tow vehicles for Keystone products. Keystone disclaims any liability for damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. KEYSTONE'S LIMITED WARRANTY DOES NOT COVER DAMAGE TO THE RECREATIONAL VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE SELECTION, OPERATION, USE OR MISUSE OF THE TOW VEHICLE. *Length is defined as the distance from the centerline of hitch pin/coupler to rear bumper of trailer. ** Fresh water capacity includes water heater. Please review owner's manual prior to purchase for more information on service warranties, extended use, towing and maintenance. Owner's manuals can be found at keystone.com.

VISIT OUR WEBSITE FOR PHOTOS, 360° TOURS, AND FULL PRODUCT DETAILS



- **FORCED HEAT** and **ENCLOSED UNDERBELLY**
- **ENCLOSED GATE VALVES** and **DOCKING STATIONS**
- **12V TANK PAD HEATERS****
- **ADDITIONAL ASTRO FOIL BARRIER ADDED TO UNDERBELLY****
- **SOLAR FLEX PROTECT PACKAGE 220W**
- **DEXTER® TORFLEX TORSION SUSPENSION SYSTEM**
- **ALUMINUM WHEELS** STD ON PREMIUM / CROSSFIRE **
- **GOODYEAR ENDURANCE TIRES**
- **2" 300LB RECEIVER HITCH** GREAT FOR E-BIKES **
- **ON DEMAND TANKLESS WATER HEATER**
- **VAULTED CEILINGS + LED TRIM LIGHTS W/DIMMER**
- **THERMOSET RESIN FRONT CAP:**
50% LIGHTER and 4X STRONGER THAN FG + RATED @ -40 DEGREES
- **EXTERIOR "EDGEVIEW" TRIM LIGHTING – FRONT and BACK**
- **3-IN-1 MICROWAVE: CONVECTION-MICROWAVE-AIR FRYER**
STILL COMES W/RANGE TOP and OVEN
- **12V SMART LED TV**
- **POWER PACKAGE: POWER TONGUE JACK, POWER STABILIZER JACKS, POWER AWNING**
- **SOLID SURFACE COUNTERTOPS** PREMIUM ONLY
- **UPGRADED WOODTRIM VALANCES and LAMBRIQUINS**
W/BLACKOUT SHADES and WINDOWSILLS.

FEATURES



BULLET CROSSFIRE



BULLET PREMIUM



****PART OF PENDLETON PACKAGE / CROSSFIRE ONLY**

DISCLAIMER: Product information is as accurate as possible as of the date of publication of this publication. All features, floor plans, and specifications in this publication are subject to change without notice. Please also consult the dealer's website at www.bulletrv.com for the most current product information and specifications. The Bulletrv Disclaimer: CAUTION: Owners of Bulletrv recreational vehicles are solely responsible for the selection and proper use of tow vehicles. All customers should consult with a motor vehicle manufacturer or their dealer concerning the purchase and use of suitable tow vehicles for Bulletrv products. Bulletrv disclaims any liability or damages suffered as a result of the selection, operation, use or misuse of a tow vehicle. BULLETRV'S LIMITED WARRANTY DOES NOT COVER DAMAGES TO THE ASSOCIATED TOW VEHICLE OR THE TOW VEHICLE AS A RESULT OF THE TOW VEHICLE'S OPERATION. Read an article by the tow vehicle. *Tongue is attached to the vehicle from the selection of this package to your dealer of choice. ** Each water pump is included with the package. Please review owner's manual prior to operation for more information on correct operation, electrical use, towing and maintenance. Dealer's manual can be found at bulletrv.com.

CLASSIC



CROSSFIRE



PREMIUM

