





## TT - DOUBLE AXLE STANDARD FEATURES

- ▶ 81" Interior Height
- 2" Sidewalls with Azdel on **Both Sides**
- ▶ 5" Vacuum-bonded roof
- ► 15k BTU Ducted AC
- ► Heated and Enclosed Underbelly ► 200 Watt Roof Mounted Solar
- ▶ 35k BTU Furnace

- Universal Docking Station with **Drop Frame Construction**
- High Output On-Demand Hot Water Heater
- Automotive Painted Front Cap
- Panel with 30 Amp Controller
- Power Awning
  - ► Aluminum Rims
  - ▶ Goodyear® Tires (Mandatory)
  - ► Individually Controlled Power Stabilizer Jacks
  - Power Tongue Jack
  - Slam Latch Baggage Doors


























- ▶ 81" Interior Height
- ► 1.5" Sidewalls with Azdel on Both Sides
- ▶ 5" Vacuum-bonded roof
- ► 15k BTU Ducted AC
- ► Heated and Enclosed Underbelly
- Universal Docking Station
- ► High Output On-Demand Hot Water Heater
- ► 19k BTU Furnace
- 200 Watt Roof Mounted Solar Panel with 30 Amp Controller
- ► Aluminum Rims
- ▶ Goodyear® Tires (Mandatory)
- Power Awning





1600 MRB-LE









## KTH TOYHAULER STANDARD FEATURES

- ▶ 50 Amp Service (Mandatory)
- 2nd I5k AC (Mandatory)
- ▶ 3/4" Marine Grade Composite Flooring
- ▶ 30 Gallon Fuel Station
- Side & Rear Power Awning with LED Lights
- Full Magnetic Rail Kit
- ➤ 3 Seasons Door with Adjustable Glass Panels
- ► Happijac<sup>®</sup> Bunk System
- ► 101" Wide Body Construction
- ▶ 96" Ceiling Height Throughout
- Generator-Ready
- ▶ 400 Watt Solar Power with 2 Batteries and a 30 Amp Controller
- ► Aluminum Rims
- ▶ Goodyear® Tires (Mandatory)
- Power Tongue Jack
- ► Individually Controlled Power Stabilizer Jacks



















## XTREME 365 STANDARD FEATURES

- ▶ 50 Amp Service (Mandatory)
- ► Two I5k ACs with Heat Pumps
- ► 101" Wide Body Construction
- ▶ 5" Vacuum-Bonded Roof
- ➤ 3" Laminated Walls with Azdel on Both Sides
- ▶ 96" Interior Ceiling Height Throughout
- Dual Pane Windows
- ▶ Double-Insulated Floors with a ThermoFoil Barrier
- Forced Air Heated Underbelly with Additional Tank and Water line Heaters
- ► Aluminum Rims
- ▶ Goodyear® Tires (Mandatory)
- Power Awning
- ► Individually Controlled Power Stabilizer Jacks
- Power Tongue Jack
- Slam Latch Baggage Doors
- Washer / Dryer Prep
- Oversized 40k BTU Furnace
- ▶ 5k BTU Electric Fireplace
- ► 400 Watt Solar Power with 2 Batteries and a 30 Amp Controller
- ► Heated Pass-through Storage
- ► 16.2 Cu. Ft. 12v Residential-Inspired Refrigerator
- ▶ 24" Residential-Inspired Free-Standing Range





EXT. HEIGHT: 11' 2" BOX LENGTH: 24 5" \*\* LENGTH: 28' 4" \* WIDTH: 96" \* UVW (LBS.): 6,065



EXT. HEIGHT: 11' 2" BOX LENGTH: 29' 2" \*\* LENGTH: 33' 8" \* WIDTH: 96" \* UVW (LBS.): 6,812





EXT. HEIGHT: 12' 6" BOX LENGTH: 33' 2" \*\*LENGTH: 37' 8" \* WIDTH: 96"1 \* UVW (LBS.): 7,911 \*HITCH (LBS.); 891 CCC (LBS.); 3.380 \*GVWR; 11.291 ‡TANKS (F/B/G); 53 30 60 TIRE SIZE; 15"



EXT. HEIGHT: 10' 6" BOX LENGTH: 18' 5" \*\* LENGTH: 22' 8" \* WIDTH: 96" \* UVW (LBS.): 3,960 \*HITCH (LBS.): 470 CCC (LBS.): 1,672 \*GVWR: 5,670 ‡TANKS (F/B/G): 46 30 30 TIRE SIZE: 15"





EXT. HEIGHT: 11' 2" BOX LENGTH: 29' 2" \*\*LENGTH: 33' 8" \* WIDTH: 96" \* UVW (LBS.): 7,228 







EXT. HEIGHT: 11' 2" BOX LENGTH: 18' 6" \*\* LENGTH: 25' \* WIDTH: 96" \* UVW (LBS.): 5,463 \*HITCH (LBS.): 610 CCC (LBS.): 2,147 \*GVWR: 7,610 ‡TANKS (F/B/G): 46 30 30 TIRE SIZE: 15"



EXT. HEIGHT: 11' 2" BOX LENGTH: 25' 7" \*\*LENGTH: 30' 5" \*WIDTH: 96" \*UVW (LBS.): 6,161 \*HITCH (LBS.): 660 CCC (LBS.): 3,299 \*GVWR: 9,460 \*TANKS (F/B/G): 53 30 60 TIRE SIZE: 15"



EXT. HEIGHT: 11' 2" BOX LENGTH: 29' 1" \*\* LENGTH: 33' 7" \* WIDTH: 96" \* UVW (LBS.): 6,851 \*HITCH (LBS.): 778 CCC (LBS.): 2,727 \*GVWR: 9,578 ‡TANKS (F/B/G): 53 30 60 TIRE SIZE: 15"



EXT. HEIGHT: 12' 9" BOX LENGTH: 31' 11" \*\* LENGTH: 35' 6" \* WIDTH: 101" \* UVW (LBS.): 8,830 \*HITCH (LBS.): 1,205 CCC (LBS.): 2,537 \*GVWR: 11,405 \* TANKS (F/B/G): 53 30 90 TIRE SIZE: 15"



EXT. HEIGHT: 12' 9" BOX LENGTH: 33' 8" \*\* LENGTH: 38' 5" \* WIDTH: 101" \* UVW (LBS.): 10,275 \*HITCH (LBS.): 1.195 CCC (LBS.): 1.366 \*GVWR: 11.700 \*TANKS (F/B/G): 53 30 60 TIRE SIZE: 15"

## **ALTA STANDARD PACKAGES & OPTIONS**

	TT	LE	KTH	КХТ		TT	LE	KTH	KX
LUXE DÉCOR PACKAGE (MANDATORY)					ADVANTAGE PACKAGE (MANDATORY)				
81" Interior Ceiling Height	•	•			5" Vacuum Bonded Roof	•	•	•	•
96" Interior Ceiling Height			•	•	3" Laminated Sidewalls with Azdel on				
10.7 Cubic Foot 12 Volt Black Glass					both Sides				•
Residential-Inspired Refrigerator	•	•	•		2" Laminated Sidewalls with Azdel on				
3-Burner Range w/ Oven	•		•	•	both Sides (11/2" on LE)	•		•	
Xtreme Appliance Package -19.2 Cubic Foot					Aluminum Rims	•	•	•	•
Double Door 12 Volt Refer w/ Free-standing					Universal Docking Station	•	•	•	•
Range (Xtreme 365 only)				•	Water Heater Bypass	•	•	•	•
Solid Bedroom Door Where Available	•		•	•	Power Awning with LED Lights & Auto Dump	•	•	•	•
Cable/Satellite Ready	•	•	•	•	Enclosed & Heated Underbelly	•	•	•	•
USB Charging Stations (Beds, Bunks, &					Flush Floor Slide Out Where Available	•			•
Tables Where Available)	•	•	•	•	15,000 BTU Ducted Air Conditioner with				
Sink Cover	•	•	•	•	Quick Cool	•	•	•	•
Tri-fold "Ez-Out" Sleeper Sofa Where Available	•		•	•	15,000 BTU Ducted Air Conditioner with				
Designer Solid Surface Countertops	•	•	•	•	Heat Pumps (Xtreme 365 only)				•
Skylight Above Shower	•	•	•		Tank & Water Line Heaters (Xtreme 365 only)				•
4k Interior LED Lights	•	•	•	•	Black Tank Flush	•	•	•	•
ABS Tub Surround & Cabinet In Bath					Outside Shower with Hot & Cold Water	•	•	•	•
Where Available	•	•		•	High Output On-Demand Tankless Water Heater	•	•	•	•
Oversized Window Package with Valance and					High Definition/Amplified TV Antenna				
Lambrequin Window Treatments	•	•	•	•	with Wi-Fi Prep	•	•	•	•
Black Roller Shades	•	•	•	•	Backup Camera Prep	•	•	•	•
Dual Pane Windows (Xtreme 365 only)				•	Rear Ladder	•	•	•	•
Porcelain Foot Flush Toilet	•		•	•	Diamond Plate Front Rock Guard	•	•	•	•
48" Dinette Where Available, With Pullout					Exterior LED Lights	•	•	•	•
Storage Drawers Underneath Where Available	•		•	•	Detachable Power Cord	•	•	•	•
Upgraded Residential-Inspired Linoleum Flooring	•	•	•	•	Power Tongue Jack with LED Light	•		•	•
19,000 BTU Furnace (LE only)		•			2nd Power Awning Control in the				
35,000 BTU Furnace (TT, KTH only)	•		•		Pass Through Storage Compartment	•	•		•
40,000 BTU Furnace (Xtreme 365 only)				•	Exterior Swing Arm Entry Assist Handle	•	•	•	•
2 Zone Sound System Bluetooth / HDMI Connectivity	•	•	•	•	4-Point Individually Controlled Power				
Pet Drawer Where Available	•				Stabilizer Jacks	•		•	•
Under Bed Storage Where Available	•			•	Marine Grade Exterior Speakers	•	•	•	•

)	Upper Bunk Window	•	•	•	•
	R.V.Q. Quick Connect	•	•	•	•
	High Pressure Fresh Water Fill	•	•	•	•
	OPTIONS				
	Goodyear® Tires (Mandatory on all models)	•	•	•	•
	Solid Entry Step (Mandatory all Models)	•	•	•	•
	Theater Seating IPO Tri-fold Sofa				
	Where Available	•			•
	60" x 80" Queen Bed	•		•	•
	32" LED Smart TV	•	•	11	
	40" LED Smart TV (N/A 1600MRB-LE,				
	1900MMK, 2210MBH)	•		•	
	50" LED Smart TV				•
	50 Amp Service with 2nd A/C Prep:				
	(Mandatory on 2600KRB 2800KBH,				
	2810KIK, 2850KRL, 2900KBH, 3150KBH)	•			
	50 Amp Service with 2nd 15,000 BTU A/C				
	Installed (Mandatory on 2400KTH,				
	2870KTH, 3100KXT, 3250KXT)			•	•
	Free-standing Dinette IPO Booth				
	(N/A 1600MRB-LE, 1900MMK, 2350KRK,				
	2400KTH, 2870KTH)	•			•
	Alta Solar Package - 200 Watt Panel,				
	30 Amp Controller, Battery, Box, and				
	Disconnect. (Mandatory on TT & LE)	•	•		
	West Coast Power Package - 200 Watt Panel,				
	30 Amp Controller and Second Battery				
	(Mandatory on KTH & KXT)	•	•	•	•

TT LE KTH KXT

TT (Travel Trailer) LE (Single Axle) KTH (Toy Hauler) KXT (Xtreme 365)

- 1 R34\*,1"x3" Aluminum double welded floor joist,16" on center on TT (R38 on Xtreme 11 Twin 20 LB LP bottles with auto switch over & easy access cover 365) (R34 one piece composite floor on KTH)
- 2 Thermofoil insulation with glued and screwed 5/8" tongue & groove plywood floor (KTH 3/4" one piece composite floor)
- 3 R10 \*. 2" Aluminum double welded sidewalls on TT & KTH (R7\*,11/2" on LE) (R15\* on Xtreme 365)
- 4 Laminated sidewalls with Azdel® on board both inside and out
- 5 R21\*. Aluminum trussed vacuum-bonded roof
- 6 Alpha Ply® roof with Limited Lifetime Warranty
- 7 Automotive painted fiberglass front cap with diamond plate rock guard & LED marker lights (N/A on LE)
- 8 Heavy duty slam-latch baggage with doors and finished pass thru storage
- 9 4- Power stabilizer jacks with individual controls (N/A on LE)
- 10 Electric power tongue jack with LED light (N/A on LE)

- (Single 20 LB on LE) (Dual 30 LB on Xtreme 365)
- 12 15,000 BTU ducted A/C (With added heat pumps on Xtreme 365)
- 13 Aluminum wheels with Goodvear® tires
- 14 Drop frame (N/A on LE, KTH)
- 15 Tinted safety glass windows (Dual pane on Xtreme 365)
- 16 Enclosed and forced-air heated underbelly (Tank and water line heaters Xtreme 365)
- 17 One piece linoleum flooring throughout
- 18 High density block foam insulation in the laminated walls & roof
- 19 Aluminum framed sidewalls, roof, slide box, and radius front cage
- 20 35k BTU furnace on TT & KTH (40k BTU on Xtreme 365) (19k BTU on LE)

\*EOUIVALENT THERMAL RESISTANCE. CALCULATED R-VALUE



Aluminum Rims

#### OUR COMPANY TAKES PRIDE IN OUR FIVE GUIDING PRINCIPLES AND OUR CORPORATE PHILOSOPHY

which focuses on people working together to create high quality, value-added products that deliver the ultimate RV experience.

# Sustainable Manufacturing

An important objective to our strategy and operations is to implement economically sound manufacturing processes to reduce/recycle waste & conserve energy and natural resources.

# Corporate & Social Responsibility

We foster a business environment in which we focus on and practice:

- Ethical Labor Practices
  - Teamwork Philanthropy
  - Volunteering

#### **Culture & Values**

We are a forward thinking company committed to fostering a culture of teamwork. By being transparent, we encourage our employees to think outside the box and make a difference!

#### **Quality & Construction**

Our team takes pride in each unit we build. Our manufacturing standards and point to point inspections ensure each EAST TO WEST brand is built to the same quality specifications every time.

#### Our Commitment

We strive to provide the highest quality products at the best possible price to our customers. We invite you to be a part of the EAST TO WEST family and we look forward to exceeding your expectations!



### 24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



**\*VALID FOR 1 YEAR FROM DATE OF PURCHASE** 



#### earn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.

3000 COUNTY ROAD 6 WEST ELKHART, IN 46514 WWW.EASTTOWESTRV.COM/ALTA 574.264.6664





A Berkshire Hathaway company.



**CUSTOMER SATISFACTION** 

FOREST RIVER encourages you to

BUY
LOCAL

ORDER

O

www.ForestRiverBuyLocal.com



#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

## SPECIFICATION DEFINITIONS

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles

UVW (Unloaded Vehicle Weight)\*- is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and De Sas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate trap totable water (8.3 bsp erg gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\* Estimated average based on standard build optional equipment

Each Forest River RV is weighted at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

Litho. U.S.A. FOR 2305 P&W: 2023.09.20