



**German Engineered. European Designed. North American Built.**

Since 1956, Hymer has been known throughout Europe as the “German standard,” the original, the epitome of the motorhome and recreational adventuring. Now, Hymer brings the legend to North America with the Aktiv, Aktiv 2.0, Aktiv 2.0 Loft Edition, and the new Touring GT travel trailer. Give yourself a new way to embrace your inner wanderer. Get ready to discover what you’ve been missing by choosing any Hymer class B or travel trailer model today!



### **Aktiv**

Built on the standard RAM Promaster chassis, with a premium design and feel, the Aktiv by Hymer is everything you never thought possible.



### **Aktiv 2.0**

The Aktiv 2.0 offers an extended chassis and optional rear power sofa, features a European styled interior with soft composite leather seating in a beautiful buttercream finish.



### **Aktiv 2.0 Loft Edition**

The Aktiv 2.0 Loft Edition provides the comforts of the Aktiv, but with the added space of the loft sleeping area in the pop top roof.



### **Touring GT**

The Hymer Touring GT is an ultra light-weight travel trailer that is easy to tow and features a sleek European design.

# AKTIV



gohymer.com | 1.844.CO HYMER

**EHYMER**

## Coach features

	Standard	Optional
Air conditioner – 110 V, 11,000 BTU roof mount	X	
Awning – 12' / 3,657 mm power awning	X	
Bathroom – permanently enclosed full bathroom	X	
Battery – 2 x 6V AGM batteries	X	
Detectors – smoke, propane and CO	X	
EcoTrek 400 lithium power module		X
External power connection – w/coax and RCA plugs	X	
Furnace – Truma Combi air and water heater - 14,300 BTU	X	
Generator – underhood 280 AMP, 12V	X	
Mattress – foldable, rear queen bed	X	
Mattress – for additional sleeping at the front of the RV		X
Microwave oven – 110 V, 20 L / 0.7 cu. ft., 700 W	X	
Monitor panel – water, propane and battery charge levels	X	
Power inverter/converter/transfer switch – 12/110 V, 2,000 W	X	
Propane tank – 5.9 U.S. gal. / 22 L	X	
Refrigerator – 12 V/110 V, 3.1 cu. ft.	X	
Screen package – passenger side door, rear cargo door	X	
Solar charging system – 250W with charge controller		X
Stove – propane; two burner recessed with flush cover	X	
TV – 24" HD flat screen on rotating bracket with remote and DVD player w/HDMI hookup	X	
VoltStart – auto-start battery protection technology		X

## Specifications

Base model	Ram Promaster 2500 regular van
Seating capacity	Four
Sleeping capacity	Up to four
Rear queen bed (width x length)	72.5" x 55.5" (1842 mm x 1397 mm)
Interior standing height	6' 1" / 1854 mm
Interior aisle width	19" / 483 mm
Fuel type (capacity)	Gas – 24 U.S. gal. / 91 L
Cassette toilet system	4.6 U.S. gal. / 17 L
Wheelbase	159" / 4039 mm
Exterior length	19' 7" / 5969 mm
Exterior width (excluding mirrors)	6' 11" / 2108 mm
Exterior height (with roof AC)	9' 5" / 2870 mm
Maximum GVWR	9350 lbs. / 4241 kg
Loaded vehicle weight	8050 lbs. / 3651 kg
Occupant and Cargo Carrying Capacity	1300 lbs. / 590 kg
Fresh water capacity	30 U.S. gal. / 114 L
Gray water capacity	23 U.S. gal. / 110 L

## Exterior paint options



Sandstone Pearl



Silver Metallic



Bright White



Granite Metallic



## Chassis features

	Standard	Optional
Airbag – driver and passenger	X	
Alternator – 220 AMP	X	
Axle – rear - 3.86 ratio	X	
Battery – 800 AMP	X	
Brakes – anti-lock (ABS), four wheel disc	X	
Camera – rear-view backup	X	
Cassette toilet system	X	
Climate control	X	
Continental spare tire carrier and spare tire	X	
Cruise control	X	
Engine – 3.6 L gas V6, 24 valve	X	
External quick connect propane	X	
Interior LED lighting	X	
Power – 209 kW/280 HP	X	
Power mirrors	X	
Power front door step – driver and passenger		X
Power side entry door step	X	
Radio – AM/FM/CD/DVD/USB/GPS navigation, Bluetooth and steering wheel controls	X	
Receiver hitch – Class 3 with 4 & 7 pin connectors	X	
Stability program – including wind assist, sway assist, drift compensation, trailer sway, engine drag control, rollover mitigation, electronic stability control.	X	
Telescopic steering	X	
Tires – LT225/75R16E black wall	X	
Torque – 352 Nm/260 lb.-ft.	X	
Transmission – automatic 6-speed TE	X	
Wheels – 16" aluminum polished	X	
Window operation – power, front doors	X	

## Layout

Day Layout



Night Layout





## A Revolutionary Power Module

Erwin Hymer Group North America has revolutionized the boondocking experience with the introduction of EcoTrek, a lithium power module that takes the worry out of battery management and lets you enjoy the RV lifestyle to the fullest.

The only proprietary technology to hit the RV market, EcoTrek is available exclusively through Erwin Hymer Group North America.

Available in 400, 800 and 1600 modules, the EcoTrek power module has a system to fit on all models and takes you completely off the grid for the freedom to go anywhere.



Lithium cell construction using iron phosphate is the safest battery chemistry on the market today; the modules are housed in a sealed unit for a full cell protection system. We have even gone a step further with vigorous 3rd party safety testing, and the EcoTrek power modules stood the test of time.

### Features

- Climate system ensures your module will charge and discharge in any weather conditions, from the hot summer sun to the cold winter nights.
- Charge controls give you the flexibility to charge from all sources including the alternator, Onan, engine generator, solar and shore power.
- Six year warranty on parts, labor and manufacturing defect.



## A Proprietary Auto Start Charging System

Erwin Hymer Group North America proprietary auto start charging management system is a combination remote and auto starter for your RV. Intended for use in engine generator equipped models with EcoTrek technology, the VoltStart system will automatically start your engine up to five times to recharge your batteries when they get down to a certain threshold.

The VoltStart system is a safe, keyless operation, giving you the freedom to leave your coach, without having to leave the key in the ignition. A remote FOB carried with you allows you to remote start the unit for pre-cooling or pre-heating your coach.



### Features

- Completely safe to use with no key required in the ignition
- Works anytime of the day or night
- Allows heating and air conditioning to remain on while you are away from your coach
- Uses vehicles fuel source to allow a full night's sleep
- Low battery threshold is 12.8 volts
- Inverter/charger system stays on while system is engaged
- Engine generator will run up to five times for up to 35 minutes each time before the system must be reset

# Worry free travel, backed by the best in the business.

## Industry leading – 6-year transferable RV warranty

The 6-year unlimited mileage/km motorhome warranty covers the manufacturing of the motorhome, appliances, electronics, plumbing and EcoTrek batteries. The original manufacturer's warranty on all appliances will be applied first. This warranty excludes the complete chassis (original chassis manufacturer warranty applies, please refer to chassis manufacturers website for complete warranty details) and AGM batteries (AGM batteries have a normal one-year manufacturer's warranty.)

The 6-year unlimited mileage/km motorhome warranty is fully transferable to future owners. A warranty transfer card can be found in the back of the model owner's manual.

## ProMaster Chassis Warranty

The 5-year/100,000 mile or 100,000 kilometer Powertrain Limited Warranty covering the cost of repairs on all covered powertrain components – engine, transmission and drive system for most new Ram vehicles. 3-year/36,000 mile or 60,000 kilometer limited warranty provides bumper-to-bumper coverage of your vehicle, from the body to the electrical system. Refer to chassis manufacturers website for complete details.

## Two-year roadside RV assistance

With every new Hymer Aktiv, you can enjoy two years of free coverage with the Roadside RV Assistance program. This program offers a wide range of services to assist you should you need it, including towing, tire changes, jump-start services and technical support to name a few. You can now confidently take to the roads knowing we are behind you through every adventure.



## ERWIN HYMER GROUP NORTH AMERICA, INC.

25 Reuter Drive, Cambridge, Ontario, N3E 1A9 | Toll-free: 1.844.GO HYMER | Fax: 519.745.1160 | Email: info@gohymer.com



# AKTIV 2.0

Transferable  
**6 YEAR**  
RV Warranty



gohymer.com | 1.844.GO HYMER

**HYMER**

## Coach features

	Standard	Optional
Air conditioner – 110 V, 11,000 BTU roof mount	X	
Awning – 13' (3,962 mm) power awning	X	
Bathroom – permanently enclosed full bathroom	X	
Battery – 2 x 6V AGM batteries	X	
Detectors – smoke, propane and CO	X	
EcoTrek 400 lithium power modules		X
External power connection – w/Coax and RCA plugs	X	
Furnace – Truma Combi air and water heater - 14,300 BTU	X	
Generator – underhood 280 AMP, 12V	X	
Mattress – foldable, rear king bed	X	
Mattress – for additional sleeping at the front of the RV		X
Microwave oven – 110 V, 20 L/0.7 cu. ft., 700 W	X	
Monitor panel – water, propane and battery voltage and charge levels	X	
Power inverter/converter/transfer switch – 12/110 V, 2,000 W	X	
Propane tank – 22 L/5.9 U.S. gal.	X	
Rear power sofa		X
Refrigerator – 12 V/110 V, 3.1 cu. ft.	X	
Screen package – passenger side door, rear cargo door	X	
Solar charging system – 250W with charge controller		X
Stove – propane, two burner recessed with flush cover	X	
TV – 24" HD flat screen on rotating bracket with remote and DVD player w/HDMI hookup	X	
VoltStart – auto-start battery protection technology		X

## Specifications

Base model – Ram Promaster 3500 extended van (FWD)
Engine – 3.6L gas, V6, 24 valve
Fuel capacity – 24 U.S. gal./91 L
Exterior length – 20' 10"/6350 mm
Exterior width (excluding mirrors) – 6' 11"/2108 mm
Exterior height (with roof AC) – 9' 5"/2870 mm
Interior standing height – 6' 1"/1854 mm
Interior aisle width – 19"/483 mm
Seating capacity – Four
Sleeping capacity – Up to four
Rear king bed (width x length) – 70" x 71" (1778 mm x 1803 mm)
Wheelbase – 159"/4039 mm
Fresh water capacity – 30 U.S. gal./114 L
Gray water capacity – 23 U.S. gal./87 L
Cassette toilet system – 4.6 U.S. gal./17 L
Gross Vehicle Weight Rating – 9350 lbs./4241 kg
Occupant & Cargo Carrying Capacity – 750 lbs./340 kg
Loaded Vehicle Weight – 8600 lbs./3900 kg
Towing Capacity – 3500 lbs./1588 kg
Tongue weight – 350 lbs./159 kg

## Exterior paint options



Sandstone Pearl



Silver Metallic



Bright White



Granite Metallic



## Chassis features

	Standard	Optional
Airbag – driver and passenger	X	
Alternator – 220 AMP	X	
Axle – rear, 3.86 ratio	X	
Battery (engine) – 800 AMP, 12 V	X	
Brakes – anti-lock (ABS), four wheel disc	X	
Camera – rear-view backup	X	
Climate control	X	
Continental spare tire carrier & spare tire	X	
Cruise control	X	
Engine – 3.6 L gas V6, 24 valve	X	
External quick connect propane	X	
Interior LED lighting	X	
Power – 209 kW/280 HP	X	
Power mirrors	X	
Power front door step – Driver/Passenger		X
Power side entry door step	X	
Radio – AM/FM/CD/DVD/USB/GPS/NAV/AUX SiriusXM, Bluetooth and steering wheel controls	X	
Receiver hitch – Class 3 with 4 & 7 pin connectors	X	
Stability program – including wind assist, sway assist, drift compensation, trailer sway, engine drag control, rollover mitigation, electronic stability control.	X	
Telescopic steering	X	
Tires – LT225/75R16E black wall	X	
Torque – 352 Nm/260 lb.-ft.	X	
Transmission – automatic 6-speed TE	X	
Wheels – 16" aluminum polished	X	
Window operation – power; front doors	X	

## Layout

Day Layout



Day Layout (with power sofa option)



Night Layout





## A Revolutionary Power Module

Erwin Hymer Group North America has revolutionized the boondocking experience with the introduction of EcoTrek, a lithium power module that takes the worry out of battery management and lets you enjoy the RV lifestyle to the fullest.

The only proprietary technology to hit the RV market, EcoTrek is available exclusively through Erwin Hymer Group North America.

Available in 400, 800 and 1600 modules, the EcoTrek power module has a system to fit on all models and takes you completely off the grid for the freedom to go anywhere.



Lithium cell construction using iron phosphate is the safest battery chemistry on the market today; the modules are housed in a sealed unit for a full cell protection system. We have even gone a step further with vigorous 3rd party safety testing, and the EcoTrek power modules stood the test of time.

### Features

- Climate system ensures your module will charge and discharge in any weather conditions, from the hot summer sun to the cold winter nights.
- Charge controls give you the flexibility to charge from all sources including the alternator, Onan, engine generator, solar and shore power.
- Six year warranty on parts, labor and manufacturing defect.



## A Proprietary Auto Start Charging System

Erwin Hymer Group North America proprietary auto start charging management system is a combination remote and auto starter for your RV. Intended for use in engine generator equipped models with EcoTrek technology, the VoltStart system will automatically start your engine up to five times to recharge your batteries when they get down to a certain threshold.

The VoltStart system is a safe, keyless operation, giving you the freedom to leave your coach, without having to leave the key in the ignition. A remote FOB carried with you allows you to remote start the unit for pre-cooling or pre-heating your coach.



### Features

- Completely safe to use with no key required in the ignition
- Works anytime of the day or night
- Allows heating and air conditioning to remain on while you are away from your coach
- Uses vehicles fuel source to allow a full night's sleep
- Low battery threshold is 12.8 volts
- Inverter/charger system stays on while system is engaged
- Engine generator will run up to five times for up to 35 minutes each time before the system must be reset

# Worry free travel, backed by the best in the business.

## Industry leading – 6-year transferable RV warranty

The 6-year unlimited mileage/km motorhome warranty covers the manufacturing of the motorhome, appliances, electronics, plumbing and EcoTrek batteries. The original manufacturer's warranty on all appliances will be applied first. This warranty excludes the complete chassis (original chassis manufacturer warranty applies, please refer to chassis manufacturers website for complete warranty details) and AGM batteries (AGM batteries have a normal one-year manufacturer's warranty.)

The 6-year unlimited mileage/km motorhome warranty is fully transferable to future owners. A warranty transfer card can be found in the back of the model owner's manual.

## ProMaster Chassis Warranty

The 5-year/100,000 mile or 100,000 kilometer Powertrain Limited Warranty covering the cost of repairs on all covered powertrain components – engine, transmission and drive system for most new Ram vehicles. 3-year/36,000 mile or 60,000 kilometer limited warranty provides bumper-to-bumper coverage of your vehicle, from the body to the electrical system. Refer to chassis manufacturers website for complete details.

## Two-year roadside RV assistance

With every new Hymer Aktiv, you can enjoy two years of free coverage with the Roadside RV Assistance program. This program offers a wide range of services to assist you should you need it, including towing, tire changes, jump-start services and technical support to name a few. You can now confidently take to the roads knowing we are behind you through every adventure.



## ERWIN HYMER GROUP NORTH AMERICA, INC.

25 Reuter Drive, Cambridge, Ontario, N3E 1A9 | Toll-free: 1.844.GO HYMER (464.9637) | Fax: 519.745.1160 | Email: info@gohymer.com



ERWIN HYMER GROUP NORTH AMERICA, INC. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit [www.gohymer.com](http://www.gohymer.com) for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included. The limited warranty on this unit covers personal use of the RV only. Rental or commercial use of RV voids the warranty on the unit. 01 - 2018



# AKTIV 2.0

LOFT EDITION



[www.gohymer.com](http://www.gohymer.com) | 1.844.GO HYMER

**HYMER**

## Coach features

	Standard	Optional
Air conditioner – 12 V DC, 22,000 BTU undermount	X	
Awning – 12' (3,657 mm) power awning	X	
Bathroom – permanently enclosed full bathroom	X	
Battery – 2 x 6V AGM batteries	X	
Detectors – smoke, propane and CO	X	
EcoTrek 400 lithium power module		X
External power connection – w/Coax and RCA plugs	X	
Furnace – Truma Combi air and water heater - 14,300 BTU	X	
Generator – underhood 280 AMP, 12V	X	
Mattress – foldable, rear king bed	X	
Mattress – for loft bed	X	
Microwave oven – 110 V, 20 L/0.7 cu. ft., 700 W	X	
Monitor panel – water, propane and battery charge levels	X	
Power inverter/converter/transfer switch – 12/110 V, 2,000 W	X	
Propane tank – 22 L/5.9 U.S. gal.	X	
Rear power sofa		X
Refrigerator – 12 V/110 V, 3.1 cu. ft.	X	
Screen package – passenger side door, rear cargo door	X	
Stove – propane; two burner recessed with flush cover	X	
TV – 24" HD flat screen on rotating bracket with remote and DVD player w/HDMI hookup	X	
VoltStart – auto-start battery protection technology		X

## Layout

Day Layout



Day Layout (with power sofa option)



## Specifications

Base model – Ram Promaster 3500 extended van
Engine – 3.6L gas, V6, 24 valve
Fuel capacity – 24 U.S. gal./91 L
Exterior length – 20' 10"/6350 mm
Exterior width (excluding mirrors) – 6' 11"/2108 mm
Exterior height (with pop-top down) – 9' 1"/2770 mm
Interior standing height – 6' 1"/1854 mm
Interior aisle width – 19"/483 mm
Seating capacity – Four (optional power sofa allows seating for seven)
Sleeping capacity – Up to five
Rear king bed (width x length) – 70" x 71" (1778 mm x 1803 mm)
Loft bed (width x length) – 78" x 50.5" (1980 mm x 1282 mm)
Wheelbase – 159"/4039 mm
Fresh water capacity – 30 U.S. gal./114 L
Gray water capacity – 23 U.S. gal./87 L
Cassette toilet system – 4.6 U.S. gal./17 L
Gross Vehicle Weight Rating – 9350 lbs./4241 kg
Occupant & Cargo Carrying Capacity – 450 lbs./205 kg
Loaded Vehicle Weight – 8900 lbs./4045 kg
Towing Capacity – 3200 lbs./1455 kg

## Exterior paint options



Sandstone Pearl



Silver Metallic



Bright White



Granite Metallic

## Chassis features

	Standard	Optional
Airbag – driver and passenger	X	
Alternator – 220 AMP	X	
Axle – rear, 3.86 ratio	X	
Battery (engine) – 800 AMP, 12 V	X	
Brakes – anti-lock (ABS), four wheel disc	X	
Camera – rear-view backup	X	
Climate control	X	
Continental spare tire carrier & spare tire	X	
Cruise control	X	
Engine – 3.6 L gas V6, 24 valve	X	
External quick connect propane	X	
Interior LED lighting	X	
Power – 209 kW/280 HP	X	
Power mirrors	X	
Power front door step – Driver/Passenger		X
Power side entry door step	X	
Radio – AM/FM/CD/DVD/USB/GPS navigation, Bluetooth and steering wheel controls	X	
Receiver hitch – Class 3 with 4 & 7 pin connectors	X	
Stability program – including wind assist, sway assist, drift compensation, trailer sway, engine drag control, rollover mitigation, electronic stability control.	X	
Telescopic steering	X	
Tires – LT225/75R16E black wall	X	
Torque – 352 Nm/260 lb.-ft.	X	
Transmission – automatic 6-speed TE	X	
Wheels – 16" aluminum polished	X	
Window operation – power; front doors	X	



Night Layout






# ECOTREK

## A Revolutionary Power Module

Erwin Hymer Group North America has revolutionized the boondocking experience with the introduction of EcoTrek, a lithium power module that takes the worry out of battery management and lets you enjoy the RV lifestyle to the fullest.

It is available exclusively through Erwin Hymer Group North America and is available in 400, 800 and 1600 modules. The EcoTrek power module has a system to fit on all models and takes you completely off the grid for the freedom to go anywhere.



# VOLTSTART

## A Proprietary Auto Start Charging System

Erwin Hymer Group North America proprietary auto start charging management system is a combination remote and auto starter for your RV. Intended for use in engine generator equipped models with EcoTrek technology, the VoltStart system will automatically start your engine up to five times to recharge your batteries when they get down to a certain threshold.

The VoltStart system is a safe, keyless operation, giving you the freedom to leave your coach, without having to leave the key in the ignition. A remote FOB carried with you allows you to remote start the unit for pre-cooling or pre-heating your coach.

## 6-year transferable RV warranty

The 6-year unlimited mileage/km motorhome warranty covers the manufacturing of the motorhome, appliances, electronics, plumbing and EcoTrek batteries. The original manufacturer's warranty on all appliances will be applied first. This warranty excludes the complete chassis (original chassis manufacturer warranty applies, please refer to chassis manufacturers website for complete warranty details) and AGM batteries (AGM batteries have a normal one-year manufacturer's warranty.)

The 6-year unlimited mileage/km motorhome warranty is fully transferable to future owners. A warranty transfer card can be found in the back of the model owner's manual.

## ProMaster Chassis Warranty

The 5-year/100,000 mile or 100,000 kilometer Powertrain Limited Warranty covering the cost of repairs on all covered powertrain components – engine, transmission and drive system for most new Ram vehicles. 3-year/36,000 mile or 60,000 kilometer limited warranty provides bumper-to-bumper coverage of your vehicle, from the body to the electrical system. Refer to chassis manufacturers website for complete details.

## Two-year roadside RV assistance

With every new Hymer Aktiv, you can enjoy two years of free coverage with the Roadside RV Assistance program. This program offers a wide range of services to assist you should you need it, including towing, tire changes, jump-start services and technical support to name a few. You can now confidently take to the roads knowing we are behind you through every adventure.



## ERWIN HYMER GROUP NORTH AMERICA, INC.

25 Reuter Drive, Cambridge, Ontario, N3E 1A9 | Toll-free: 1.844.GO HYMER | Fax: 519.745.1160 | Email: info@gohymer.com



/gohymer

ERWIN HYMER GROUP NORTH AMERICA, INC. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit [www.gohymer.com](http://www.gohymer.com) for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included. The limited warranty on this unit covers personal use of the RV only. Rental or commercial use of RV voids the warranty on the unit.

04 - 2018


**HYMER**

**EHYMER**

*Touring* **GT**



Seats 4 | Sleeps 4



## Travel in style.

The Hymer Touring GT is an ultra light-weight travel trailer that is easy to tow and features a sleek European design. Enjoy a comfortable getaway from the everyday with a trailer that easily sleeps up to four people, a kitchen galley for all your cooking needs, a full bathroom with shower and more storage than you would ever think possible.

The Touring GT has an expandable pop-top roof, which when raised allows for an interior height of 6'5". The Touring's body length of 15'5" makes it easy to tow behind almost any SUV or pickup truck and has a Gross Vehicle Weight Rating of 3200 lbs.

Named for the German Tradition roots in which it was founded, the Touring GT brings the European trailer market to North America.



### Trailer Warranty\*

A new Hymer Touring GT trailer has a 2 year limited warranty by Erwin Hymer Group North America covering the repair or replacement, of any part of your new Touring GT materials or workmanship affected during normal use, maintenance or service within the limited warranty period.



The warm interior colouring and use of space found in the Touring GT is reminiscent of styling and functionality found in trailers all across Europe. The flooring is a beautiful dark vinyl, complimented by cream colour Ultraleather seats and Avonite countertops. The exterior is made of lightweight fiberglass including clear coat finished paint package and includes inner wall insulation wrap. The compact size allows for easy storage in most garages and is fully functional with pop-top roof closed.

- Fuel saving light-weight composite structure
- Ample storage throughout, including extra storage under the bed. Bed platform lifts for easy access.
- Full bathroom, includes shower, sink, vanity, mirror, toilet, and storage
- Comfortable dinette area seating converts to sleeping area
- Spacious overhead cabinets provide plenty of storage space, without sacrificing living space
- 8 dual pane windows provides a bright interior with natural light, includes shades and screens
- Full galley with fridge, two burner propane stove and sink
- LED lights throughout with dimmable living area lighting
- Options available: air conditioner, microwave, TV with antenna, and spare tire
- Exterior table delivered after warranty registration. Lightweight, water resistant. Perfect for picnics and other outdoor activities.



### Day time



### Night time

Features a king sized sleeping area and dining area to sleep 4



#### Cabinetry



#### Flooring



#### Exterior paint



#### Countertops



Kitchen

Dining

#### Interior fabrics



Wall panel

Seating

# Specifications

Seats 4 | Sleeps 4

Exterior length (overall)	18' 11" (5,766 mm)
Exterior height for travel	7' 4" (2,235.2 mm)
Exterior width	6' 9" (2,057 mm)
Exterior height (open pop top roof)	8'5" (2,565 mm)
Exterior body length	15' 5" (4,700 mm)
Interior height (opened pop top roof)	6'5" (1,956 mm)
Interior length	15' (4,572 mm)
Interior width	6'6" (1,981 mm)
Trailer weight (dry)*	2,480 lbs. (1125 kg)
Cargo carrying capacity	720 lbs. (326 kg)
Gross Vehicle Weight Rating	3,200 lbs. (1451 kg)
Hitch weight (dry)*	250 lbs. (113 kg)
Fresh water capacity	87 L (23 U.S. gal.)
Grey water capacity	76 L (20 U.S. gal.)
Sleeping capacity	Up to 4
Hitch receiver	2" ball
Front sleeping area (L x W approx.)	75" x 48" (1,905 x 1,219 mm)
King size rear sleeping area (L x W approx.)	75" x 73" (1,905 x 1,854 mm)
Battery	12V (100 Amp)



## Interior features

Flooring	Seamless vinyl floor covering
Lighting	12 V LED lighting
Monitor panel	Tank levels, battery level
Refrigerator (2 way)	110 V/ 12 V, 2.7 cu.ft. (76 L)
Storage	Under bed, upper cabinets, wardrobe
Stovetop	Two burner/recessed with flush cover
Wardrobe (W x D x H approx.)	7" x 24" x 63" (178 x 622 x 1,615 mm)
Outlets	12 V socket, USB ports, 110V GFI
Cassette toilet system	17 L (4.6 U.S. gal.)



## Exterior features

Cargo access doors	Insulated/locking cargo doors
Braking system	Surge Brakes (Hydraulic)
City water connection	Yes
Connection	7-pin connector
Covers	Custom TPO LP/battery cover
Exterior lighting	LED porch light
External power connection	30A power cord
Exterior shower	Yes
Exterior step	Manual, retractable
Fresh water pump	55 PSI, 3.0 GPM
Propane tank	Exterior 1 x 20 lbs (75 L)
Shell	Molded insulated fiberglass
Windows (include day/night shades/screens)	Acrylic, vented, dual pane, tinted (8)
Rims	14" aluminum rims
Tires	205/75R14
Suspension	Torsion Axle
Exterior table	43" x 27" (1,092 x 686 mm)



## Options

Air conditioner	7,300 BTU/hr. (undermount)
Microwave oven	110 V, 20 L/0.7 cu. ft., 700 W
Spare tire	205/75R14
TV and antenna	24" HD/swivel wall bracket





25 Reuter Drive  
Cambridge, Ontario  
Canada N3E 1A9

1-844-GO HYMER (464-9637)  
info@erwinhymergroupna.com  
gohymer.com

© ERWIN HYMER GROUP NORTH AMERICA, INC. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit gohymer.com for a complete list of specifications and options. Accessories shown in the photography are not included. Warranty is subject to the limitations and exclusions and not applicable on rental units.

**GVWR (Gross Vehicle Weight Rating)** – is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

\*Dry weight may vary depending upon optional equipment installed.

**HYMER**