



Shown in Chestnut Decor with optional Rustic Cherry cabinetry

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Forester comfortable and loads of fun.
Forester's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Foresters are "Certified Green" by TRA Certification.

Control RV systems, access how-to videos, get product information and RV resources via an easy to use wireless touch screen with "My RV", the smart phone remote monitor system.



FORESTER BY FOREST RIVER

STANDARD SERIES




This outdoor camp kitchen is standard on 2861DS.



CLASS C TOP FEATURES

- "My RV" smart phone remote and monitor system
- ♦ 7' Ceiling height
- Crowned fiberglass roof
- 2" Thick gel coat sidewalls with Azdel "Superlight" composite
- ◆ Firestone Ride Right suspension
- Enclosed and heated tanks
- Water filtration system
- ◆ 7,500 Lb. tow rating
- Solid surface kitchen counter tops
- Residential cabinetry
- Stainless steel appliances
- Integrated entry step
- Waste Master® RV sewer management system







FORESTER


BY FOREST RIVER


CLASS C FLOORPLANS




















OPTIONS



3011DS



OPT. SIDE-BY-SIDE REFER 2861DS,



Forester Ford • Chevy Chassis	2291	2301	2501	2861	3011	3051	3171	3271
Wheelbase	158" • 159"	158" • 159"	182" • 183"	202" • 203"	220" • NA	220" • NA	220" • NA	220" • NA
GVWR	12500 • 14200	12500 • 14200	14500 • 14200	14500 • 14200	14500 • NA	14500 • NA	14500 • NA	14500 • NA
GAWRR	8500 • 9600	8500 • 9600	9600 • 9600	9600 • 9600	9600 • NA	9600 • NA	9600 • NA	9600 • NA
GAWRF	4600 • 4600	4600 • 4600	5000 • 4600	5000 • 4600	5000 • NA	5000 • NA	5000 • NA	5000 • NA
UVW	0 • 10452	9950 • 9890	11721 • 11500	12300 • 12400	12400 • NA	12848 • NA	12500 • NA	TBD
GCWR	18500 • 20000	18500 • 20000	22000 • 20000	22000 • 20000	22000 • NA	22000 • NA	22000 • NA	TBD
CCC	2500 • 3748	2550 • 4310	2779 • 2700	2200 • 1800	2100 • NA	1652 • NA	2000 • NA	TBD
Fuel Capacity (Gal.)	55 • 57	55 • 57	55 • 57	55 • 57	55 • NA	55 • NA	55 • NA	TBD
Hitch Rating	5000/500 • 5000/500	5000/500 • 5000/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500 • NA	7500/500 • NA	7500/500 • NA	TBD
Length - Bumper To Bumper	24'-6" • 25'	24'-6" • 25'	26'-11" • 27-5"	30'-9" • 31'-3"	32'-3" • NA	31'-11" • NA	32'-3" • NA	TBD
Exterior Height With A/C	11'-3"	11'-3"	11′-3″	11'-3"	11′-3″	11′-3″	11'-3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15'-6"	15'-6"	18'	16′	15'-6"	18'	11′	TBD
Water Heater (Gal.)	6	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	61	50	62.5	101.7	81.8	80	TBD

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fluel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs. per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

*Estimated Average based on standard build optional equipment. ** Estimated average based on standard build optional equipment. ** Estimated average based on standard build optional equipment. ** Each Forest River RV is weighted at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

PAINT OPTIONS







MOCHA Full body paint

COBALT Full body paint

STANDARD Exterior

PORIBSINDIR

HIGH QUALITY CONSTRUCTION



Multi-Layered Laminated Roof System

- 1. Crowned Fiberglass Roof
- 2. Luan Decking
- 3. Block Foam Insulation
- 4. A/C Ducts
- 5. Tubular Aluminum Framing
- 6. Interior Ceiling Material

Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Superlite Composite Azdel
- 13. Gelcoat Fiberglass Exterior

Vacuum-Bond Laminated Floor System

- 14. Fiberglass Bottom Board
- **15.** Block Foam Insulation
- **16.** Seamless Floor Decking
- 17. Beauflor Flooring (In Some Areas)
- 18. Aluminum Framing



LARGE WINDOWS WITH **BLACK-OUT ROLLER SHADES** Large panoramic windows for plenty of fresh air and natural light.



USB CHARGING STATION 12V 4-port USB charging station (Living room/bedroom)



LED lights generate almost no heat compared to incandescent lights and use substantially less power.



FULLY DUCTED AIR All floorplans are ducted for better air flow throughout the coach and front cahover.



RESIDENTIAL STYLE CABINETRY

Forester is appointed with ball

bearing drawer glides and rich

hardwood cabinetry.

easy access. (One battery LE and Transit)



MEMORY FOAM Memory foam mattress will ensure a good nights sleep.



FIBERGLASS ROOF Durable, easy to clean (R-18) crowned fiberglass sheds water and doesn't cause black streaks like a rubber roof.



HOLDING TANKS The Forester features a heated and enclosed utility station. Your tanks and valves are protected using warm air from the furnace. (N/A 2250 SLE, MBS and Transit Series)

HEATED AND ENCLOSED



A better grade of flooring that's slip resistant even in wet conditions and highly resistant to tears. Unlike vinyl floors with paper backing, our backing remains stable in extreme hot or cold and is backed by a seven-year cold crack warranty.



KING JACK ANTENNA This HD digitally amplified antenna enhances reception.



WATER FILTRATION

This compact unit filters water for the entire coach, eliminating those unwanted contaminants and odors, ensuring safe drinking water for you and your family. (N/A LE Series)



SEAMLESS FRONT CAPFor enhanced aerodynamics



WASTE MASTER SEWAGE MANAGEMENT SYSTEM Rugged for quick, easy and sanitary disposal of waste. (N/A LE and Transit)



SOLAR PREP



OUTSIDE SPEAKERS



WHOLE HOUSE ENTERTAINMENT This multimedia system features AM/FM/DVD, Bluetooth, plus outside speaker control.



INTEGRATED STEPForester's entry step is integrated into the sidewall. No more slippery, or damaged power steps.



OPTIONAL CAB OVER BUNK SAFETY NET The overhead bunk is rated for 500 lbs.



POWER AWNING WITH LED STRIP Extend and retract your awning with the push of a button. Both arms are adjustable to get just the right angle.

TRADITIONAL

WATER HEATER



IN-DASH STEREO SYSTEM
Pairs up with your smart phone to
access GPS and other applications.
(N/A on Transit or LE Series)



WINTERIZING TUBE
Easy access for quick maintenance includes bypass valve.



MAXX AIR FAN Recirculates air throughout the entire coach.





Normal, Storage and Equalization.

7,500 LB. TOW CAPACITY

CHARGE WIZARD

Ford E450 only (N/A on LE Series)



ATWOOD WATER HEATER
Atwood 18 GPH water heaters
(6 gallon tank) out perform traditional
10 and 12 gallon tank water heaters.
They're also 50% lighter and have no
anode rod to replace.



This holding tank vent cap eliminates odors and gases from the holding tanks and exhausts them out the roof, without the use of costly chemicals.

FORESTER VS. THE COMPETITION



FORESTER 2" Wall with Block Foam and Superlite (R-10)



SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



1.5" Wall with Luan (R-6)

STAINLESS STEEL APPLIANCES





LE Series shown in Chestnut decor. Only available with Weathered Teak cabinetry.

3251DSLE Ford • Chevy 2251SLE 2851SLE Wheelbase 158" • 159" TBD 220" • NA **GVWR** 14200 14500 14500 • NA GAWRR 9600 9600 • NA 9600 5000 • NA GAWRF 4600 5000 UVW 9660 • 9640 TBD 12500 • NA GCWR 22000 • NA 20000 22000 CCC 2840 • 4560 TBD 2000 • NA Fuel Capacity (Gal) 55 • 57 55 55 • NA Hitch Rating 5000/500 7500/500 7500/500 • NA Length - Bumper To Bumper 23'-10" • 24'-4" TBD 32'-3" • NA Exterior Height With A/C 11'-3" 11'-3" 11'-3" **Exterior Width** 101" 101" 101" Interior Width 95.5" 95.5" 95.5" Interior Height Frt/Rear 84"/77" 84"/77" 84"/77" Fresh/Grey/Black Water (Gal) 33.5/32/27 44/39/39 44/39/39 L.P. Capacity (Gal) 9.8 9.8 9.8 Awning Length 14' TBD 11' 6 6 Water Heater (Gal) Exterior Storage (Cu. Ft.) 32 32 80

Forester LE Series is the industry's best value on the market today! Enjoy years of carefree travel with these well-built Class Cs.

LE SERIES



2251SLE



2851SLE



3251DSLE












GRAND TOURING SERIES

The streamlined GTS is the perfect vehicle for the ultimate getaway.





OPTIONS











2401R	2401S	2401W
170.3	170.3	170.3
11030	11030	11030
7720	7720	7720
4080	4080	4080
9852	9700	9924
15250	15250	15250
1178	1330	1106
26.4	26.4	26.4
4200/350	4200/350	4200/350
24'-11"	24'-8"	24'-11"
11'-3"	11'-3"	11′-3″
94.5"	94.5"	94.5"
91"	91"	91"
81"/74"	81"/74"	81"
35/30/30	35/33/33	35/32/32
9.8	9.8	9.8
16′	15'-6"	16′
6	6	6
75	67	50.3
	11030 7720 4080 9852 15250 1178 26.4 4200/350 24'-11" 11'-3" 94.5" 91" 81"/74" 35/30/30 9.8 16' 6	170.3 170.3 11030 11030 7720 7720 4080 4080 9852 9700 15250 15250 1178 1330 26.4 26.4 4200/350 4200/350 24'-11" 24'-8" 11'-3" 11'-3" 94.5" 94.5" 91" 91" 81"/74" 81"/74" 35/30/30 35/33/33 9.8 9.8 16' 15'-6" 6 6

MERCEDES-BENZ® SERIES







OPTIONS

MBS



OPT. SOFA 2401R, 2401S, 2401W




Standard swivel seats and booster cushions.

BlueTec Diesel Engine

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing






The quality you've come to expect, paired with a fuel efficient diesel platform.




Shown in Charcoal Decor





TS2371



TS2391



38

4

2371

2391

38

4

Forester TS

Exterior Storage (Cu. Ft.)

Seat Belts



TRANSIT SERIES

Ultra-Light Weight Maneuverability with Exceptional Fuel Efficiency

The ultra-light Forester TS is engineered for fuel efficiency with eco-friendly building materials. These lightweight, Poplar cabinets are certified to be sustainably sourced from European forests.

DECOR

CHARCOAL

Transit Series is available in Charcoal decor only.





STANDARD FEATURES AND OPTIONS

O: OPTION • S: STANDARD • -: NOT APPLICABLE

WARRANTY	FR	GTS	MBS	LE	TS
12 Months/12,000 mile basic limited warranty	S	S	S	S	S
Chassis warranty (see owners manual)					
SYSTEMS	FR	GTS	MBS	LE	TS
Battery disconnect	S	S	S	S	S
Water heater bypass	S	S	S	S	S
(2) Deep cycle coach batteries (1 battery in LE and TS)	S	S	S	S	S
"Easy Access" battery in step-well	S	S	S	S	S
30 Amp service with detachable cord	S	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	S	_
30,000 BTU furnace	S	S	S	S	_
Truma Combi water heater/furnace	-	_	_	_	S
Emergency start switch	S	S	_	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	S
4.0 KW Onan Microquiet generator	S	S	_	S	_
3.6 KW Onan LP generator	_	_	S	_	
					S
2.5 KW Onan LP generator	-	_	-	_	_
Automatic generator transfer switch	S	S	S		S
Firestone Ride-Rite air helper springs	S	S	_	_	_
Hellwig sway bar		_	S	_	_
Water filtration system	S	S	S	_	S
Heated, enclosed holding tanks and valves	S	S	_	_	_
Arctic Package (12V tank heaters)	0	0	S	0	0
15K BTU A/C with heat pump	0	0	0	-	0
CO ₂ , LP and smoke detector	S	S	S	S	S
Jack digital antenna	S	S	S	S	S
EXTERIOR	FR		MBS	LE	TS
2" Aluminum framed laminated sidewalls	S	S	-	S	_
1.5" Aluminum framed laminated sidewalls	-	_	S	-	S
Azdel Superlight composite substrate	S	S	S	S	_
Gel Coat exterior fiberglass	S	S	S	S	S
Block foam insulation	S	S	S	S	S
Power patio awning with LED light strip	S	S	S	S	S
Slide-out awnings		S	S	_	_
	S				S
Fiberglass roof	S	S	S	S	
		S	S	S	S
Fiberglass roof	S	_	_	-	S
Fiberglass roof One-piece fiberglass front cap	S	S	S	S	_
Fiberglass roof One-piece fiberglass front cap LED exterior lights	S S S	S	S	S	S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners	S S S	S S S	S S	s s -	S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions	S S S S S	\$ \$ \$ \$ \$	S S S S	S S - S	S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$	S S - S - S	S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$	S S - S	S S S - S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$	S S - S	S S S - S - S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$	S S - S - S - S - S S	S S S - S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S - S - S S S	S S S - S S - S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$	S S - S - S - S - S S	S S S - S - S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S - S S	S S S - S S - S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S - S - S S - S S - S S - S S - S S - S S S - S S S S S S S S S S S S S S S S S S S S	S S S - S S - S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S - S S S S S S S S S S S S S S S S S	S S S - S S - S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S - S S - S S S S - S S S - S S S - S S S - S S S S - S S S S S S S S S S S S S S S S S S S S	S S S - S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S - S S S - S S S S S S S S S S S S	S S S - S S - S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS)	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S - S S S S S S S S	S S S - S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S - S S S - S S S S S S S S S S S S	S S S - S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S - S S S S S S S S	S S S - S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S	S S S - S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S S S - S S S - S S S S - S S S S S S S S S S S S S S S S S S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step Outside shower	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S S S - S S S - S S S S - S S S S S S S S S S S S S S S S S S S S
Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step Outside shower Automatic leveling system (4-point)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S O O	S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S S - S S S - S S S - S S S - S S S S - S S S S S S S S S S S S S S S S S S S S

	FR	GTS	MBS	LE	T
32" Outside 12V TV					
(2701DS, 3011DS, 3051S, 3171DS only)	0	_	_	_	_
19" Outside TV	_	_	0	_	_
Exterior grill with quick connect (standard 2861DS)	0	0	0	_	-
Black tank flush	S	S	S	_	9
CAB AREA	FR	GTS	MBS	LE	T
7" Touch screen radio with USB and Bluetooth	S	S	S	S	-
Cab area privacy curtain	S	S	S	S	9
Ultra leather driver and passenger seats	S	S	S	-	9
Power windows and door locks	S	S	S	S	9
Keyless entry (N/A Chevy)	S	S	S	S	9
Color back-up camera with rear view monitor	S	S	S	S	5
Side view cameras	S	S	S	_	9
Wood grain dash	S	S	S	_	-
Removable cab mat	_	_	S	_	-
Swivel driver seat (N/A Chevy, Power)	0	0	S	_	
Power driver seat (Ford only)	0	0	-	_	
Swivel passenger seat (N/A Chevy)	0	0	S	_	
KITCHEN	FR		MBS	LE	T
Recessed 3-burner range with flush glass cover	S	S	S	S	ė
Stainless steel appliances	5	S	S		
	S	S	S	S	
Range hood with fan and light	_		_	_	-
Oven IPO drawer	S	0	0	S	-
Microwave oven	S	_	-	S	-
Convection microwave (Standard in 3051S)	0	S	S	_	- 5
6 Cu. ft. double door refrigerator	S	S	S	S	-
12 Cu. ft. four door refrigerator with ice maker (2861DS, 3011DS, 3051S)	0	_	_	_	
5.3 Cu. ft. lightweight LP/Electric 110V refrigerator	_	_	_	_	9
Full extension ball bearing drawer guides	S	S	S	S	
Flip-up countertop extension	S	S	S	S	
Solid surface galley	S	S	S	_	
BATHROOM	FR	GTS	MBS	LE	7
Lightweight composite toilet with hand sprayer	S	S	S	S	
Glass shower door	S	S	_	_	
Lightweight Arcadia shower door		_	S	S	-
	S	S	S	S	-
Towel bar, tissue, toothbrush and soap holder Electric roof fan	S	S	S	S	-
			_	_	_
Shower head with flexible extension	S	S	S	S	- 5
Shower skylight	S	S	S	S	-
BEDROOM	FR		MBS	LE	
	S	S	S	S	5
Upgraded memory foam mattress	_		S	S	5
Bedspread	S	S			(
Bedspread Bedroom TV with DVD	0	0	0	_	
Bedspread Bedroom TV with DVD Cedar lined closet	O S	O	S	=	-
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM	O S FR	O S GTS	S MBS	- LE	ŀ
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes)	O S	O	S	LE	ŀ
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM	O S FR	O S GTS	S MBS	LE	ŀ
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS)	O S FR S	O S GTS	S MBS	_ _ LE _ _ S	Ī
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV	O S FR S	O S GTS S	S MBS S	-	- T -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes)	O S FR S S	O S GTS S	S MBS S	_ _ S	- T -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV Cab over cabinets with 42" TV (IPO side TV)	O S FR S S S O	0 S GTS S - S	S MBS S — S	_ _ s _	- T - - -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV Cab over cabinets with 42" TV (IPO side TV) Black-out roller shades	O S FR S S S O S	O S GTS S - S - S S	S MBS S - S - S	_ _ s _ s	- T - - -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV Cab over cabinets with 42" TV (IPO side TV) Black-out roller shades Surround sound Child seat head tethers in dinette	O S FR S S S S S S S S S S S S S S S S S	O S S S S S	S MBS S S S	_ _ s _ s	- T - - -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV Cab over cabinets with 42" TV (IPO side TV) Black-out roller shades Surround sound Child seat head tethers in dinette Maxx Air fan with rain/temp sensor and power dome	O S FR S S S S S S S S S	O S S S S S	S MBS S — S — S S S S	- S - S S	- - - -
Bedspread Bedroom TV with DVD Cedar lined closet LIVING ROOM Dream dinette (N/A with U-shape dinettes) Visionary pull out sofa (60" x 74") (3011DS) 12V LED Flat panel adjustable side TV Cab over cabinets with 42" TV (IPO side TV) Black-out roller shades Surround sound Child seat head tethers in dinette	O S FR S S S S S S S S S	O S S S S S S	S MBS S — S — S S S S	- S - S S	- T - - -

For more information please visit: www.forestriverinc.com/forester 914 CR 1 • Elkhart, In 46514 574.262.2212 • 800.445.2825







PRE-DELIVERY INSPECTION FACILITY


20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Forest River, Inc. encourages our customers to purchase their Forest River products from a local dealership whenever possible for the following reasons:

- 1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers that purchased their unit at that dealership.
- Purchasing locally allows customers to establish meaningful relationships with a dealer, enhancing the RV experience through assistance with product questions, user tips or RV regulations for your state or country, and much more!
- 3) Canadian customers must meet requirements to bring an RV purchased out of the country to their home. These requirements may involve additional inspections and certifications, taxes and fees. Your local Canadian Dealer is a professional at meeting these requirements.
- 4) Scheduling timely warranty repairs and adjustments through a local dealership provides far greater flexibility and convenience to you, the customer!

It is the goal of Forest River, Inc. that all of our RV owners fully enjoy the RV experience and that customer satisfaction meets or exceeds their expectatio





Learn Proce
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest Rive



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision ©2016 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 10/16

Your Local Forester Dealer