




TRU-BRACE

Forest River Diesel Chassis Upfit Support System







Structure built on a fixture table for optimum leveling and squareness. Laser cutting +/- 0.010. Bending within +/01 degree.

ORIGINAL CHASSIS









Aluminized Steel Side Skirts *prevent rust* and *prolong the life* of the structure

Side skirts assembled as one piece to *minimize* seams and prevent rust creep

Upgraded from molded plastic, the steel bays hold *more weight* for your gear

The Tru-Brace[™] reinforcements *strengthen the frame*, *reduce chassis flex* and *minimize the springboard effect* that whips the back of your unit up and down over rough roads.

DRIVE THE DIFFERENCE.

You expect more, we deliver more.

At Berkshire we know your standards are high, and we strive not to meet but to exceed your expectations. From the ground up, the Berkshire series is designed to bring you complete comfort on the road. In our effort to bring you unparalleled excellence, we proudly utilize only the finest components and building processes in the industry as a sign of our dedication to your satisfaction.



CONSTRUCTION BENEFITS



















Berkshire Construction Benefits:

For quality assurance, all construction takes place in a single facility.
 Auxiliary air chuck on 1.5" insulated firewall.
 Neoprene isolator between chassis and floor eliminates vibration.
 Truma continuous hot water heater.
 Easy interior dash access.
 Auxiliary LP hook-up on curb side.
 All firewall openings sealed and grommets to eliminate electrical shorts.
 Minimal connections on all water lines.
 Our fiberglass dash is integrated with the front cap.

EXTERIOR FEATURES





- 1. All Berkshires feature an outside entertainment center. The Berkshire comes with a 32" LED HDTV, the Berkshire XL and Berkshire XLT feature a 40" LED HDTV with a radio and an auxiliary jack.
- 2. The Berkshire series features a standard slide out generator. 6.0kW on the Berkshire, 8.0kW on the Berkshire XL and the Berkshire XLT features a 10.0kW generator.





- **3.** Easily access chassis electrical fuses with our exclusive no fuss schematic.
- **4.** Berkshire's water manifold system with whole unit water filter and exterior shower.





- **5.** Standard strut assisted café compartment doors with pass thru storage and optional slide-out storage tray.
- **6.** Equalizer Systems hydraulic extend and retract landing gear. Automatic, one touch operation levels your motorhome in less than two minutes, operating each leg independently in a sequential process.





Berkshire












ADOBE SANDS EXTERIOR OPTION




PAINT PACKAGES | DECOR OPTIONS




CASHMERE SANDS



GARNET SUNSET



WOODLAND SUNSET



ADOBE SANDS

WOOD GRAIN OPTIONS



PEPPERCORN KHAKI



PEPPERCORN PUTTY



BIRCH KHAKI



BIRCH PUTTY




GUNMETAL KHAKI



GUNMETAL PUTTY




FLOORPLANS | SPECIFICATIONS





The Berkshire series utilizes the Freightliner XCR Raised Rail Chassis, Cummins ISB turbo diesel, 6.7 liter 340 HP at 2800 RPM, 700 ft. lbs. torque at 1600 RPM and an Allison MH-2500 6-Speed Automatic Transmission.



Floorplan	Length (Feet)	GVWR (Lbs.)	GCWR (Lbs.)	GAWR Front (Lbs.)	GAWR Rear (Lbs.)	Wheelbase (Inches)	Height* (Feet)	Width* (Inches)	Basement storage* (Cu. Ft.)	Awning (Feet)	Fresh Tank (Gal.)	Gray Tank (Gal.)	Black Tank (Gal.)	LP Tank	Furnace (BTU's)	Hot Water
34QS	35' 7"	27,910	32,910	10,410	17,500	206"	12' 5"	100"	130¹	14' 7"	86	66	42	24.5	35,000	Continuous
38A	39' 5"	27,910	32,910	10,410	17,500	252"	12' 5"	100"	183¹	18' 0"	86	66	42	24.5	42,000	Continuous

Automotive & Cockpit Standards

- Freightliner XCR raised rail chassis
- Cummins ISB turbo diesel 6.7 liter 340 HP at 2800 RPM, 700 ft. lbs. torque at 1600 RPM
- Allison MH-2500 6-Speed automatic transmission
- 120v engine heater 750W
- 22.5" polished aluminum wheels
- Michelin XRV 255/80R22.5 14 ply radial tires
- Trailer hitch capacity, 5,000 LBS
- Allison electronic push button shifter
- 100 gallon, locking dual fill fuel tank
- Driver side mounted 13 gallon DEF tank (N/A 34QS)
- LCD engine message center
- Day time running lights
- 7-Pin tow power connector
- 18.7 CFM air compressor
- Farr Eco-air cleaner
- Air filter restriction indicator
- Fuel/water separator
- Brake line air dryer with heater
- Automatic, heated moisture ejectors
- Power steering
- Washer/heavy duty-wiper with intermittent function
- 160 amp alternator
- Two (2) 1900 CCA at 0 degree Fahrenheit, maintenance free batteries
- Full air ABS brakes with auto slack adjuster, front disc brakes
- Variable exhaust brake
- Telescopic/tilt steering wheel
- Suspension Neway front and V- Ride rear
- Sachs custom tuned shock absorbers
- 55 degree wheel cut
- Auto air suspension deflation system
- Cross flow, rear mounted radiator
- Transmission oil cooler
- 5 year / 100,000 mile coolant (some maintenance required)
- 4-Spoke VIP black steering wheel
- Electronic cruise control with high idle
- Multiple auxiliary charging ports at dash
- Power stepwell cover
- Entry assist handle

Construction & Exterior Standards

- One piece fiberglass front and rear caps
- Sikkens® full body painted exterior (4x clear coat)
- Four (4) point fully auto hydraulic leveling system with auto air dump
- Steel basement structure
- Tru-Brace chassis support system
- Rust resistant aluminized steel chassis skirts
- Diamond shield front mask protective film
- 1 Piece Fiberglass Roof
- Top-mount remote exterior/heated/mirrors/with cameras
- Frameless dual pane, dark tint windows
- Automotive foam and Ziebart seal undercoating
- Carefree power door awning
- Carefree Latitude dual pitch patio awning with LED lighting and wind sensor
- Carefree slide out topper with covers
- Full height strut assisted compartment doors with full pass through storage
- "One Key" system, exterior compartment, entry door and fuel fill doors
- Ducted A/C system
- · Crowned and layered vacuum bonded fiberglass roof
- Vacuum bonded 3" floor with tubular aluminum frame
- Gel coated vacuum bonded aluminum tube with fiberglass and block foam insulated sidewalls
- 1 piece 1/2" Structure wood flooring
- Block foam polystyrene insulation
- 30" Entryway
- In wall channeled drains for A/Cs
- Tubular steel firewall with polystyrene insulation
- Lighted exterior assist handle
- Two piece rear ladder
- 84" interior ceiling height
- PTL steel entrance door with deadbolt
- Auxiliary air chuck (front firewall)
- Auxiliary LP supply, quick connect (passenger side)
- LED Marker lights
- Full length mud flap with chrome Forest River name

Electrical Standards

- 50A service w/auto transfer switch and 30' power cord
- 6kW Onan diesel generator with manual slide tray
- Electronic battery disconnect switch
- Remote generator start switch (on dash and in bedroom)
- Multi-Plex Lighting with smart APP Controls
- Dimmer control lighting throughout
- LED ceiling light package
- Driver and passenger LED ceiling map lights
- Cosmetic bathroom lighting
- Decorative wall and dinette lighting where applicable
- Auxiliary engine start switch at dash
- Individual dimmable reading lights on bed overhead
- 2000w pure sine wave inverter/charger
- Auto generator start control
- Four (4) Six volt deep cycle house batteries
- Two (2) Master electric shut off switches
- LED porch and patio lights
- Easy read 12v circuit house load center
- Solar panel controller with roof prep
- Automotive chassis fuse panel

Plumbing Standards

- Variable speed constant pressure water pump
- Individual zoned hot/cold manifold water supply system
- 4-way water management valve in water bay compartment
- Bath Solid surface under mount sink
- Kitchen Stainless steel under mount sink
- One piece fiberglass shower with tempered glass door and skylight
- Whole house water filter
- Black water tank flush system
- Kitchen-Single lever faucet with pull-out sprayer
- Double lever lavatory faucets
- Porcelain china bowl toilet with foot flush
- Tecma macerator toilet (rear bath) (N/A 34QS)
- Clean-easy exterior shower hose
- Monitor panel in water bay compartment
- 360 Siphon roof vent caps

Driver/Passenger Area Standards

- One piece windshield
- Power front day/night shades
- Manual passenger and driver window night shade
- Metallic cherry wood grain dash panels
- Fog lights
- 10" Dash radio with integrated color back-up and side view camera package with navigation
- Wrap around cockpit with 6 gauge instrument cluster
- Driver 360 degree swivel and recline seat with 6-Way power adjustment
- Passenger 360 degree swivel and recline
- Passenger side console with cupholder
- Leatherette driver/passenger seat
- Lighted tiled step well
- Two (2) Defroster fans with high and low settings
- Driver/passenger cup holders
- Multiple USB charging ports
- Automotive dash AC/Heater with deluxe controls

Entertainment Standards

- 48" LED TV, living room (N/A 34QS)
- 40" LED TV, living room (N/A 38A)
- 32" LED TV, bedroom
- 32" LED TV, exterior
- 20" LED TV, (2) each bunk with easy access HDMI jack (N/A 34QS)
- Sound Bar with radio, integrated sub and Bluetooth
- Roof mount Winegard Trav'ler satellite prep
- Cable TV prep
- High Definition Cat6 matrix signal distribution
- High Definition digital TV antenna with signal strength indicator
- Sirius/XM satellite radio capable
- Blu-ray DVD player

Interior Standards

- 12" X 24" vinyl tile flooring
- Hardwood cabinetry and slideout fascia
- Raised panel hardwood cabinet doors
- Hidden hinges and bar pull style cabinet hardware
- Carpeted living room and dining slide-outs

- Window valances
- Bedroom carpet with padding
- Visionary hide-a-bed sofa
- Polished solid surface kitchen/dinette countertops with flush sink and stove covers
- Décor laminate on all other countertops
- Soft close ball bearing drawer guides in kitchen
- Full extension ball bearing metal drawer guides
- Galley storage compartment for range and sink covers
- Pull out kitchen countertop (N/A 34QS)
- Bi-fold doors with bunk beds (N/A 34QS)
- "Soft Touch" Dream booth dinette with storage underneath
- Soft Touch padded ceiling
- Roller style day/night shades
- Dresser drawers and wardrobe type cabinets
- 72" X 80" king pillow top with bedspread and decorative pillows (N/A 38A)
- 60" X 80" queen pillow top with bedspread and decorative pillows (N/A 34QS)
- Hardwood headboard with padded insert
- · Bedroom, overhead cabinets
- Bed night stands (front stand with dual USB jack)
- Mirrored medicine cabinets
- Towel bar, toilet paper holder and towel ring

Appliances Standards

- 15,000 BTU (front) with heat pump, 15,000 A/C (rear) A/C's
- Holding tank heat pads
- Truma continuous flow tankless gas hot water heater
- 35,000 BTU furnace (N/A 38A)
- 42,000 BTU furnace (N/A 34QS)
- 30" OTR convection microwave oven
- 2 Door residential refrigerator
- Sealed 3-burner stainless recessed cook top
- Power fan in bathroom
- Maxxair in galley w/wireless remote control w/cover
- Washer/dryer prep

Safety Standards

- 110 GFI protected circuits
- Carbon monoxide detector
- LP gas detector with auto tank shutoff
- Smoke alarm
- Egress window
- Surface mounted fire extinguisher

Interior Options

- Theater Seating w/twin sleepers IPO of standard Visionary Sofa (N/A 38A)
- Vinyl wood plank flooring IPO 12" X 24" vinyl tile flooring
- Fitted Cockpit floormat with "Berkshire" logo

Exterior Options

• Slide tray in basement compartment

Driver/Passenger Area Options

32" LED TV, front overhead

Appliance/Electronic Options

- Trav'ler (Winegard) satellite antenna- Direct TV (US)
- Trav'ler (Winegard) satellite antenna- Shaw (Canada)
- Electric fireplace
- Stackable washer/dryer



















PAINT PACKAGES | DECOR OPTIONS



INDIGO



RUBY TUNDRA



PERSIA



CARAMEL MOCHA



Berkshire.

VINTAGE CLASSIC



WOOD GRAIN OPTIONS











FLOORPLANS | SPECIFICATIONS









Floorplan	Length* (Feet)	GVWR (Lbs.)	GCWR (Lbs.)	GAWR Front (Lbs.)	GAWR Rear (Lbs.)	Wheelbase (Inches)	Height* (Feet)	Width* (Inches)	Basement storage* (Cu. Ft.)	Awning (Feet)	Fresh Tank (Gal.)	Gray Tank (Gal.)	Black Tank (Gal.)	LP Tank	Furnace (BTU's)	Hot Water
40A	41' 0"	33,000	43,000	12,000	21,000	266"	12' 5"	100"	220¹	13' 6"	103	66	42	24.5	40,000	Continuous
40B	41' 0"	33,000	43,000	12,000	21,000	266"	12' 5"	100"	220¹	13' 0"	103	66	42	24.5	40,000	Continuous
40BH	41' 0"	33,000	43,000	12,000	21,000	266"	12' 5"	100"	220¹	10' 5"	103	66	42	24.5	40,000	Continuous
40C	41' 0"	33,000	43,000	12,000	21,000	266"	12' 5"	100"	220¹	18' O"	103	66	42	24.5	40,000	Continuous

Please see back cover for more information regarding weights.

Automotive & Cockpit Standards

- Freightliner XCR raised rail chassis
- Cummins ISL turbo diesel, 380 HP @2000RPM, 2200GOV RPM 1150 LB/FT @1400 RPM
- Allison 3000MH 6-speed transmission
- 120V engine heater 1000W
- 22.5" polished aluminum wheels
- Michelin XZA2 275/80R22.5 14 ply radial tires
- Trailer hitch capacity, 10,000 LBS
- Allison electronic push button shifter
- 100 gallon, locking dual fill fuel tank
- Driver side Fill, 13 gallon DEF tank
- LCD engine message center
- Day time running lights
- 7-Pin tow power connector
- 18.7 CFM air compressor
- Farr Eco-air cleaner
- Air filter restriction indicator
- Fuel/water separator
- Brake line air dryer with heater
- Automatic, heated moisture ejectors
- Power steering
- Washer/heavy duty-wiper with intermittent function
- 160 amp alternator
- Two (2) Maintenance free 1900CCA batteries
- Full air ABS brakes with auto slack adjuster
- Variable exhaust brake
- Telescopic/tilt steering wheel
- Suspension Neway front and V- Ride rear
- Sachs custom tuned shock absorbers
- 55 degree wheel cut
- Auto air suspension deflation system
- Cross flow, rear mounted radiator
- Transmission oil cooler
- 5 year / 100,000 mile coolant (some maintenance required)
- V.I.P. Smart Wheel, 4-Spoke 18" premium burlwood steering wheel
- Electronic cruise control with high idle
- Multiple auxiliary charging ports at dash
- Power stepwell cover
- Entry assist handle

Construction & Exterior Standards

- Fiberglass front and rear caps
- Full body painted exterior (4x clear coat)
- Four (4) point fully auto hydraulic leveling system with auto air dump
- Steel basement construction
- Tru-Brace chassis support system
- Rust resistant aluminized steel chassis skirts
- Diamond shield front mask protective film
- 1 Piece fiberglass roof
- Top-mount remote exterior/heated/mirrors/with cameras
- Frameless dual pane, dark tint windows
- Automotive foam and Ziebart seal undercoating
- Carefree power door awning
- Carefree Latitude patio awning with LED lighting and wind sensor
- Carefree slide out topper with covers
- Full height strut assisted compartment doors with full pass through storage
- "One Key" system, ext-compartment, entry door and fuel fill doors
- Quiet integrated A/C intake/ducting roof system
- Crowned and layered vacuum bonded fiberglass roof
- Vacuum bonded 3" floor w/tubular aluminum frame
- Gel coated vacuum bonded aluminum tube with fiberglass and block foam insulation sidewalls
- 1 piece 1/2" Structure wood flooring
- Block foam polystyrene insulation
- 30" Entryway
- In wall channeled drains for A/Cs
- Tubular steel firewall with polystyrene insulation
- Lighted exterior assist handle
- Two piece rear ladder
- 84" interior ceiling height
- PTL steel entrance door with deadbolt
- Auxiliary air chuck (front firewall)
- Auxiliary LP supply, quick connect (passenger side)
- LED Marker Lights
- Full length mud flap with chrome Forest River name
- Slide tray in basement compartment

Electrical Standards

- 50A service with auto transfer switch & 30' power cord
- 8kW Onan diesel generator with manual slide tray
- Electronic battery disconnect switch
- Remote generator start switch (on dash & in bedroom)
- Multi-Plex lighting with smart APP Controls
- Dimmer control lighting throughout
- LED ceiling light package
- Driver and passenger LED ceiling map lights
- Cosmetic bathroom lighting
- Decorative wall and dinette lighting where applicable
- Auxiliary engine start switch at dash
- Individual dimmable reading lights bed overhead
- 2000w pure sine inverter/converter
- Auto generator start control
- Four (4) Six volt deep cycle house batteries
- Two (2) Master electric convenience shut off switches
- LED porch and patio lights
- Easy read 12v circuit house load center
- Solar panel controller with roof prep
- Automotive chassis fuse panel
- Ceiling fan in bedroom with decorative ceiling treatment
- Accent lighted kitchen counter top edging

Plumbing Standards

- Variable speed constant pressure water pump
- Individual zoned hot/cold manifold water supply system
- 4-way water management valve in water bay compartment
- Bath solid surface under mount sink
- Kitchen Stainless steel under mount sink
- One piece fiberglass shower with glass door & skylight
- Whole house water filter
- Black water tank flush system
- Kitchen-Hi rise single lever faucet w/ pull-out sprayer
- Single lever lavatory faucets
- Porcelain china bowl toilet w/foot flush
- Tecma macerator toilet (rear bath) (N/A 40BH, 40A)
- Clean-easy exterior shower hose
- Monitor panel in water bay compartment
- 360 Siphon roof vent caps

Driver/Passenger Area Standards

- One piece windshield
- Power front day/night shades
- Manual passenger & driver windows day/night shade
- Black pearl burl dash panels
- Fog lights
- 10" Dash radio with integrated color back-up and side view camera package with navigation
- Wrap around cockpit with 6 gauge instrument cluster
- Flexsteel soft touch driver seat swivel, recline seat with
 6-way power adjust
- Flexsteel soft touch passenger seat swivel, recline and power foot rest
- Passenger side console with cupholder & workstation
- Lighted, tiled step well
- Two (2) Defroster fans with high and low settings
- Driver/passenger cup holders
- Multiple USB charging ports
- Automotive dash AC/Heater with deluxe controls
- Premium Freightliner gauge package w/chrome bezels

Entertainment Standards

- 40" LED TV, living room
- 32" LED TV, bedroom
- 32" LED TV, front dash overhead (N/A 40A)
- 20" LED TV, (2) each bunk with easy access HDMI jack (N/A 40A, 40B)
- Hi-Fi sound bar with bluetooth
- Roof mount Winegard Trav'ler satellite prep
- Cable TV prep
- High Definition Cat6 matrix signal distribution
- High Definition digital TV antenna with signal strength indicator
- Sirius/XM satellite radio capable
- Blu-ray DVD player
- Ext/entertainment center in sidewall: 40" TV and radio with auxiliary jack

Interior Standards

- Polished porcelain tile with accent tile
- Hi gloss glazed hardwood cabinetry and raised panel doors (Hi-gloss with glaze N/A with Executive Dark Cherry option)

- Hidden hinges and pull style cabinet hardware
- Carpeted living room and dining slide-outs
- Window valances
- Bedroom carpet with padding
- Villa "soft touch" love seat (N/A 40A, 40B, 40C)
- Villa dream booth dinette/sofa ensemble with Hide-A-Bed and storage (N/A 40C)
- Dream booth dinette with Hide-A-Bed sofa (N/A 40BH, 40A, 40B)
- Polished solid surface kitchen countertops and backsplash with tile inserts
- Polished solid surface bathroom countertops and backsplash with tile inserts
- Laminate on all other countertops
- Soft close ball bearing drawer guides in kitchen
- Full extension ball bearing metal drawer guides
- Galley storage compartment for sink covers
- Kitchen pantry (N/A 40BH)
- Bi-fold doors, bunk beds (N/A 40A, 40B)
- Soft Touch padded ceiling
- Roller style day/night shades
- Dresser drawers and wardrobe type cabinets
- 72"X 80" Serta king bed with bedspread and decorative pillows (N/A 40BH)
- 60"X 80" Serta queen bed with bedspread and decorative pillows (N/A 40A, optional 40B, 40C)
- Hardwood headboard with padded insert
- Contoured overhead cabinets in slide rooms
- Bed night stands (front stand with dual USB jack)
- Mirrored medicine cabinets
- Towel bar, toilet paper holder and towel ring
- Fitted cockpit floormat with "Berkshire" logo

Appliance Standards

- 15,000 BTU with heat pump (front) ,15,000 BTU (rear) low profile A/C's
- Holding tank heat pads
- Truma continuous flow tankless gas hot water heater
- (2) Dual zoned 20,000 BTU furnaces
- 30" OTR convection microwave oven
- Residential 23 cu. ft. French door refrigerator with ice maker
- Recessed electric glass induction cook top

- Power fan in bathroom
- Maxxair in galley w/wireless Remote control w/cover
- Washer/dryer prep
- Electric fireplace
- Central vacuum system

Safety Standards

- 110 GFI protected circuits
- Carbon monoxide detector
- LP gas detector with auto tank shutoff
- Smoke alarm
- Earess window
- Surface mounted fire extinguisher

Interior Options

- Free standing dinette with 4 chairs & "Hide-A-Bed" sofa IPO ensemble (N/A 40C)
- Booth dinette with "Hide-A-Bed" sofa IPO ensemble (N/A 40C)
- Electronic safe
- Ceramic wood plank tile
- Queen bed IPO king bed (40B, 40C only)


Appliance/Electronic Options

- Trav'ler (Winegard) satellite antenna Direct TV (US)-Shaw (Canada)
- Stackable washer/dryer



The Berkshire XL series utilizes the Freightliner XCR Raised Rail Chassis, Cummins ISL turbo diesel, 380 HP @2000RPM, 2200GOV RPM 1150 LB/FT @1400 RPM, and an Allison 3000MH 6-speed transmission













REDSTONE EXTERIOR OPTION








PAINT PACKAGES | WOOD GRAIN OPTIONS



REDSTONE




CITRINE



DARK SAPPHIRE



HEMATITE



LABYRINTH



TANZANITE


OPTIONS





LAVA



FLOORPLANS | DECOR OPTIONS | SPECIFICATIONS









Floorplan	Length (Feet)	GVWR (Lbs.)	GCWR (Lbs.)	GAWR Front (Lbs.)	GAWR Rear (Lbs.)	GAWR TAG (Lbs.)	Wheel- base (Inches)	Height* (Feet)	Width* (Inches)	Basement storage* (Cu. Ft.)	Awning (Feet)	Opt. 2nd Awning (Feet)	Fresh Tank (Gal.)	Gray Tank (Gal.)	Black Tank (Gal.)	LP Tank (Gal.)	Furnace (BTU's)	Hot Water
43A	42' 10"	44,320	59,320	14,320	20,000	10,000	273"	12 ¹ 11 ¹¹	100"	227¹	11' 0"	12' 0"	103	66	42	24.5	50,000	Continuous
43B	42' 10"	44,320	59,320	14,320	20,000	10,000	273"	12' 11"	100"	2271	15' 8"	12' 9"	103	66	42	24.5	50,000	Continuous
43C	42' 10"	44,320	59,320	14,320	20,000	10,000	273"	12' 11"	100"	227¹	12' 9"	N/A	103	66	42	24.5	50,000	Continuous

Please see back cover for more information regarding weights.

Automotive & Cockpit Standards

- Freightliner XCR raised rail chassis
- Cummins ISL 450HP @2100RPM, 2200GOV RPM, 1250 LB/FT @ 1400RPM
- Allison 3000MH 6-speed transmission
- 120V engine heater 1000W
- 22.5" polished aluminum wheels
- Michelin XZA2 275/80R22.5 14 ply radial tires
- Trailer hitch capacity, 15,000 LBS
- Allison electronic push button shifter
- 150 gallon, locking dual fill fuel tank
- 13 gallon DEF tank
- LCD engine message center
- Day time running lights
- 7-Pin tow power connector
- 18.7 CFM air compressor
- Farr Eco-air cleaner
- Air filter restriction indicator
- Fuel/water separator
- Brake line air dryer w/heater
- Automatic, heated moisture ejectors
- Power steering
- Washer/heavy duty-wiper w/ intermittent function
- 160 amp alternator
- Two (2) Maint. Free 1900CCA batteries
- Full air ABS brakes w/ auto slack adjuster
- Jacobs 2 stage compression brake
- Telescopic/tilt steering wheel & adjustable suspended pedals
- Suspension Neway (front) & V-ride (rear axle)
- Sachs custom tuned shock absorbers
- 55 degree wheel cut
- Auto air suspension deflation system
- Side radiator cooling package
- Transmission oil cooler
- 5 year / 100,000 mile coolant (some maintenance required)
- 4-Spoke VIP black steering wheel
- Electronic cruise control w/ high idle
- Multiple auxiliary charging ports at dash
- Power stepwell cover
- Entry assist handle
- Ultra steer tag axle

Construction & Exterior Standards

- Fiberglass front and rear caps
- Full body painted exterior (4x clear coat)
- Four (4) point fully auto hydraulic leveling system w/ auto air dump
- Steel basement construction
- Tru-Brace chassis support system
- Rust resistant aluminized steel chassis skirts
- · Diamond shield front mask protective film
- 1 Piece fiberglass roof
- Top-mount remote exterior/heated/mirrors/with cameras
- Frameless dual pane, dark tint windows
- Automotive foam and Ziebart seal undercoating
- Carefree power door awning
- Carefree Latitude dual pitch patio awning w/LED lighting & wind sensor
- Carefree s/o topper w/covers (full/wall slide)
- Full height strut assisted compartment doors w/full pass through storage
- "One Key" system, ext-compartment, entry door & fuel fill doors
- Quiet integrated A/C intake/ducting roof system
- Crowned and layered vacuum bonded fiberglass roof
- Vacuum bonded 3" floor w/Tubular aluminum frame
- Gel coated vacuum bonded aluminum tube w/ fiberglass & block foam insulation sidewalls
- 1 piece 1/2" structure wood flooring
- Block foam polystyrene insulation
- 30" Entryway
- In wall channeled drains for A/Cs
- Tubular steel firewall w/polystyrene insulation
- Lighted exterior assist handle
- Two piece rear ladder
- 84" interior ceiling height
- PTL steel entrance door with deadbolt
- Auxiliary air chuck (front firewall)
- Auxiliary LP supply, quick connect (passenger side)
- LED Marker Lights
- Full length mud flap w/ chrome Forest River name
- Slide tray in basement compartment



Electrical Standards

- 50A service w/auto transfer switch & 36' power cord
- 10kW Onan diesel generator w/ manual slide tray
- Energy management system
- Electronic battery disconnect switch
- Remote generator start switch (on dash & in bedroom)
- Multi-Plex Lighting w/smart APP Controls
- Dimmer dimmable control lighting throughout
- LED Ceiling light package
- Driver & passenger LED ceiling map lights
- Cosmetic bathroom lighting
- Decorative wall & dinette lighting w/applicable
- Auxiliary engine start switch at dash
- Individual reading lights bed overhead
- 2000w pure sine inverter/converter
- Auto generator start control
- Four (4) Six volt deep cycle house batteries
- Two (2) Master electric convenience shut off switches
- LED porch & patio lights
- Easy read 12v circuit house load center
- Solar panel controller w/roof prep
- Automotive chassis fuse panel
- Ceiling fan in bedroom w/decorative ceiling treatment
- Accent lighted kitchen counter top edging
- Prep for power cord reel

Plumbing Standards

- Variable speed constant pressure water pump
- Individual zoned hot/cold manifold water supply system
- 4-way water management valve in water bay compartment
- Bath solid surface under mount sink
- Kitchen Stainless steel under mount sink
- One piece fiberglass shower w/ glass door & skylight
- Whole house water filter
- Black water tank flush system
- Kitchen-Hi rise single lever faucet w/ pull-out sprayer
- Single lever lavatory faucets
- Porcelain china bowl toilet w/foot flush
- Tecma-macerator toilet (rear bath) (N/A 43A, 43B)
- Clean-easy exterior shower hose
- Monitor panel in water bay compartment
- 360 Siphon roof vent caps

Driver/Passenger Area Standards

- One piece windshield
- Power front day/night shades
- Manual passenger & driver windows day/night shade
- Black pearl burl dash panels
- Fog lights
- 10" Dash radio w/ integrated color back-up and side view camera package w/navigation
- Wrap around cockpit with 6 gauge instrument cluster
- Flexsteel soft touch driver seat swivel, recline seat with
 6-way power adjust
- Flexsteel soft touch passenger seat swivel, recline & power foot rest
- Passenger side console with cupholder & workstation
- Lighted step well
- Two (2) Defroster fans with high and low settings
- Driver/passenger cup holders
- Multiple USB charging ports
- Automotive dash AC/heater with deluxe controls
- Premium Freightliner gauge package w/chrome bezels

Entertainment Standards

- 48" LED TV, living room
- 32" LED TV, bedroom
- 32" LED TV, front dash overhead
- 20" LED TV, (2)each bunk w/ easy access HDMI jack (N/A 43A, 43C)
- Hi-Fi sound bar with bluetooth
- Roof mount Winegard Trav'ler satellite prep
- Cable TV prep
- High Definition Cat6 matrix signal distribution
- High Definition digital TV antenna with signal strength indicator
- Sirius/XM satellite radio capable
- Blu-ray DVD player
- Ext/entertainment center in sidewall: 40" TV & radio with auxiliary jack

Interior Standards

- Polished porcelain tile with accent tiles
- Hi gloss glazed hardwood cabinetry and raised panel doors (Hi gloss with glaze N/A with executive dark cherry option)
- Hidden hinges and pull style cabinet hardware

- Carpeted living room and dining slide-outs
- Window valances
- Bedroom carpet w/ padding
- Villa "soft touch" love seat (N/A 43A)
- Villa dream booth dinette/sofa ensemble with hide-abed and storage
- Polished solid surface kitchen countertops and backsplash with tile inserts
- Polished solid surface bathroom countertops and backsplash with tile inserts
- Laminate on all other countertops
- Soft close ball bearing drawer guides in kitchen and bathroom
- Full extension ball bearing metal drawer guides
- Galley storage compartment for sink covers
- Kitchen pantry (N/A 43B)
- Bi-fold doors, bunk beds (N/A 43A, 43C)
- Soft Touch padded ceiling
- Roller style day/night shades
- Dresser drawers and wardrobe type cabinets
- 72"X 80" Serta king bed with bedspread and decorative pillows
- Hardwood headboard with padded insert
- Contoured overhead cabinets in slide rooms
- Bed night stands (front stand with dual USB jack)
- Mirrored medicine cabinets
- Towel bar, toilet paper holder and towel ring
- Living room ceiling feature
- Electronic safe
- Fitted cockpit floormat with "Berkshire" logo

Appliance Standards

- 15,000 BTU w/heat pump (front), 15,000 BTU (rear)
 13,500 BTU (middle) low profile A/C's
- Holding tank heat pads
- Truma continuous flow tankless gas hot water heater
- (1) 30,000 and (1) 20,000 BTU furnaces
- 30" OTR convection microwave oven
- Residential 23 cu. ft French door refrigerator with ice maker
- Electric induction glass cook top
- Power fan in bathroom
- Maxxair in galley with wireless remote control and cover
- Washer/dryer prep

- Electric fireplace (N/A 43C)
- Central vacuum system

Safety Standards

- 110 GFI protected circuits
- Carbon monoxide detector
- LP gas detector with auto tank shutoff
- Smoke alarm
- Egress window
- Surface mounted fire extinguisher

Interior Options

- Free standing dinette w/4 chairs & "Hide-A-Bed" sofa IPO ensemble (N/A 43A)
- Booth dinette with "Hide-A-Bed" sofa IPO ensemble (N/A 43A)
- Free standing dinette w/4 chairs and expandable "Hide-A-Bed" sofa IPO ensemble (N/A 43B, 43C)
- Booth dinette with expandable "Hide-A-Bed" sofa IPO ensemble (N/A 43B, 43C)
- Ceramic wood plank tile

Appliance/Electronic Options

- Stainless steel dishwasher
- Electric heated tile flooring
- Trav'ler (Winegard) satellite antenna Direct TV (US)-Shaw (Canada)
- Stackable washer/dryer
- Second patio awning (rear passenger slideout) (N/A 43C)



The Berkshire XLT series utilizes the Freightliner XCR Raised Rail Chassis, Cummins ISL 450HP @2100RPM, 2200GOV RPM,1250 LB/FT @ 1400RPM and an Allison 3000MH 6-speed transmission

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your mo-tor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids. optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily Forest River, Inc. encourages our customers to purchase use all available space when loading your unit. their Forest River products from a local dealership

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further



PRE_DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





1) Forest River, Inc. dealers are independently owned and operated businesses so priority service and scheduling is at their discretion and is often provided to customers





Learn More Scan this barcode using a QR Reader on your



1800 W. Hively Ave. Elkhart, IN 46517 (574) 522-3693 www.forestriverinc.com

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.



Rerkshire

ERKSHIRE | BERKSHIRE XL | BERKSHIRE XLT

@Berkshire- a division of Forest River Inc. A Berkshire Hathaway company

