



PALOMINO

Recreational Vehicles

a Division of Forest River







Solaire ultra light hybrid travel trailers are equipped for fun. Built with easy tow ability in mind, it includes an all aluminum superstructure and aerodynamic design.

Solaire ultra light travel trailers are swift and easy to tow, yet built to last with a sturdy aluminum framed superstructure for long lasting durability.










SOLAIRE

Solaire ultra light travel trailers equipped with the GT3 package are designed with luxury in mind. The aluminum structure allows for easy towing and handling.











Protective Coatings Built to Go the Distance

LINE-X Benefits:

- Protect your investment with reduced maintenance and repair costs
- Abrasion, impact, and scratch resistance for protection against rock or debris chips
- Rust, corrosion, and chemical protection
- Fade resistance with LINE-X ULTRA UV stable color formula



Three available interior color decor options. Shown in picture with fabric furniture option in place of leather.

Teakwood decor with fabric furniture option










Hybrid Expandable. Best in Value.

Hybrid expandable bed ends and slide outs create a comfortable and spacious interior design for that residential feel. They include many popular features to deliver the very best value to the market.



147 X

HITCH DRY WEIGHT	315	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	2908	TRAVEL LENGTH	18'6"
TOTAL DRY WEIGHT	3223	FRESH WATER CAPACITY	40
GVWR	3815	GRAY WATER CAPACITY	30
UNLOADED VEHICLE WEIGHT	3223	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	746
EXTERIOR HEIGHT	10'1"		



163 X

HITCH DRY WEIGHT	400	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3169	TRAVEL LENGTH	20'2"
TOTAL DRY WEIGHT	3569	FRESH WATER CAPACITY	40
GVWR	4996	GRAY WATER CAPACITY	30
UNLOADED VEHICLE WEIGHT	3603	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1393
EXTERIOR HEIGHT	10'1"		



190 X show in Teakwood decor



HITCH DRY W	EIGHT	620		EXTERIOR WIDTH	8'
DRY AXLE WE	IGHT	3990	:	TRAVEL LENGTH	22'10"
TOTAL DRY W	EIGHT	4610		FRESH WATER CAPACITY	40
GVWR		5996		GRAY WATER CAPACITY	30
UNLOADED VE	EHICLE WEIGHT	4644	:	BLACK WATER CAPACITY	30
INTERIOR HEI	GHT	6'8"		CARGO CARRYING CAPACITY	1352
FXTERIOR HE	GHT	11'1"			



213 X

HITCH DRY WEIGHT	532		8'
DRY AXLE WEIGHT	3782	TRAVEL LENGTH	25'2"
TOTAL DRY WEIGHT	4316	FRESH WATER CAPACITY	40
GVWR	5996	GRAY WATER CAPACITY	30
UNLOADED VEHICLE WEIGHT	43487	BLACK WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	CARGO CARRYING CAPACITY	1648
EXTERIOR HEIGHT	10'1"		







OPTIONAL GT3 PACKAGE



Standards

- · Power Awning w/LED Lights
- · Dexter Tor-Flex Torsion Axles
- · Furrion HDMI DVD/Bluetooth/HDMI Stereo
- · Power Tongue Jack
- · 13,500 BTU Ducted A/C
- · Tub Surround w/Skylight
- · Gel Coated Front Cap
- · Ball Bearing Drawer Guides
- Microwave
- Slam Latch Baggage Doors w/ Magnets
- · Black Tank Flush
- · Crispy White Gel Coat Fiberglass
- · LED Interior Lights
- · 8 Cu Ft Refrigerator (N/A On 147)

GT3 Package

Standards

Optional GT3 Package Includes All The Features From The Ultra Plus The Following:

- · Roller Night Shades
- · 9" Denver 60 X 80 Mattress
- · Line X Cap
- Bedspread / Pillow Combo
- · Solid Surface Counter Tops Throughout
- · Stainless Steel Appliance Package
- · Aluminum Wheels
- Bonded Frameless Windows
- · Raised Refrigerator Panel
- · Power Stabilizer Jacks
- · Heated Holding Tanks

NOT AVAILABLE GT3 PACKAGE 201 SS, 202 RB, 211 BH

GT3 Not available

6'8"

10'1"

HITCH DRY WEIGHT DRY AXLE WEIGHT TOTAL DRY WEIGHT

UNLOADED VEHICLE WEIGHT

EXTERIOR HEIGHT W/AC

INTERIOR HEIGHT

טוט ווטו מי	allanic
O.H. CASINET 48 THEATRE SOPA SLEEPER	
SOURCE TO THE STATE OF THE STAT	WARDROBE OVERHE AD CARINET
CLOSET REFER	WARDROBE

CLOSET CLOSET CLOSET SOD 48 SHOWER W/SEAT	ELEFA ST.	WARDROSE WARDROSE
Щ	14' AWNING	202 RB

GT3 Not available

•	_		201 SS
588		EXTERIOR WIDTH	8'
3427		TRAVEL LENGTH	23'4"
4015		OPEN LENGTH	NA
5196		FRESH WATER CAPACITY	50
4049		GRAY WATER CAPACITY	30

BLACK WATER CAPACITY

CARGO CARRYING CAPACITY

30

1147

HITCH DRY WEIGHT	536	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3239	TRAVEL LENGTH	23'5"
TOTAL DRY WEIGHT	3775	OPEN LENGTH	NA
GVWR	5125	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	3813	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	10'1"	CARGO CARRYING CAPACITY	1312






251 RBSS Shown



HITCH DRY WEIGHT	760		EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4640		TRAVEL LENGTH	25'6"
TOTAL DRY WEIGHT	5400	:	OPEN LENGTH	NA
GVWR	7760		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5434		GRAY WATER CAPACITY	68
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	2326



HITCH DRY WEIGHT			EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4930		TRAVEL LENGTH	29'3"
TOTAL DRY WEIGHT	5450	:	OPEN LENGTH	NA
GVWR	7520		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5484		GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	2036



HITCH DRY WEIGHT	817	EXTERIOR WIDTH	8"
DRY AXLE WEIGHT	5545	TRAVEL LENGTH	31'8"
TOTAL DRY WEIGHT	6362	OPEN LENGTH	NA
GVWR	7817	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	6400	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	1417



			OOT IIIVL	,,,
HITCH DRY WEIGHT	920	:	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6333	:	TRAVEL LENGTH	35'6"
TOTAL DRY WEIGHT	7253	:	OPEN LENGTH	NA
GVWR	8920		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	7291	:	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1629



HITCH DRY WEIGHT	929	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	7239	TRAVEL LENGTH	35'6"
TOTAL DRY WEIGHT	8168	OPEN LENGTH	NA
GVWR	11089	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	8206	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	2883















HITCH DRY WEIGHT	528		EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3568		TRAVEL LENGTH	25'5"
TOTAL DRY WEIGHT	4096		OPEN LENGTH	NA
GVWR	5630		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	4134		GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	10'1"	J	CARGO CARRYING CAPACITY	1496A



HITCH DRY WEIGHT	990	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	5330	TRAVEL LENGTH	32'3"
TOTAL DRY WEIGHT	6320	OPEN LENGTH	NA
GVWR	8990	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	6354	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	2636



HITCH DRY WEIGHT

EXTERIOR WIDTH 8'

DRY AXLE WEIGHT	4855	•	TRAVEL LENGTH	30'11"
TOTAL DRY WEIGHT	5614		OPEN LENGTH	NA
GVWR	7759	0	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5648		GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	2111



HITCH DRY WEIGHT	566		EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4606		TRAVEL LENGTH	27'10"
TOTAL DRY WEIGHT	5172	:	OPEN LENGTH	NA
GVWR	6710		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5210		GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1500



292 QBSK

HITCH DRY WEIGHT	885	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4970	TRAVEL LENGTH	33'4"
TOTAL DRY WEIGHT	5855	OPEN LENGTH	NA
GVWR	7885	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5889	OHITH MITTER OHITHOTTI	38
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	1996



	HITCH DRY WEIGHT	805	:	EXTERIOR WIDTH	8'
4"	DRY AXLE WEIGHT	7055		TRAVEL LENGTH	35'1"
	TOTAL DRY WEIGHT	7860		OPEN LENGTH	NA
	GVWR	8805		FRESH WATER CAPACITY	50
	UNLOADED VEHICLE WEIGHT	7894		GRAY WATER CAPACITY	114
	INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
6	EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	911



HITCH DRY WEIGHT	625	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6445	TRAVEL LENGTH	35'1"
TOTAL DRY WEIGHT	7070	OPEN LENGTH	NA
GVWR	8625	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	7104 :	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	1521







SOLAIRE

SUPERIOR CONSTRUCTION

A.	Alpna Super Flex Memorane
В.	Luan Substrate

- C. Luan Substrate
- D. High density block foam insulation
- E. High density block foam insulation
- Luan substrate
- G. Fiberglass front cap w/ LED lights and Line X® Rock Guard
- H. Residential Style Carpeting
- I. Wood-look laminate floor
- . Fully welded aluminum super structure
- K. High density block foam insulation
- L. Luan substrate top
- M. Luan substrate bottom
- N. Under floor holding tanks
- D. Dexter Tor Flex Torsion Axle

AVAILABLE OPTIONS

SOLAIRE EXPANDABLES -

- · Air conditioner upgrade 15,000 BTU
- · 24" LED TV
- · Create A Breeze Fan
- · Heated Holding Tanks
- · RVQ Bumper Mount Grill
- · Tri-Fold Hide A Bed
- Off Road Package (147 X Only) (includes 15"wheels, Off Road tires, and lift kit)

SOLAIRE ULTRA LITE -

- Air conditioner upgrade 15,000 BTU
- TV (size varies per floorplan)
- · 30 lb. LP tanks
- · 9" Denver mattress
- · Counter top extension
- · Create a breeze fan
- · Fireplace (N/A on the 201/202/211)
- Free standing table & chairs
- King bed option
 (available on 304 / 316 only)
- · Power stabilizer jacks
- · RVQ bumper mount grill
- · Raised refrigerator panel
- · Residential refrigerator 11 cu ft.
- · Roller night shades
- Roof ladder (n/a on 267/269/316)
- · Slide topper awnings
- · Stainless steel appliances
- 68" theater seating
- · Tri-fold sofa upgrade
- 50 amp service

SOLAIRE

DARE TO COMPARE CHALLENGE

	SOLAIRE	BRAND X
CONSTRUCTION:		
Aluminum cage laminated construction	1	
Vacuum bonded lamination: Roof, floor, sidewalls, rear wall, slide out box	V	
Barreled walk on roof – block foam insulation for the most rigid		
construction available	1	
Rack and pinion thru-frame flush floor slide out with manual override	V	
EXTERIOR:		
Fully enclosed underbelly	\checkmark	
Gel coated high gloss white exterior	$\overline{}$	
Slam latch exterior baggage doors with magnetic door catches	$\overline{}$	
Dexter TORFLEX Torsion axles – independent suspension, rubber		
cushioning eliminates metal-to-metal contact	\checkmark	
TV bracket and speakers	-	
Power awning with LED patio lights	$\overline{}$	
Powder coated exterior kitchen tops and base – designed for the		
exterior elements	\checkmark	
Alpha Superflex roofing	\checkmark	
INTERIOR:		
8 cubic foot Dometic refrigerator	\checkmark	
Glass top flush mount range cover	1	
LED interior lights	V	
Solid surface countertops	7,	
46" Mega booth standard in non-island kitchen models	7,	
Skylight in every kitchen and includes a night shade	V	
Raised panel cabinet doors	1	
Porcelain foot flush Dometic Toilet	1	
USB charging station	$\overline{}$	



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

24/7 EMERGENCY ROADSIDE ASSISTANCE For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the FAVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)*- is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Palomino Warranty

Palomino will stand behind our products 100%. For complete details on our warranty program, please see your Palomino dealer.

- **1** 2-year fiberglass warranty
- 2 5 year axle warranty
- **3** 12-year Alpha Super Flex roof warranty
- **4** 2-3 year warranty on appliances (see manual for details)
- **5** 1 year bumper to bumper warranty
- **6** An additional 1 year warranty available



SHINE BAY APPROVED

Each of units goes through a lengthy 30 point inspection process to guarantee complete satisfaction upon arrival to the dealer. We take the time to check everything from seals to electrical shortages.



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.



1047 EAST M-86 | COLON, MI 49040 P: 269.432.3271 | F: 269.432.2516

www.palominorv.com

YOUR SOLAIRE DEALER

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your nurrhave decision. Litho. IL S. A. FOR 1407 P.W: 7016.17 78