


DESTINATION SERIES













391SAB



ENTERTAINING.



The 391SAB is the ultimate combination of functionality and design. This floorplan was designed for that customer that wants sleeping space without giving up true living space. This unit comes standard with a king size Serta memory foam mattress and heated/massage theater seats. A popular option is adding the Hide-a-bed sofa in the spare room for turning this into a second bedroom when needed.





393RL



MULTI-FUNCTIONAL.



The 393RL is perfect for that site by the lake or just to retreat for the weekend to enjoy the outdoors. This unit features a standard king size Serta memory foam mattress and two swivel rocker recliners. With an oversized island kitchen this unit is perfect for entertaining. This unit also comes prepped for a washer/dryer but doubles as more storage if you so choose.







401FLX



PEBBLE INTERIOR

INNOVATIVE.

The 401FLX is filled with big beautiful windows to have the natural sunlight pour inside showing off all the wonderful amenities. The main focal point on this floorplan is the beautifully crafted entertainment center that boasts a 40" flatscreen TV standard. Directly across from the entertainment center and fireplace are two swivel rocker recliners or optional heated/massage theater seats.



SIERRA DESTINATION INTERIOR AND EXTERIOR FEATURES



HIGH RISE FAUCET WITH UNDERMOUNT SINK AND PULL OUT SPRAYER.



THE UPGRADED AND INTRICATELY DETAILED SLIDE-OUT FASCIA.



THEATER SEATS WITH LED LIGHTING, HEAT AND MASSAGE AND CONSOLE STORAGE.



FULL EXTENSION, SOFT CLOSE BALL BEARING DRAWER GUIDES.



THE ELECTRIC FIREPLACE WARMS AND IS A GREAT FOCAL POINT FOR THE LIVING AREA.



SIERRA'S CONTROL CENTER ALLOWS YOU TO MONITOR TANKS AND OTHER SYSTEMS QUICKLY AND EASILY.



SERTA MEMORY FOAM MATTRESS



FLATSCREEN LED HDTV WITH PREMIUM SOUNDBAR AND DVD PLAYER.



CONTEMPORARY CEILING FAN.



DUAL ZONE DOMETIC DIGITAL THERMOSTAT.




STYLISH MASTER BEDROOM HEADBOARD WITH INTEGRATED LED LIGHTING.




LED INTERIOR LIGHTING. OUR LED LIGHTS ARE 40% MORE EFFICIENT THAN INCANDESCENT LIGHTS.

SIERRA


















DUCTED 15K BTU AIR CONDITIONER.

LARGE TINTED WINDOWS WITH 80/20 UV PROHIBITOR.

2-30 LB. LP TANKS WITH ABS TANK COVER.











16" E RATED RADIAL TIRES

DRIP RAIL WITH EXTRA LONG DRIP SPOUTS HELP PREVENT BLACK STREAKING.

SIERRA DESTINATION CONSTRUCTION



THE SIERRA SUPERSTRUCTURE
THE SIERRA HAS A WELDED ALUMINUM
SUPERSTRUCTURE THAT IS REGARDED AS THE
INDUSTRY'S FINEST, PICTURED LEFT IS THE
HEAVIER GAUGE ALUMINUM TUBING USED BY
SIERRA VS. THE COMPETITIONS LIGHTER GAUGE
ALUMINUM.



- A. ROLLED ALUMINUM SIDE SKIRTING B. SAFETY GLASS TINTED WINDOWS (80%) C. DUCTED 15K BTU AIR CONDITIONING D. DEXTER AXLES WITH AUTO ADJUST
- E. LAMINATED VACUUM BONDED ALUMINUM
- SIDEWALLS
 F. E RATED RADIAL TIRES
 G. HICKORY SPRINGS™ RADIUS ENTRY

- H. SEAMLESS RUBBER ROOF (12 YR. WARRANTY)
 I. BLOCK FOAM INSULATION
 J. RESIDENTIAL STAIN RESISTANT
 CARPET W/PADDING
 K. 3/8" ROOF DECKING (FULL WALK-ON ROOF)
 L. 5/8" TONGUE AND GROOVE PLYWOOD
 FLOODING FLOORING
 M. ENCLOSED HEATED UNDERBELLY
 N. I-BEAM POWDER-COATED FRAME

- ADIUS 94" CATHEDRAL CEILINGS LEEK RADIUS ROOF
- R. HIGH GLOSS GEL-COATED COLOR MATCHED FIBERGLASS EXTERIOR S. TWO (2) 30 LB, LP TANKS

SIERRA DESTINATION DECORS, STANDARDS AND OPTIONS



MINK INTERIOR



MERLOT INTERIOR



BEACHWOOD INTERIOR



PEBBLE INTERIOR

EXTERIOR FEATURES

- High gloss gel coated color matched exterior fiberglass Enclosed and heated dump valves
- Large tinted windows with 80/20 UV prohibitor
- Dexter auto adjust brakes
 Hickory Springs²⁰ radius triple
 steps with 9" riser (no pinched fingers)
 Dometic²⁰ "One-Touch" electric
- awning with adjustable arms, and integrated LED light
 16" Radial tires-E Rated
- Automotive-style fender skirts
- Hitch light Porch light with interior switch
- Patio recreation light with interior switch
- 30 lb. double LP tanks with auto
- 2 exterior speakers
- Rain gutters with extra long drip spouts (prevents black streaking)
- Exterior folding grab handle 60" Patio door

APPLIANCES/SYSTEMS

- Ducted Dometic* 15K A/C
 Dual zone thermostat for living room and bedroom A/C
- Floor ducted 35,000 BTU furnace Three burner High output range
- with 22" oven 20 cu. ft. stainless steel refrigerator
- Interior monitor panel for
- holding tanks Interior thermostat for heating
- and cooling Flush floor hydraulic slideouts
- (per floorplan)
 Satellite and cable hookup with
 RG-6 cable for high quality picture
 Porcelain foot flush toilets
- Full coach water filtration system
- 10 Gal. DSI water heater
- 65 Amp converterWater filter system
- Fantastic fan in bath

INTERIOR FEATURES

- 94" interior height with 6'4" slide heights Radius "barreled" ceiling
- Residential stain resistant carpet
- Rustic Plank pattern Beauflor* linoleum Swivel glider recliners Four color coordinated interiors
- (Mink, Merlot, Pebble, Beachwood)
- Full extension ball bearing
- Stone cast under mounted kitchen sink
- Washer/dryer prep (select floorplans) Handmade cabinetry with screwed
- lumber core stile construction
- Residential countertops Dual zone A/C prep (living room and
- Recessed residential LED lighting
- throughout Colored shower surround with etched
- Upgraded adjustable shower head with shelf
- Accent paneling in slideouts Accent lighting over dinette Walk-in shower (select models)
- Crown molding over kitchen cabinets Extra large picture windows
- throughout Vented side windows in slideouts
- TV antenna with booster
- Solid wood drawer fronts with birch sides
- Upgraded raised panel cabinet doors with designer rails
- Bedroom slideout fascia
- Serta® memory foam mattress
- 20 cu. ft. stainless steel refrigerator
- Stainless steel kitchen package 40" LED HDTV with Sony DVD and premium soundbar
- Designer window treatment accented per decor
- Ceiling fan Hide-a-bed sofa with tri-fold
- Residential carpeting Center mounted A/C unit for even cooling Quilted bedspread Home decor package

- Trash receptacle in kitchen

CONSTRUCTION

- Welded aluminum-framed, vacuum bonded laminated superstructure
- 2" x 3" floor joists 12" on center
- 2 x 3 Hool joils 12 on center 5/8" tongue & groove plywood floor decking 3/8" roof decking (full walk-on roof) Cambered powder coated frame with rust prohibitor Fully enclosed heated underbelly
- 5" truss roof rafters
- R-10 sidewall construction

POPULAR OPTIONS

- Solid surface countertops in kitchen
- Free-standing dinette with 4 chairs Washer and dryer (per floorplan) Sofa IPO bottom bunk
- (per floorplan)
- Second air conditioner-bedroom
- Fantastic fan with power hood operated with wall switch
- 12 Volt heated holding tanks R-38e Insulation package Tile pattern Beauflor* linoleum Central vacuum
- Bedroom ceiling fan

FOR YOUR SAFETY

- Smoke alarm
- Fire extinguisher
- Breakaway switch
- (battery hook-up required)

 Dead-bolt lock on entry door
- LP/CO2 gas detector
- Fire escape windows

POLAR TECH PACKAGE

- Thermal pane windows Heated holding tanks
- R-38e roof & all floors insulation
- 40K BTU furnace Double fiberglass insulation in roof &



- Residential stain resistant carpet
- Serta® memory foam mattress Radius 94" cathedral ceilings "One Touch" Dometic® electric
- awning w/LED lights
 Stainless steel kitchen package
 15K BTU air conditioner
- King bed standard
- Ceiling fan in living room
- Décor package
- 50 amp service High gloss gel coated fiberglass color matched exterior
- 10 gal. G/E water heater w/DSI Residential pullout kitchen faucet 20 cu. ft. stainless steel refrigerator
- Tinted patio door
- Inted patio door
 40" LED HDTV with Sony DVD and
 premium soundbar
 Washer/dryer prep (where available)
 Fantastic fan in bathroom
 Tri-fold hide-a-bed


- "Rustic Wood" Beauflor® linoleum



385FKBH



391SAB





401FLX




393CK



393RL



402QB



SPECIFICATIONS

MODEL	385FKBH	391SAB	393CK	393RL	401FLX	402QB
нітсн	1,615	1,406	1,245	1,379	1,841	1,180
uvw	11,049	11,062	10,287	10,726	10,830	11,289
GVWR	13,615	13,406	13,245	13,379	13,841	13,180
CARGO	2,566	2,344	2,958	2,653	3,011	1,891
LENGTH	40' 3"	41' 6"	42' 1"	41' 6"	40' 10"	43' 0"
HEIGHT	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"	12' 7"
AWNING	20'	18'	20'	19'	17'	20'
GRAY	33	30	33	50	30	100
BLACK	66	75	66	83	80	133
FRESH	60	60	60	60	60	60

PLEASE SEE BACK COVER FOR MORE INFORMATION REGARDING WEIGHTS.







PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION

www.ForestRiverBuvLocal.com

GVWR (GROSS VEHICLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT OF THE UNIT WHEN FULLY LOADED. IT INCLUDES ALL WEIGHTS, INCLUSIVE OF ALL FLUIDS, CARGO, OPTIONAL EQUIPMENT AND ACCESSORIES. FOR SAFETY AND PRODUCT PERFORMANCE DO NOT EXCEED THE GVWR.

GAWR (GROSS AXLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT, INCLUDING CARGO, FLUIDS, OPTIONAL EQUIPMENT AND ACCESSORIES THAT CAN BE SAFELY SUPPORTED BY A COMBINATION OF ALL AXLES.

UVW (UNLOADED VEHICLE WEIGHT)* - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY. IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLE(S) AND TONGUE OR PIN AND LP GAS. THE UVW DOES NOT INCLUDE CARGO, FRESH POTABLE WATER, ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES.

*ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT.

CCC (CARGO CARRYING CAPACITY)** - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER, CARGO, ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES. CCC IS EQUAL TO GVWR MINUS UVW. AVAILABLE CCC SHOULD ACCOMMODATE FRESH POTABLE WATER (8.3 LBS PER GALLON). BEFORE FILLING THE FRESH WATER TANK, EMPTY THE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY.

** ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT

EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE
WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST RIVER RV PRIOR TO LEAVING OUR FACILITIES.

THE LOAD CAPACITY OF YOUR UNIT IS DESIGNATED BY WEIGHT, NOT BY VOLUME, SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR UNIT.



ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR, IT MAY BE NECESSARY TO MAKE REVISIONS AND FOREST RIVER, INC., RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT AND SPECIFICATIONS AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE. THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION.



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Forest River, Inc. 2012 Century Dr. Goshen, IN 46528 (574) 389-4600 www.forestriverinc.com/Sierra www.forestriveraccessories.com YOUR LOCAL SIERRA DEALER