

North Point









Our Wings Get You There

Family fun happens when you spread your wings. Thanks to Jayco's amenity-packed floorplans, rock-solid construction and two full camping seasons of warranty coverage, you can. Greater peace of mind and added comfort mean better memories and lasting bonds. So go ahead. Hit the road—and let the good times fly.

Generations of Family Fun





LEGENDARY LUXURY

An unmatched track record of innovation and evolution continues with the 2018 North Point. Brimming with new design elements and upgraded fixtures—big and small—and equipped with high-performance travel gear, North Point demands attention and delivers big on comfort.

TRAVEL IN STYLE

Premium features come standard as part of the North Point Luxury Package. This luxury fifth wheel is the perfect companion for the camper that knows what they like.

North Point Luxury Package:

MORryde [®] StepAbo	ove™ entrance steps (1)
6-point electric aut	o-leveling system (2)
Jayco Luxury Sleep foam-top mattress	System with 80-inch Simmons [®] residential (3)
Electric, thermostat	t-controlled fireplace (4)
Indoor/outdoor cen	tral vacuum system with kick pan (5)
Magnum Truss™ X	(L6 Roof System (6)
Full-Timer Kitchen	Storage System (7)
OneControl Digital and exterior lights	Command System for levelers, slideouts (8)

12-inch Magnum Frame System (9)

Fully painted and clear-coated front cap

HELIX Cooling System: Jayco-exclusive duct design, exterior-mounted A/C units, directional/closable A/C vents, and larger return air vents with user accessible filters (10)
Bedroom 15,000-BTU A/C
Backup camera/monitoring system prep
Carefree® power awning with LED light strip
Bluetooth®/HDMI® high-output entertainment system
Vasher/dryer prep
Oversized battery compartment

Power kitchen vent with wall controls and rain sensor	
Sidewall- and roof-mounted solar prep	
Whole-coach water purification system	
Big-screen LED HDTVs in living areas	
32-inch LED HDTV in bedroom	
High-gloss, hand-rubbed, Maple hardwood cabinet doors	
High-gloss, premium fiberglass exterior	
Single-roller blackout shades throughout	
LED exterior lighting	



FLOORPLANS



NORTH POINT | 315RLTS Ext. Lgth: 38' 9" Ext. Ht: 159" Unloaded Wt. (lbs): 12,405 Sleeps: 4



NORTH POINT | 361RSFS Ext. Lgth: 43' 7" Ext. Ht: 158" Unloaded Wt. (lbs): 13,590 Sleeps: 4



Ext. Lgth: **43' 3"** Ext. Ht: **161"** Unloaded Wt. (lbs): **14,125** Sleeps: **9-11**



Ext. Lgth: **43' 2"** Ext. Ht: **159"** Unloaded Wt. (lbs): **13,855** Sleeps: **9**



Ext. Lgth: **43' 6"** Ext. Ht: **161"** Unloaded Wt. (lbs): **13,920** Sleeps: **6**



NORTH POINT | 379DBFS Ext. Lgth: 43' 6" Ext. Ht: 161" Unloaded Wt. (lbs): 14,200 Sleeps: 8-10



NORTH POINT | **387RDFS** Ext. Lgth: **43' 6"** Ext. Ht: **161"** Unloaded Wt. (lbs): **13,560** Sleeps: **6**



Ext. Lgth: **41' 4"** Ext. Ht: **159"** Unloaded Wt. (lbs): **13,240** Sleeps: **4**

FLOORPLAN LEGEND:

s	STORAGE	MICRO	MICROWAVE
H	TRAILER HITCH	OHC	OVERHEAD CABINETS
LAV	BATHROOM SINK	FRIDGE	REFRIGERATOR
MED	MEDICINE CABINET	WARD	WARDROBE

SPECS

MODELS	DIMENSIONS					WEIGHT (LBS.)			TANKS (GALS.)				
FLOORPLAI	TOTAL EXTERIOR N LENGTH	EXTERIOR TRAVEL LENGTH"	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	EXTERIOR HEIGHT (WITH OPT. BEDROOM A/C)	INTERIOR HEIGHT (UPPER DECK)	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
315RLTS	38' 9"	37' 4"	96"	159"	160"	82"	12,405	2,655	15,250	2,845	85	87	50
361RSFS	43' 7"	42' 3"	96"	158"	160"	82"	13,590	2,785	16,500	2,910	85	95	50
375BHFS	43' 3"	41' 10"	96"	161"	161"	82"	14,125	2,880	16,500	2,375	85	93.5	94**
377RLBH	43' 2"	41' 8"	96"	159"	162"	82"	13,855	2,820	16,750	2,895	85	87	50
379DBFS	43' 6"	41' 11"	96"	161"	161"	82"	14,200	2,735	16,995	2,795	85	137	100**
381DLQS	41' 4"	39' 8"	96"	159"	161"	82"	13,240	2,875	16,500	3,260	85	87	50
381FLWS	43' 6"	42' 0"	96"	161"	161"	82"	13,920	2,805	16,750	2,830	85	74	37
387RDFS	43' 6"	42' 1"	96"	161"	161"	82"	13,560	2,795	16,500	2,940	85	87	50

*Distance from the pin box to the bumper; total exterior length may be longer. **Split tanks It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart to the left.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-instilled accessories.

Gross Vehicle Weight Rating (GWWR): GWWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GWWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GWR minus UW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

STANDARDS AND OPTIONS

NORTH POINT LUXURY PACKAGE (mandatory)

Bedroom 15,000-BTU A/C

6-point electric auto-leveling system
Backup camera/monitoring system prep
Carefree [®] power awning with LED light strip
Indoor/outdoor central vacuum system with kick pan
12-inch Magnum Frame System
Magnum Truss [™] XL6 Roof System
HELIX Cooling System: Jayco-exclusive duct design, exterior-mounted A/C units, directional/closable A/C vents, and larger return air vents with user accessible filters
MORryde [®] StepAbove [™] entrance steps
Bluetooth®/HDMI® high-output entertainment system
Washer/dryer prep
Electric, thermostat-controlled fireplace
LED exterior lighting
Oversized battery compartment
Fully painted and clear-coated front cap
Power kitchen vent with wall controls and rain sensor
Sidewall- and roof-mounted solar prep
Whole-coach water purification system
Full-Timer Kitchen Storage System
Big-screen LED HDTVs in living areas
32-inch LED HDTV in bedroom
High-gloss, hand-rubbed, Maple hardwood cabinet doors
High-gloss, premium fiberglass exterior
Single-roller blackout shades throughout
OneControl Digital Command System for levelers, slideouts and exterior lights
Jayco Luxury Sleep System with 80-inch Simmons® residential foam-top mattress

5-STAR HANDLING PACKAGE

Dexter® 7,000-pound axles with Nev-R-Adjust® brakes
Dexter heavy-duty shackles with wet bolt fasteners and bronze bushings
MORryde pin box
MORryde CRE3000 [™] rubberized suspension system
16-inch Goodyear [®] Beast tires

CUSTOMER VALUE PACKAGE (mandatory)

Bed pillows 15,000-BTU Whisper Quiet A/C

Arched interior ceiling with 82-inch upper deck nterior height
3ath skylight
Bathroom power vent
Bedspread
Oversized folding exterior grab handle
Frameless G20 dark-tinted windows
ED interior lighting
Security lights
Slam-latch™ baggage doors with strut assist
Solid-surface kitchen countertops
Keyed-Alike [™] exterior doors locking system

STANDARD EXTERIOR EQUIPMENT

• • • • • • • • • • • • • • • • • • • •	Hardwood slideout f
Tuff-Shell [™] vacuum-bonded, laminated walls	living/kitchen areas
Aerodynamic front cap with LED lighting	Large, split, under-n
Seamless composite roof covering	cutting board and di
Climate Shield™:	High-rise pullout kit
Enclosed, insulated, heated underbelly	Water heater bypass
 High-BTU-output furnace (40,000-BTU) Astro-Foil™ in roof and floors 	21-cubic-foot reside
12-inch I-Class™ cambered, structural I-beams	1,200-watt inverter
Completely enclosed and protected slideout mechanisms	Furrion [®] Executive (
30-inch x 72-inch entry door with oversized window	Stainless steel, 30-ir
Screen door with kick panel	USB charging center
Wide-stance front landing gear	Residential-grade vi
Exterior kitchen with 32-inch LED TV, sink, refrigerator and	Shaw [®] R2X [®] stain-r
cooktop range (361RSFS, 375BHFS, 379DBFS)	Freestanding table w
Exterior kitchenette with refrigerator and cooktop range	(optional in 375BHF
(377RLBH, 381DLQS)	90-amp power cent
Enclosed, protected basement drop-frame	Command center fo
Stor-Galore [™] pass-through basement storage	Floor-level convenie
Cable TV/110V outlets in basement	Nightlight toe kick li
Exterior marine-grade speakers (2)	Ceiling fan (n/a in 38
Convenient dual propane compartment (60-pound capacity)	Kitchen ceiling man
on roadside	Closeable and direct
Doorside compartment framed and vented for third propane bottle	Prep for third A/C (3
Heated, enclosed Uni-Dock™ utility center	Tri-fold hide-a-bed so
	Seamless bathroom

50-amp service with detachable power cord 40,000-BTU furnace (minimum) 75-gallon fresh water tank 70-gallon grey tank capacity (minimum) 44-gallon black tank capacity (minimum) Cable/satellite TV prep No-crank digital HDTV antenna Under-mounted spare tire Outside grill prep Roof ladder Hitch light All exterior lighting is LED EZ-Cord[™] cargo area extension cord access port

STANDARD INTERIOR EQUIPMENT

Raised-panel cabinetry with screwed construction and hidden hinges
Soft-close, steel ball-bearing drawer guides, 75-pound capacity, full extension
Hardwood slideout fascia with LED lighting in main living/kitchen areas
Large, split, under-mount stainless steel sink with sink cover, cutting board and drying rack
High-rise pullout kitchen faucet with sprayer
Water heater bypass
21-cubic-foot residential refrigerator with water/ice in door
1,200-watt inverter (n/a with 18-cubic-foot refrigerator option)
Furrion® Executive Chef gas cooktop with built-in wall oven
Stainless steel, 30-inch, residential, over-the-range microwave
USB charging centers in living areas, kitchen and bedrooms
Residential-grade vinyl flooring
Shaw® R2X® stain-resistant residential carpeting
Freestanding table with dinette chairs (2) and folding chairs (2) (optional in 375BHFS)
90-amp power center with Charge Wizard®
Command center for switches
Floor-level convenience light switch for safe entry
Nightlight toe kick lighting in bedroom, bathroom and kitchen
Ceiling fan (n/a in 381FLWS, 387RDFS)
Kitchen ceiling mantle
Closeable and directional A/C vents
Prep for third A/C (381FLWS, 387RDFS)
Tri-fold hide-a-bed sofas with ottoman
Seamless bathroom countertops


Powered reclining theater seat with heat and massage (n/a in 375BHFS, 379DBFS) Recliners (2) (375BHFS) One-piece, fiberglass shower with glass doors Porcelain bath stool with foot flush Utility hooks in bathroom Full-trunk, under-bed storage Walk-in-style front closet with dual hanging rods Washer/dryer prep (accommodates stackable unit) Oversized bedroom dresser storage Bedroom slide fascia built-in nightstand storage system (n/a in 381FLWS)

OPTIONS

	Customer Value Package with heat pump
	King bed (n/a in 375BHFS)
_	Bunk beds with trundle bed in off-door bunkroom slide (375BHFS)
_	Bunk beds with hide-a-bed in off-door bunkroom slide (375BHFS; std. in 377RLBH)
	Stainless steel convection microwave with oven
_	Carpet in living area (n/a in 375BHFS, 379DBFS)
_	Freestanding table with dinette chairs (2) and folding chairs (2) (375BHFS, 379DBFS)
	Recliner rockers (2) in lieu of theater seats (377RLBH, 381DLQS)
)	18-cubic-foot gas/electric refrigerator with ice maker
)	Wireless backup camera/monitoring system
	32-inch tailgate TV (n/a on 361RSFS, 375BHFS, 379DBFS)
_	Third 15,000-BTU A/C (low-profile) in living room (381FLWS, 387RDFS)
_	Generator prep
	5,500-watt generator
	Dual-pane, tinted, safety-glass windows
_	Second power awning (n/a on 361RSFS, 375BHFS, 379DBFS, 381FLWS)
_	Slideout awnings (3) (315RLTS)
_	Slideout awnings (4) (377RLBH, 379DBFS, 381DLQS)
1	Slideout awnings (5) (361RSFS, 375BHFS, 381FLWS, 387RDFS)
_	Outside gas grill
_	On-demand tankless water heater system
_	Sani-Con® Turbo waste management system
	2-inch cargo accessory receiver
_	Euro-bunk (315RLTS, 361RSFS, 377RLBH, 381DLQS)

INTERIOR DÉCOR

ESPRESSO







CASHMERE



SOFA/CHAIR

LINOLEUM

CARPET





5-Star Handling Package—an unmatched towing experience

- Dexter® 7,000-pound axles with Nev-R-Adjust® self-adjusting brakes (1) the benchmark of the trailer industry
- Dexter heavy-duty shackles with wet bolt fasteners and bronze bushings (2) resist the wear and tear of towing
- MORryde[®] pin box (3) allows pin box to travel forward and backward as well as side to side, creating a smoother tow
- MORryde CRE3000[™] suspension (4) 3 inches of vertical travel to better absorb and isolate road shock
- Goodyear® Beast tires (5) patented Durawall® Technology and the highest speed rating in the industry









Extend your camping season with the Jayco Climate ShieldTM. It protects against extreme heat and extreme freezing—even in temperatures as high as 100 degrees or as low as zero degrees (Fahrenheit).*

*Jayco tested fifth wheels in zero degrees F and 100 degrees F weather over an extended period of time in a controlled environment, and all functions of the coach were fully operational. Testing was done in a completely controlled environment, therefore, temperatures during testing may not represent actual temperatures in nature and cannot account for elements such as wind or moisture. In actual use, unit may not perform as well. Supplier of cooling components does not guarantee anything better than 20 degrees difference from ambient temperature. In addition, outside components are subject to frezing and require steps to properly insulate. Jayco's limited warranty does not cover damage caused by frezing. To learn more about Climate Shiel and testing done by Jayco, visit www.iayco.com

THE JAYCO DIFFERENCE

- 1. 16-inch Goodyear® Beast tires with the highest speed rating in the industry
- Dexter® 7,000-pound axles with wet bolt fasteners and heavy-duty shackles
- 3. Vacuum-bonded walls and high-gloss, premium fiberglass exteriors for better protection from the elements
- 4. Magnum Truss™ XL6 Roof System withstands 4,500 pounds—50 percent more than other roofs

JAYCO'S ROOF **VS** OTHER ROOFS



4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS THE MAGNUM TRUSS XL6 ROOF SYSTEM **50 percent stronger** 5. Welded aluminum frame for a durable, lightweight structure

- Double layer of fiberglass insulation behind the front cap, plus Flexfoil[®] and fiberglass insulation in the floor to provide extra warmth where it's needed most—in the bedroom
- Painted gelcoat fiberglass front cap withstands the rigors of the road with infused paint and gelcoating, plus ¼-inch plywood bracing for additional support—not typically found on competing fifth wheels
- MORryde[®] CRE3000[™] rubberized suspension system provides smoother towing and better protection from damaging road shock
- 9. HELIX Cooling System with Whisper Quiet technology
- 10. 6-point electric auto-leveling system
- 11. Carefree® power awning with LED light strip
- 12. MORryde StepAbove™ entrance steps
- 13. Cargo accessory receiver
- 14. Sidewall- and roof-mounted solar prep
- 15. Magnum Frame System
- 16. MORryde pin box

Travel with Confidence



At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for **2 camping seasons**. That's **730 days**. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere. For a copy of our 2-year limited warranty with complete terms and conditions, please contact your local Jayco dealer.





Featuring Durawall® Technology—ENGINEERED to help you tow with confidence



MADE IN USA

North Point is now equipped with Dexter axles and self-adjusting brakes

COadvantage[®]

Jayco's long-term commitment to generations of family fun

After six years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet.

Learn more at Jayco.com/EcoAdvantage



Jayco, Inc. | P.O. Box 460 | Middlebury, IN 46540 (Figure 4 and a proval. Jayco and the state and th

Jayco

Generations of family fun

Meet your Jayco Dealer

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.