

| Coach features | Standard | Optional |
|---|----------|----------|
| Air conditioner – 110 V, 11,000 BTU roof mount | X | |
| Awning – 12' (3,657 mm) power awning | Χ | |
| Bathroom – permanently enclosed full bathroom | Χ | |
| Battery – 2 x 6V AGM batteries | Χ | |
| Detectors – smoke, propane and CO | Χ | |
| EcoTrek 400 lithium power module | | Χ |
| External power connection – w/Coax and RCA plugs | Χ | |
| Furnace — Truma Combi air and water heater - 14,300 BTU | Х | |
| Generator – underhood 280 AMP, 12V | Χ | |
| Mattress – foldable, rear king bed | Χ | |
| Mattress – for addtional sleeping at the front of the RV | | Χ |
| Microwave oven - 110 V, 20 L/0.7 cu. ft., 700 W | Χ | |
| Monitor panel – water, propane and battery charge levels | Х | |
| Power inverter/converter/transfer switch – 12/110 V, 2,000 W | Х | |
| Propane tank – 22 L/5.9 U.S. gal. | Χ | |
| Rear power sofa | | Χ |
| Refrigerator – 12 V/110 V, 3.1 cu. ft. | Χ | |
| Safety – Five point safety harness with child seat child seat anchors in second row seating | Х | |
| Screen package – passenger side door, rear cargo door | Χ | |
| Solar charging system – 250W with charge controller | | Χ |
| Stove – propane; two burner recessed with flush cover | Χ | |
| TV – 24" HD flat screen on rotating bracket with remote and DVD player w/HDMI hookup | Х | |
| VoltStart – auto-start battery protection technology | | Χ |

Specifications

| Base model – Ram Promaster 3500 extended van |
|--|
| Engine – 3.6L gas, V6, 24 valve |
| Fuel capacity – 24 U.S. gal./91 L |
| Exterior length - 20' 10"/6350 mm |
| Exterior width (excluding mirrors) – 6' 11"/2108 mm |
| Exterior height (with roof AC) - 9' 5"/2870 mm |
| Interior standing height – 6' 1"/1854 mm |
| Interior aisle width – 19"/483 mm |
| Seating capacity – Four |
| Sleeping capacity – Up to four |
| Rear king bed (width x length) – 70" x 71" (1778 mm x 1803 mm) |
| Wheelbase - 159"/4039 mm |
| Fresh water capacity – 30 U.S. gal./114 L |
| Gray water capacity – 23 U.S. gal./87 L |
| Cassette toilet system – 4.6 U.S. gal./17 L |
| Gross Vehicle Weight Rating – 9350 lbs./4241 kg |
| Occupant & Cargo Carrying Capacity -750 lbs./340 kg |
| Loaded Vehicle Weight – 8600 lbs./3900 kg |
| Towing Capacity – 3500 lbs./1588 kg |

Exterior paint options













Silver Metallic

Bright White









| Chassis features | Standard | Optional |
|---|----------|----------|
| Airbag – driver and passenger | Χ | |
| Alternator – 220 AMP | Χ | |
| Axle – rear, 3.86 ratio | Χ | |
| Battery (engine) – 800 AMP, 12 V | Χ | |
| Brakes – anti-lock (ABS), four wheel disc | Χ | |
| Camera – rear-view backup | Χ | |
| Climate control | Χ | |
| Continental spare tire carrier & spare tire | Χ | |
| Cruise control | Χ | |
| Engine – 3.6 L gas V6, 24 valve | Χ | |
| External quick connect propane | Χ | |
| Interior LED lighting | Χ | |
| Power – 209 kW/280 HP | Χ | |
| Power mirrors | Χ | |
| Power front door step – Driver/Passenger | | Х |
| Power side entry door step | Χ | |
| Radio – AM/FM/CD/DVD/USB/GPS navigation, Bluetooth and steering wheel controls | Χ | |
| Receiver hitch – Class 5 with 4 & 7 pin connectors | Χ | |
| Stability program – including wind assist, sway assist, drift compensation, trailer sway, engine drag control, rollover mitigation, electronic stability control. | Х | |
| Telescopic steering | Χ | |
| Tires - LT225/75R16E black wall | Χ | |
| Torque - 352 Nm/260 lbft. | Χ | |
| Transmission – automatic 6-speed TE | Χ | |
| Wheels – 16" aluminum polished | Χ | |
| Window operation – power; front doors | Χ | |

Layout















Worry free travel, backed by the best in the business.

Industry leading — Six-year transferable RV warranty

The six-year unlimited mileage/km motorhome warranty covers the manufacturing of the motorhome, appliances, electronics, plumbing and EcoTrek batteries. The original manufacturer's warranty on all appliances will be applied first. This warranty excludes the complete chassis (original chassis manufacturer warranty applies. please refer to chassis manufacturers website for complete warranty details) and AGM batteries (AGM batteries have a normal one-year manufacturer's warranty.)

The six-year unlimited mileage/km motorhome warranty is fully transferable from the first owner to the next owner. A warranty transfer card can be found in the back of the model owner's manual.

Chassis warranty

The five-year/100,000 mile powertrain limited warranty covers the cost of repairs on all covered powertrain components - engine, transmission and drive system for most new Ram vehicles. The three-year/36,000 mile limited warranty provides bumper-to-bumper coverage from the body to the electrical system. Refer to chassis manufactures' website for complete details.

Two-year roadside RV assistance

With every new Hymer Aktiv, you can enjoy two years of free coverage with the Roadside RV Assistance program. This program offers a wide range of services to assist you should you need it, including towing, tire changes, jump-start services and technical support to name a few. You can now confidently take to the roads knowing we are behind you through every adventure.





ERWIN HYMER GROUP NORTH AMERICA, INC.

25 Reuter Drive, Cambridge, Ontario, N3E 1A9 | Toll-free: 1.844.GO HYMER (464.9637) | Fax: 519.745.1160 | Email: info@gohymer.com











ERWIN HYMER GROUP NORTH AMERICA, INC. reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. This information is intended as a guide only; please visit www.golymer.com for a complete list of specifications and options. Some motorhomes may be shown with equipment that is optional. Accessories shown in the photography are not included. The limited warranty on this unit covers personal use of the RV only. Rental or commercial use of RV voids the warranty on the unit.

