

WWW.SHASTARVING.COM/FIFTH-WHEELS/PHOENIX



LITES, MODELS & SPECS











SHASTA OWNER "DIGITAL KIT" APP

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.



www.shastarving.com

















PHOENIX MID-PROFILE	298RLS	336RL	360BH	370FE	381RE	392BL
Carrying Capacity	TBD	1,528	2,138	2,630	2,176	1,886
UVW	TBD	10,672	11,862	11,870	12,324	12,614
GVWR	TBD	12,200	14,000	14,500	14,500	14,500
Hitch Weight	TBD	1,998	2,088	2,324	2,262	2,434
Exterior Height (Includes A/C)	12' 4"	12' 4"	12' 4"	12' 4"	12' 4"	12' 4"
Fresh Water Capacity (gal.)	TBD	48	48	48	48	48
Grey Water Capacity (gal.)	TBD	90	90	90	90	85
Waste Water Capacity (gal.)	TBD	45	45	45	45	45
Awning Length	15'	16'	18'	20'	16'	20'
Wheel Size	16"	16"	16"	16"	16"	16"
Exterior Length	33' 10"	36' 11"	39' 8"	41' 9"	41' 9"	41' 9"
Interior Height (Coach)	85"	85"	85"	85"	85"	85"
Axles	5100 lbs.	5100 lbs.	7000 lbs.	7000 lbs.	7000 lbs.	7000 lbs.
Tire Size	ST235/80R16E	ST235/80R16E	ST235/85R16F	ST235/85R16F	ST235/85R16F	ST235/85R16F



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all uids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, uids, optional equipment and accessories that can be safely supported by a combination of all

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.
Specifications – Unit Weights (See Weight De nitions Below) (The bare minimum REQUIRED in the brochure)
*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before Iling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary

to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and speci cations as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and con rm the existence of any materials, design or speci cations that are material to your purchase decision.



© 2017 Shasta 5th Wheels a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved.



PRE-DELIVERY INSPECTION FACILITY 20,000 Square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.