S

NORTHWEST EDITION

SALEM

SALEM CRUISE LITE





















DRY WEIGHT: 4249

EXT. LENGTH:


23' 4"




201BHXL

DRY WEIGHT:
4314

EXT. LENGTH: **24' 2"**






210RBXL

DRY WEIGHT: 4830

EXT. LENGTH: **25' 2"**



230BHXL

DRY WEIGHT:


EXT. LENGTH: **26' 3"**



233RBXL

DRY WEIGHT: 5278


EXT. LENGTH: **26' 3"**



241QBXL

DRY WEIGHT: 4624

EXT. LENGTH: **26' 10"**



243BHXL

DRY WEIGHT: **5492**

EXT. LENGTH: **28' 2"**



254RLXL

DRY WEIGHT: 5793


EXT. LENGTH: 30' 8"




261BHXL

DRY WEIGHT: 4448

EXT. LENGTH: **28' 7"**









	171RBXL	191RDXL	201BHXL	207RUXL	210RBXL	230BHXL	233RBXL	241QBXL	243BHXL	254RLXL	261BHXL	263BHXL	273QHXL	282QBXL
GVWR	7,522	7,465	7,544	7,489	7,500	7,655	7,596	7,470	7,566	7,630	7,500	7,635	7,702	7,688
HITCH WEIGHT (LBS.)	522	465	544	489	500	655	596	470	566	630	500	635	702	688
UVW (LBS.)	4,092	4,249	4,314	4,423	4,830	4,985	5,278	4,624	5,492	5,793	4,448	5,866	6,162	6,458
CCC (LBS.)	3,430	3,216	3,230	3,066	2,670	2,670	2,318	2,846	2,074	1,837	3,052	1,769	1,540	1,230
EXTERIOR LENGTH	23' 0"	23' 4"	24' 2"	25' 0"	25' 2"	26' 3"	26' 3"	26' 10"	28' 2"	30'8"	28'7"	31' 11"	33' 8"	33' 4"
EXTERIOR HEIGHT	10'1"	10'3"	10'1"	10'1"	10' 3"	10'3"	10'3"	10'1"	10'1"	10'3"	10'1"	10'3"	10' 3"	10'3"
EXTERIOR WIDTH	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
FRESH WATER (GAL.)	42	29	42	46	61	42	42	29	46	61	29	61	61	61
GRAY WATER (GAL.)	32	42	32	42	28	32	32	28	74	32	28	74	32	32
BLACK WATER (GAL.)	32	42	32	42	32	32	32	32	32	42	42	32	42	42
AWNING SIZE (FT)	10	15	14	10	14	16	14	16	12	16	16	16	16	16







251SSXL

DRY WEIGHT: 5664

EXT. LENGTH: 29' 5"







CRUISE LITE STANDARDS & OPTIONS

STANDARD FEATURES

- · Upgraded kitchen faucet
- · 6-way adjustable hidden hinges
- · Modern roller shades
- Large entertainment center, allows for larger TV (Some models)
- · Aerodynamic front profile
- Mortise and tenon shaker style cabinet doors
- · 3 Burner cooktop
- · 13.5K A/C (Non-ducted)
- · Diamond plate rock guard
- · SolidStep entry steps
- · Digital TV antenna w/ booster
- · Cable / satellite ready
- · Bluetooth stereo
- · "Teddy bear bunk mattress
- Shoe nook at the end of the main bed (Per floorplan)
- · Large tables at U-dinette
- · 2 Exterior speakers
- · 2 20 lb. LP bottles w/ hard cover
- · Extra large kitchen overhead cabinets
- · Stainless steel look appliances
- · Water heater by-pass
- · Ball bearing drawer guides
- · 6 Gal. Gas DSI water heater
- · Radius shower enclosure
- (Per floorplan)
- · Pass thru storage
- · One piece kitchen backsplash
- High definition countertops

- · Brushed nickel cabinet hardware
- · Beauflor® linoleum flooring
- · Black tank flush
- · Outside shower
- · Skylight over tub
- · Radial tires with full spare and carrier
- · Double door refrigerator
- · Glass cooktop cover w/oven
- · Undermount sink w/sink cover
- Flip-up countertop extension (Per floorplan)
- · LP quick disconnect
- · Power awning
- · Power tonge jack
- · Push button remote w/holster
- · External LED strip lighting
- · Solar prep and LED lights

POPULAR OPTIONS

- · Fiberglass siding
- · Backpack flip down rack
- · Chrome wheels
- · Tub surround (Per floorplan)
- Ducted A/C
- Enclosed holding tanks
 (Some models)
- · 12 Volt heat strips
- Exterior camp kitchen (Some models)
- · 2nd Bunk Window
- · Power Stab Jacks









CONSTRUCTION BUILT TO LAST.

- 1 2" x 3" floor joists 12" on center
- 2 2" wall studs 16" or less on center
- **3** 30" fiberglass radius entry door
- 4 Aluminum siding
- **5** 5" bowed truss roof rafters
- 6 One piece seamless roof (12 yr. manufacturer defect warranty)
- **7** R-7 fiberglass insulation throughout

- 8 Extra large full pass-thru storage
- 9 Smooth rolled skirting
- 10 In floor ducted heat
- 11 Diamond plate rockguard
- 12 3/8" roof decking (full walk-on roof)
- 13 LP bottle cover w/ easy access
- 13.5K ducted roof, high output AC w/ quick cool


- 15 Stain resistant carpet
- 16 One piece linoleum flooring
- 17 Safety glass windows
- 18 A/C ducts
- 19 "Darco" anti-puncture underbelly wrap
- **20** 5/8" flooring


At Salem your satisfaction is serious business and it shows. Our commitment to your satisfaction includes:


- A: Fiberglass option
- B: Flip down rack option
- C: 6 gallon GE DSI water heater with Quick Recovery
- D: Central switch command center
































	25RKS	25RLS	27DBK	27RBK	27REIS	27RKSS	27RLSS	27TDSS	28CKDS	32BHDS
GVWR	7,578	7,597	9,488	9,538	9,535	9,660	9,497	9,610	9,676	11,070
HITCH WEIGHT (LBS.)	578	597	688	738	735	860	697	810	876	910
UVW (LBS.)	5,794	5,987	6,898	7,346	7,365	6,798	6,418	7,162	8,000	8,283
CCC (LBS.)	1,784	1,610	2,590	2,192	2,170	2,862	3,079	2,448	1'676	2,787
EXTERIOR LENGTH	29'1"	30'9"	32' 4"	32'7"	34'1"	33' 6"	32'3"	32' 8"	35'	36'2"
EXTERIOR HEIGHT	11' 3"	11'	11'	11' 5"	11' 5"	11' 3"	11'3"	11' 3"	11' 5"	11' 5"
EXTERIOR WIDTH	96"	96"	96"	96"	96"	96"	96"	96"	96"	96"
FRESH WATER (GAL.)	61	61	61	61	61	61	61	61	61	61
GRAY WATER (GAL.)	66	66	64	42	33	66	66	74	32	32
BLACK WATER (GAL.)	42	42	28	33	42	42	42	32	42	32
AWNING SIZE (FT)	16	18	17	17	11 & 10	16	16	16	18	18

THE SALEM LINE-UP

2018

YOUR SALEM DEALER

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional

equipment.

CCC (Cargo Carrying Capacity)**- is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.





SALEM CRUISE LITE



SALEM VILLA | VILLA ESTATE



SALEM HEMISPHERE

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1423 P/W: 2017.11.01

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



Forest River, Inc. 55470 C.R. 1 Elkhart, IN 46515 | (574) 533-5934 www.forestriverinc.com/Salem | www.forestriveraccessories.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.