











Solaire ultra light travel trailers are swift and easy to tow, yet built to last with a sturdy aluminum framed superstructure for long lasting durability.











Solaire ultra light travel trailers equipped with the GT3 package are designed with luxury in mind. The aluminum structure allows for easy towing and handling.















LINE-X[®] Protective Coatings

LINE

Detail

Protective Coatings Built to Go the Distance

LINE-X Benefits:

- Protect your investment with reduced maintenance and repair costs
- Abrasion, impact, and scratch resistance for protection against rock or debris chips
- Rust, corrosion, and chemical protection
- Fade resistance with LINE-X ULTRA UV stable color formula



Two available interior color decor options. With fabric furniture option in place of leather, available in both decors

211 BH with Teakwood interior decor and Mesa Maple Cabinets





185X with Teakwood interior decor and Walnut Cabinets


Hybrid Expandable. Best in Value.

Hybrid expandable bed ends and slide outs create a comfortable and spacious interior design for that residential feel. They include many popular features to deliver the very best value to the market.

				147 X
HITCH DRY WEIGHT	315	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	2720	:	TRAVEL LENGTH	18'6"
TOTAL DRY WEIGHT	3035		OPEN LENGTH	23'3"
GVWR	3815		FRESH WATER CAPACITY	30
UNLOADED VEHICLE WEIGHT	3069	•	GRAY WATER CAPACITY	30
INTERIOR HEIGHT	6' 8"	•	BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/ AC	9'3"		CARGO CARRYING CAPACITY	746



			163 X
HITCH DRY WEIGHT	400		8'
DRY AXLE WEIGHT	3169	TRAVEL LENGTH	20'2"
TOTAL DRY WEIGHT	3569		24'10"
GVWR	4996	FRESH WATER CAPACITY	30
UNLOADED VEHICLE WEIGHT	3603		30
INTERIOR HEIGHT	6' 8"		30
EXTERIOR HEIGHT W/ AC	9'3"	CARGO CARRYING CAPACIT	1393



HITCH DRY WEIGHT	444	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3652	:	TRAVEL LENGTH	25'11''
TOTAL DRY WEIGHT	4096	:	OPEN LENGTH	29'7"
GVWR	5630		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	4134	•	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	÷	BLACK WATER CAPACITY	30
EXTERIOR HEIGHT W/ AC	10'1"		CARGO CARRYING CAPACITY	1496





OPTIONAL GT3 PACKAGE



Standards


- Power Awning w/LED Lights
- · Dexter Tor-Flex Torsion Axles
- Furrion HDMI DVD/Bluetooth/HDMI Stereo
- · Power Tongue Jack
- · 13,500 BTU Ducted A/C
- Tub Surround w/Skylight
- · Gel Coated Front Cap
- · Ball Bearing Drawer Guides
- Microwave
- Slam Latch Baggage Doors w/ Magnets
- Black Tank Flush
- · LED Interior Lights
- · 8 Cu Ft Refrigerator
- · White gel coat fiberglass exterior
- · Solid surface counter tops
- Stainless Steel kitchen sink with roll cover
- · Raised refrigerator panel
- · Aluminum wheels

GT3 Package Standards

Optional GT3 Package Includes All The Features From The Ultra Plus The Following:

- · Roller Night Shades
- · 9" Denver 60 X 80 Mattress
- · Bedspread / Pillow Combo
- Solid Surface Counter Tops Throughout
- Stainless Steel Appliance Package (Microwave and Oven)
- · Bonded Frameless Windows
- · Power Stabilizer Jacks
- Heated Holding Tanks
- · Roof ladder
- Fireplace (Std,in 312)

NOT AVAILABLE GT3 PACKAGE 205 SS, 202 RB, 211 BH





HITCH DRY WEIGHT	560	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4890	•	TRAVEL LENGTH	29'2"
TOTAL DRY WEIGHT	5450		OPEN LENGTH	NA
GVWR	7475	•	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5488	•	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1987



304 RKDS *

HITCH DRY WEIGHT	920	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6333	•	TRAVEL LENGTH	35'6"
FOTAL DRY WEIGHT	7253		OPEN LENGTH	NA
GVWR	8920	•	FRESH WATER CAPACITY	50
JNLOADED VEHICLE WEIGHT	7291	•	GRAY WATER CAPACITY	106
NTERIOR HEIGHT	6'8"	•	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1629

	Contraction of the second		B Not available
HITCH DRY WFIGHT	546	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	3800	TRAVEL LENGTH	23'4"
TOTAL DRY WEIGHT	4347	OPEN LENGTH	NA
GVWR	5400	FRESH WATER CAPAI	NTY 50
UNLOADED VEHICLE WEIGHT	4385	GRAY WATER CAPAC	
INTERIOR HEIGHT	6'8"	BLACK WATER CAPA	
EXTERIOR HEIGHT W/AC	10'1''	CARGO CARRYING C	IPACITY 1245

GT3 Not available





316 RLTS *

HITCH DRY WEIGHT	929	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	7239	TRAVEL LENGTH	35'6"
TOTAL DRY WEIGHT	8168	OPEN LENGTH	NA
GVWR	9995	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	8206	GRAY WATER CAPACITY	106
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	CARGO CARRYING CAPACITY	1789












268 BHSK

HITCH DRY WEIGHT	671	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	5307	•	TRAVEL LENGTH	30'11"
TOTAL DRY WEIGHT	5978	:	OPEN LENGTH	NA
GVWR	7759	•	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	6016	•	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1655








HITCH DRY WEIGHT	566	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4606	•	TRAVEL LENGTH	27'10"
TOTAL DRY WEIGHT	5172	:	OPEN LENGTH	NA
GVWR	6710	•	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5210	•	GRAY WATER CAPACITY	38
INTERIOR HEIGHT	6'8"	•	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	Ū	CARGO CARRYING CAPACITY	1500

GT3 Not available



211 BH

HITCH DRY WEIGHT	528	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	9560	TRAVEL LENGTH	25'5"
TOTAL DRY WEIGHT	4096	OPEN LENGTH	NA
GVWR		FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	4134	GRAY WATER CAPACITY	30
INTERIOR HEIGHT	6'8"	BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	10'1"	CARGO CARRYING CAPACITY	1496



292 QBSK

HITCH DRY WEIGHT	885	•	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	4970	•	TRAVEL LENGTH	33'4"
TOTAL DRY WEIGHT	5855	:	OPEN LENGTH	NA
GVWR	7845	:	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	5893	•	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"		CARGO CARRYING CAPACITY	1952



HITCH DRY WEIGHT EXTERIOR WIDTH 8' 805 DRY AXLE WEIGHT 35'1" 7055 TRAVEL LENGTH TOTAL DRY WEIGHT 7860 OPEN LENGTH NA GVWR 9700 50 FRESH WATER CAPACITY UNLOADED VEHICLE WEIGHT 7898 GRAY WATER CAPACITY 76 INTERIOR HEIGHT 6'8" BLACK WATER CAPACITY 38 CARGO CARRYING CAPACITY EXTERIOR HEIGHT W/AC 11'1" 1802



317 BHSK

HITCH DRY WEIGHT	705	:	EXTERIOR WIDTH	8'
DRY AXLE WEIGHT	6445	:	TRAVEL LENGTH	35'1"
TOTAL DRY WEIGHT	7070		OPEN LENGTH	NA
GVWR	8700	•	FRESH WATER CAPACITY	50
UNLOADED VEHICLE WEIGHT	7108	•	GRAY WATER CAPACITY	76
INTERIOR HEIGHT	6'8"		BLACK WATER CAPACITY	38
EXTERIOR HEIGHT W/AC	11'1"	,	CARGO CARRYING CAPACITY	1592







solaire SUPERIOR CONSTRUCTION

A.	Alpha Super Flex Membrane
B.	Luan Substrate
C.	Luan Substrate
D.	High density block foam insulation
E.	High density block foam insulation
F.	Luan substrate
G.	Fiberglass front cap w/ LED lights and
	Line X® Rock Guard
H.	Residential Style Carpeting
I.	Tile-look laminate floor
J.	Fully welded aluminum super structure
K.	High density block foam insulation
L.	Luan substrate – top
M.	Luan substrate – bottom
N.	Under floor holding tanks
0.	Dexter - Tor Flex Torsion Axle

AVAILABLE OPTIONS

SOLAIRE EXPANDABLES -

- · Air conditioner upgrade 15,000 BTU
- · 24" LED TV
- · Create A Breeze Fan
- · Heated Holding Tanks
- · RVQ Bumper Mount Grill
- Off Road Package (147 X Only) (includes 15"wheels, Off Road tires, and lift kit)
- · Fabric Sofa
- · Jack It® bike carrier
- · 30 lb. LP tanks

SOLAIRE ULTRA LITE -

- Air conditioner upgrade 15,000 BTU
- TV (size varies per floorplan)
- · 30 lb. LP tanks
- · 9" Denver mattress
- · Counter top extension
- · Create a breeze fan
- · Free standing table & chairs
- King bed option
 (available on 304 / 316 only)
- · Power stabilizer jacks
- · RVQ bumper mount grill
- · Residential refrigerator 11 cu ft.
- · Roller night shades
- Roof ladder (N/A on 205 SS only)
- · Slide topper awnings
- · Stainless steel appliances
- · 68" theater seating
- · Tri-fold sofa upgrade
- 50 AMP Service (Std in 304 & 316)
- Jack It® bike carrier
- Self Leveling / Stabilizing System

SOLAIRE

DARE TO COMPARE CHALLENGE

	SOLAIRE	BRAND X
CONSTRUCTION:		
Aluminum cage laminated construction	\checkmark	
Vacuum bonded lamination: Roof, sidewalls, rear wall slide out box	\checkmark	
Barreled walk on roof – block foam insulation for the most rigid	/	
construction available	\checkmark	
Rack and pinion thru-frame flush floor slide out with manual override	\checkmark	
EXTERIOR		
Fully enclosed underbelly	\checkmark	
Gel coated high gloss white exterior	$\overline{\mathbf{A}}$	
Slam latch exterior baggage doors with magnetic door catches		
Dexter TORFLEX Torsion axles – independent suspension, rubber	(
cushioning eliminates metal-to-metal contact	\checkmark	
TV bracket and speakers		
Power awning with LED patio lights	\checkmark	
Powder coated exterior kitchen tops and base – designed for the	(
exterior elements	\checkmark	
Alpha Superflex roofing	\checkmark	
INTERIOR:	(
8 cubic foot Dometic refrigerator	/	
Glass top flush mount range cover	/	
LED interior lights	Y	
Solid surface countertops	×	
Stainless steel kitchen sink with roll cover	×	
Skylight in every kitchen and includes a night shade	×	
Raised panel cabinet doors	×	
Porcelain foot flush Dometic Toilet	N/	
USB charging station	\checkmark	



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one

Coach-Net®

Forest River includes one RV Technical & Roadside Assistance year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

Palomino Warranty

Palomino will stand behind our products 100%. For complete details on our warranty program, please see your Palomino dealer.

- 1 2-year fiberglass warranty
- 2 10-year axle warranty
- 3 12-year Alpha Super Flex roof warranty
- 4 2-3 year warranty on appliances (see manual for details)
- **5** 1 year bumper to bumper warranty
- 6 An additional 1 year warranty available







Recreational Vehicles a Division of Forest River

1047 EAST M-86 | COLON, MI 49040 P: 269.432.3271 | F: 269.432.2516 www.palominorv.com

YOUR SOLAIRE DEALER

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1499 P/W: 2018.01.18