Rockwood

PROVIDING OUTDOOR FUN SINCE 1974.

T

0

SIGNATURE

FIFTH WHEELS

ULTRA LITE AND SIGNATURE FIFTH WHEELS

SIGNATURE

.



Ultra Lite Fifth Wheels


LIGHTEN YOUR LOAD AND RELAX IN

COMFORT. The Rockwood Ultra Lite Fifth Wheel models provide excellent light weight alternatives for most owners of 1/2 ton pick up trucks. Equipped with a standard LCI Turning Point hitch, you can tow with almost any size truck bed. Our Ultra Lite fifth wheels have been custom designed with the best in styling and amenities while keeping your towing needs in mind.



OPTIONAL WHITE EXTERIOR

STANDARD TAN EXTERIOR









LAYOUT MAY BE MIRRORED DEPENDING ON THE MODEL

| MODEL NUMBER | 2441WS | 2620WS | 2650WS | 2781WS | 2881S | 2888WS | 2889WS | 2891BH | 2892RB | 2896MB | 2898KS |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------|--------|
| Unloaded Vehicle Weight* | 7149 | 7430 | 7766 | 8472 | 8163 | 8694 | 8709 | 8964 | 9839 | 9324 | 9402 |
| Base Dry Hitch Weight | 1165 | 1130 | 1263 | 1280 | 1265 | 1365 | 1375 | 1305 | 1450 | 1435 | 1456 |
| Base Dry Axle Weight | 5925 | 6241 | 6444 | 7133 | 6839 | 7270 | 7275 | 7600 | 8330 | 7830 | 7887 |
| Cargo Capacity | 2016 | 1700 | 1497 | 1608 | 1902 | 2671 | 2666 | 2341 | 1611 | 2111 | 2054 |
| Length (Hitch to Bumper) | 28'5" | 29'10" | 29'10" | 32'5" | 32' 5" | 32' 5" | 32' 5" | 36' | 36' | 36' | 36' |
| Width | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" |
| Height (w/ AC) | 156" | 156" | 156" | 156" | 156" | 156" | 156" | 156" | 156" | 156" | 156" |
| Fresh Water Capacity | 60 gal | 60 gal | 60 gal |
| Gray Water Capacity | 45 gal | 45 gal | 45 gal | 90 gal | 90 gal | 75 gal | 90 gal | 90 gal | 108 gal | 90 gal | 90 gal |
| Black Water Capacity | 45 gal | 90 gal | 45 gal | 45 gal |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

Signature BY ROCKWOOD

PROVIDING THE COMFORTS OF HOME WHILE ON THE ROAD. We have custom

designed our fifth wheels with the best in style and amenities while keeping your towing needs in mind. Quality craftsmanship and attention to detail have been put into our Signature fifth wheels, all with you in mind. Our fully equipped kitchens with modern conveniences and spacious bedrooms featuring residential queen bedslideouts will make you feel like you never left home.



OPTIONAL WHITE EXTERIOR



STANDARD CHAMPAGNE EXTERIOR













SLIDE OPTIONS Opt. 67" theater seating



LAYOUT MAY BE MIRRORED DEPENDING ON THE MODEL



8290BS



| MODEL NUMBER | 8288BS | 8290BS | 8297S | 8299BS |
|--------------------------|--------|---------|--------|--------|
| Unloaded Vehicle Weight* | 10072 | 9516 | 9379 | 9505 |
| Base Dry Hitch Weight | 1574 | 1637 | 1550 | 1581 |
| Base Dry Axle Weight | 8439 | 7820 | 7770 | 7865 |
| Cargo Capacity | 1502 | 2121 | 2171 | 2076 |
| Length (Hitch to Bumper) | 36' 7" | 34' 11" | 34'11" | 34'-1" |
| Width | 96" | 96" | 96" | 96" |
| Height (w/ AC) | 156" | 156" | 156" | 156" |
| Fresh Water Capacity | 60 gal | 60 gal | 58 gal | 60 gal |
| Gray Water Capacity | 75 gal | 90 gal | 90 gal | 90 gal |
| Black Water Capacity | 45 gal | 45 gal | 45 gal | 45 gal |

The Unloaded Vehicle Weight (UVW) listed represents the weight of one trailer with that model's standard equipment including the content of specified option packages. * See back cover for further specification definitions.

ROCKWOOD FIFTH WHEELS SERIES

Popular Features

FEATURES THAT MAKE YOUR TRIPS FEEL LIKE HOME. Rockwood takes careful consideration to each feature added into each product produced. Every detail is considered ranging from extra sleeping room, storage, comfort and convenience. Take time to review the features listed below and match them with the competition's products. We're confident you'll discover Rockwood is the superior choice.



Optional White Exterior



- A Power Awning with adjustable rain dump and LED lighting (Std.)
- B Large LCD TVS and entertaiment center with "Bluetooth" technology.
- C Radius glass door shower (N/A Models with tub bases)
- D Solid surface counter top with under mount sink
- E Water Filtration System (Std. Opt.)
- F Nautilus Water Management System (Std.)
- G Deluxe tri-fold sleeper sofa w/ comfortable, easy set-up bed (Per floorplan)







D

Н











- Rear camera prep. (Std. all models) The Α Furrion observation camera system with digital wireless technology is sold separately.
- Forest River switch center (Std.) В
- WIFI Ranger Sky 4 WIFI Booster and C available internet connectivity (Std.)
- The LCI Turning Point hitch provides: D 1) Full 90 degree worry free turning, 2) Eliminates the need for a slider hitch 3) Greatly enhances maneuverability
- Heated holding tanks with 12 volt heat Ε pads secured to the bottom. No need to use the furnace to heat tanks when traveling. (Std.)
- Solar panel prep (Std. All Models) The F Zamp 40 amp. portable solar panel shown is sold separately.
- Tri-fold sofa. Fabric matched to decor. G
- Н Swivel Rocker Recliner where applicable. Fabric to match. (Per floorplan)
- La-Z-Boy swivel recliner where applicable. Fabric to match decor. (Opt.)
- 67" Heated theatre seating per plan where available. Fabric matched to decor. (Per floorplan)

CHOCOLATE

SOFA, CHAIRS, DINETTE CUSHIONS (Leather Appearance) (Levi Chocolate)

ACCENTS (TYPHOON PEBBLE)

ACCENTS (OZZI MICA)



PEBBLE

SOFA, CHAIRS, DINETTE CUSHIONS (Leather Appearance) (ombre pebble)





SLATEWOOD STANDARD



AMERICAN MAPLE OPTIONAL



STANDARD FLOOR COVERING



OPTIONAL FLOOR COVERING



CARPET



ROCKWOOD FIFTH WHEEL SERIES

Quality Construction

THE DETAILS ARE WHAT MAKE ALL THE DIFFERENCE. Rockwood takes pride in constructing the very best products possible in each price point. From our entry level units to our top of the line products, no short cuts are taken to achieve excellence. From the all-steel I-beams to the residential interior amenities to the vacuum-bonded exteriors, Rockwood products are quality built from the ground-up.



Optional White Exterior

- A Glued and screwed wood cabinetry
- **B** Aluminum dinette frames for added strength and weight savings
- **C** 5/8" Tongue & Groove Plywood sub-floor glued and screwed down.
- D Extra large dinette storage drawers and full extension metal drawer guides in the kitchen
- **E** Dexter Torflex Axles:
- Independent wheel suspension and self-damping action
- Rubber cushioning eliminates metal-to-metal contact.
- Forged torsion arm for maximum strength

Models are also equipped with E-Z Lube® System and Nev-R-Adjust® Brakes.

- F Enclosed underbelly protects trailer components as well as increasing aerodynamics
- **G** Aluminum Frame Construction with high gloss fiberglass exterior and deluxe graphics

ROOF CONSTRUCTION



Vacuum-bonded radius roof with vaulted ceiling providing Ultraior insulation and more interior height.

some of the strongest in the industry.

4" thick roof with built in insulated A/C ducts

Built strong to enable you to conveniently perform periodic roof maintenance.

VACUUM-BONDED



LAMINATED CONSTRUCTION



Rockwood is one of only a few manufacturers with six sided aluminum framing. Vacuum bonded walls and roof to ensure a well-insulated, light weight, strong structural trailer.

Rockwood Ultra Lite & Signature

STANDARDS & OPTIONS

| MODELS | UL | S |
|--|----|--------|
| STANDARD PACKAGES INCLUDE: | | PKG. A |
| 6 Sided Aluminum Cage Construction | S | S |
| Vacuum Laminated 1 Piece Roof and Walls | S | S |
| 5/8" Plywood Tongue and Groove Sub Floor | S | S |
| Aluminum Bed and Dinette Base | S | S |
| Fiberglass Exterior with High Gloss Finish | S | S |
| High Gloss Front Cap | S | S |
| Enclosed Underbelly | S | S |
| Thermostatically Controlled Heated Holding Tanks | S | S |
| Tinted Bonded Frameless Windows | S | S |
| Power Awning w/ Adjustable Rain Dump and LED Light Strip | S | S |
| LCI *Turning Point Pin Box Hitch | S | S |
| Power Landing Legs & Stabilizer Jacks | S | S |
| 13,500 BTU Ducted A/C with 50 Amp Service and Prepped for 2nd A/C | S | S |
| Upgraded 22" Gas Oven | S | S |
| Microwave Oven | S | S |
| Recessed Cooktop and Oven w/ Flush Mount Cover | S | S |
| Hidden Hinge Cabinet Doors | | S |
| Residential Full Extension Metal Soft Close Drawer Guides | | S |
| Extra Large Double Door 2 Way Refrigerator | S | S* |
| Solid Surface Kitchen Countertops | S | S |
| Kitchen Backsplash | S | S |
| Flush Mount Stainless Steel Sinks With "High Rise" Lift-Off Faucet | S | S |
| 6 Gallon Quick Recovery Auto Ignition Gas/Electric Water Heater | S | S |
| Shower Miser Water Saver System | S | S |
| 360 Siphon Black Water Venting | S | S |

| MODELS | UL | S |
|--|----|---|
| Residential Serta Mattress | S | S |
| Outside Speakers | S | S |
| LCD TV With Upgraded Sound Bar Speaker System and | S | |
| Multi-directional Antenna | S | S |
| Multi Zone Stereo w/ DVD/CD/Blu Ray/ AM&FM, Plus | | |
| Bluetooth Control and MP3 Player Hook up (Blu Ray N/A on UL) | S | S |
| Touch Button Control Pad w/ Bluetooth App Control | | S |
| WIFI Ranger Sky 4 (LTE ready to create your own WIFI when WIFI | | |
| is not available. SIM Card and LTE module are sold separately) | S | S |
| Torsion Axle, Rubber-Ryde Suspension | S | S |
| Polished Alloy Wheels | S | S |
| Spare Tire Carrier & Cover | S | S |
| Nitro Filled Tires | S | S |
| Slam Latch Baggage Doors and Magnetic Door Holds | S | S |
| Rear Observation Camera Prep w/ Molded Mounting Plate | S | S |
| Solar Panel Prep | S | S |
| Rear Ladder | S | S |
| Black Tank Flush | S | S |
| MORryde Strut Assist Fold-Out Steps | S | S |
| INTERIOR FEATURES | | |
| Slatewood Interior | S | S |
| American Maple Interior | 0 | 0 |
| Decorative Slide Out Fascia | S | S |
| Decortive Cove Trim Along Ceiling and Overhead Cabinets | S | S |

| MODELS | UL | S |
|---|----|----|
| Solid Wood Cabinet Doors and Drawers | S | S |
| Upgraded Cabinetry Hardware | S | S |
| Engineered Mold and Mildew Resistant Floor Covering | S | S |
| Bedroom Carpet | S | S |
| Step Mount Vacuum Cleaner | | S |
| 35,000 BTU Floor Ducted Furnace | S | S |
| 15,000 BTU Ducted Roof Air | 0 | 0 |
| 2nd Roof A/C w/ Chill Chaser Heat Strip in Bedroom with | | |
| 50 Amp Service and Digital Dual Thermostat | 0 | 0 |
| 50 Amp Service with 2nd A/C prep | S | S |
| Fireplace, Where Available | S | S |
| 110V Ceiling Fan | 0 | 0 |
| Carbon Monoxide Detector | S | S |
| 12 Volt Power Plug With USB Charging Port | S | S |
| CSA (Canadian Standards) | 0 | 0 |
| Battery Disconnect Switch | S | S |
| 55 Amp Converter With Charger | S | S |
| Flush Mount Ceiling LED 12 Volt Interior Lighting w/ | | |
| Multiple Switches | S | S |
| Interior Floor Light by Entrance Door | S | S |
| Deluxe Tri-Fold Sleeper Sofa | S* | S* |
| Push Back Swivel Rocker Recliner (Std. 2889WS, 8299BS) | S* | S* |
| Lazy Boy Swivel Rocker Recliner (8299BS Only) | | 0* |
| Theatre Seating | 0* | S* |
| Theater Seat ILO Sofa | 0* | 0* |
| Deluxe Interior Window Treatment | S | S |
| | | |

Screwed and Glued Cabinetry

S

S



0 0

S S

S S

S S

S S

S S

0 0

S S



| MODELS | UL | S | MODELS |
|--|----|----|--|
| Day/Night Pull Shade | S | S | EXTERIOR FEATURES |
| Day/Night Roller Shades | | 0 | Fully Aluminum Frame (Floor, Sidewall, & Roof) |
| Stainless Steel Appliances | 0 | 0 | Insulation Factors R-7 Side Wall, R-12 Floor and R-14 Roof |
| 9 Cubic Ft. Gas / Electric Refrigerator | | S* | Radius Roof With Vaulted Interior Ceilings |
| 12 Cubic Foot Auto Gas/Electric Refrigerator W/ | | | One Piece Seamless Roofing Membrane |
| Stainless Steel Panels (8299BS) | | S* | TV Antenna w/ Cable & Satellite Hook-Up |
| 8 Cubic Foot Gas/Electric Refrigerator | S | | Bike Rack Ladder Attachment |
| 22 Cubic Foot Residential Refrigerator w/ Invertor | 0* | 0* | Rear Bike Deck (200 lbs. Max Load) |
| 12 Cubic Foot Residential Refrigerator w/ Invertor | 0* | 0* | Laminated Champagne Color Fiberglass Sidewalls |
| Decorative Wood Refrigerator Panels | 0* | 0* | Laminated White Fiberglass Sidewalls |
| Three Burner High Output Gas Range with Glass Top Cover | S | S | Electric Slide-Out(s) |
| Water-Pur Filtration System | S | S | Decorative Frame Skirting |
| Counter Top Extension (Per floorplan) | S | S* | Distinctive Black Exterior Trim |
| Trash Can in Kitchen (Most Models) | | S | Power Awning With Adjustable Rain Dump and LED Lighting |
| Bathroom Skylight | S | S | Shielded Awning Covers |
| Interior Gas and Electric Switches | S | S | Awning Slide Topper |
| Water Heater By-Pass Kit | S | S | 30" Primary Entrance Door |
| Residential Style Porcelain Bowl Foot Flush Toilet | | S | Friction Hinge Entrance Door |
| Maxxair® Ventilation Fan and Vent Cover | S | S | Lighted Entry Step |
| Extra Maxxair® Ventilation and Vent Cover | 0 | 0 | Large Grab Handles |
| King Bed Slide | | 0 | Tinted Bonded Frameless Windows |
| Washer/Dryer Prep (2881S, 2891BH, 8288BS, 8299BS, 8290BS Only) | S* | S* | Thermo Pane Window Upgrade |
| Larger 76" Entry Doors | S | S. | Outside RVQ Grill w/ LP Hookup and Work Table |
| | | | · |

| UL | S | MODELS | UL | S |
|----|---|---|----|---|
| | | Outside Shower | S | S |
| S | S | Front Outside "Trunk" Storage Separated From Heated Pass Thru | | |
| S | S | Storage Compartment | S | S |
| S | S | Outside Antifreeze Inlet for Convenient Winterizing | S | S |
| S | S | Slam Latches on Most Exterior Storage Doors | S | S |
| S | S | Magnetic Storage Door Latches | S | S |
| 0 | 0 | Two 30 lb Gas Bottles | S | S |
| 0 | 0 | Enclosed Gas Bottles w/ Storage Door Access | S | S |
| S | S | Surface Coated Steel I-Beam Frame | S | S |
| 0 | 0 | Power Front Jack | S | S |
| S | S | 4.0 Leveling Jacks | 0 | 0 |
| S | S | Easy Lube Axles & Never Adjust Brakes | S | S |
| S | S | 15" Tires | S | S |
| S | S | Nautilus Water Management System | S | S |
| | 0 | | | |

UL = ULTRA LITE FIFTH WHEEL, **S** = SIGNATURE FIFTH WHEEL, **S** = STANDARD, **O** = OPTIONAL, -- NOT AVAILABLE, * = SELECTED MODELS

Look for our other popular lines of Rockwood camping trailers.



Rockwood Geo Pro





PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

24/7 EMERGENCY ROADSIDE ASSISTANCE

For a worry-free ownership experience Forest River includes one year of Coach-Net RV Technical & Roadside Assistance with each RV purchase. Whether new to the RV lifestyle or an experienced RV enthusiast, Forest River owners have 24/7 access to technical, operational and emergency road service coverage throughout the US & Canada. Coach-Net's fast, dependable service is just a phone call away.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include rargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.


CCC (Cargo Carrying Capacity)** - is the

amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



Rockwood Tent Campers

Rockwood Warranty. Our Promise.

FOR DETAILS ON ROCKWOOD'S COMPLETE WARRANTY PROGRAM, SEE YOUR ROCKWOOD DEALER. When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Rockwood. Rockwood offers the following additional limited warranties to the original purchasers. Consult written warranty for details.

1. Twelve-year vinyl roof warranty, 2. Two-year fiberglass warranty, 3. Ten-year Torflex® axle warranty, 4. One-year bumper to bumper warranty







YOUR ROCKWOOD DEALER

A Berkshire Hathaway company

201 WEST ELM MILLERSBURG, IN 46543 WWW.FORESTRIVERINC.COM/ROCKWOOD 574.642.2640



www.ForestRiverBuyLocal.com

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1582 P&W: 2018.10.16