



















# **OPTIONS**

- » 100lb. Full Extension Drawer Guides
- » 8 Cu. Ft. Refrigerator
- » LED Lighting in Ceilings
- » Quick Recovery Gas/Electrical Water Heater
- » 15k A/C with Quiet Residential Return Air
- » Prepped for Observation Camera
- » Key Alike System
- » Aluminum Tread Entry Steps
- » Power Awning(s) with LED Lighting
- » Stainless Steel Appliances
- » Stainless Steel Under Mount Sinks (Kitchen & Lav)

- » Outside Enclosed Docking Station
- » Battery Disconnect
- » Solar Prep
- » Convertible Mattress (60" x 80")
- » Seamless Countertops
- » Linoleum Throughout Main Living Areas
- » Patent Flush Floor Slides with Vinyl Flooring (No Carpet)
- » PVC Roofing Membrane (15 Year Warranty / Non-Prorated)
- » Porcelain Toilet
- » Pet Friendly
- » Pull Out Pet Dishes
- » Wi-Fi Ready

- » 50 Amp Service with 2nd A/C Prep (2802) (Forced 2910)
- » A/C 2nd A/C, 13.5k BTU Ducted (must choose 50amp option) (2802, 2910)
- » BBQ Grill with Bumper Bracket
- » Bike Rack LCI Jack-It Front Bike Rack
- » Power Front and Rear Stabilizer Jacks
- » Table/Chairs ipo Std. Booth
- » Tri-Fold Sofa ipo Std Power Theater Seats (N/A 2910)

#### SPECIFICATIONS

	ST2410RL	ST2802BH	ST2804RK	ST2910RL
Square Feet	222	267	222	300
UVW	5322	5765	5322	6483
Hitch Weight	502	510	502	822
GVWR	7400	7450	7400	8600
Cargo (Gross)	2078	1685	2078	2117
Length (Pin to Rear)	28′ 5″	31′ 9″	28′ 5″	33′ 5″
Ext. Height	131"	131"	131"	131"
Ext. Width	97"	97"	97"	97"
Ext. Width (Slides Out)	135"	135"	135"	156"
Interior Height (Overall)	82"	82"	82"	82"
Fresh Water (Gal.)	51	51	51	51
Gray Water (Gal.)	29	58	58	58
Waste Water (Gal.)	29	29	29	29
LP Capacity (lbs.)	60	60	60	60
Tire Size	15"	15"	15"	15"
Awning Size	15′	20′	15′	10', 11'

# SLIDE OUTS

- » Best in class slide height and depth
- » Flush floor slides with linoluem
- » Electric Motor Slide System
- » Laminate components plus 3M flashing tape along corners to prevent leaks

#### 4 FLOORS

- » Double-welded framed floors
- » Insulated with rigid foam wrapped in radiant foil, anti-puncture moisture barrier woven underbelly material, and strengthened with an overlapping double layer of laminate

#### DOORS & LOCKS

- » Full-width entrance doors with built-in screen doors
- » Double-insulated passage and storage doors with slam latches on secure and convenient keyalike system

#### 5 SIDEWALLS

- » Lightweight, double-welded aluminum walls
- » Slide roof frames laminated with rigid foam insulation

#### **3** ROOF

- » Double batten insulation layered with radiant foil
- » Screw-mounted plywood decking topped with premium quality PVC
- » No treatment required! Will not chalk or spot
- » Heat reflecting properties keep coach cooler in the summer

### 6 MAIN BODY

- » Class-leading I-beam chassis and draw bars
- » Equa-Flex suspension system
- » Aluminum wheels with nitrogen-filled tires
- » EZ Lube hubs



# 7 INDUSTRY-LEADING HEATING SYSTEM

Oversize 4-inch heat ducts run from the furnace down to the fully enclosed underbelly and wrap around the tanks suspended between the chassis I-beams. Holding tanks are warmed by the forced air heat which prevents freeze-ups.

A return at the end of the tank connecting back into the coach provides the necessary air flow.



We stand behind our products. At Highland Ridge RV, we are one of the few manufacturers that have a 3-Year Limited Structural Warranty.

# MORE ROOM LESS WEIGHT

This is our mission at Highland Ridge RV. It drives us to innovate and revolutionize the RV industry and it's why our products are 10 - 15% lighter than the competition.



Our Pet Friendly units offer linoleum throughout the main living areas, and no floor registers.



We put our products into a zero degree chamber for five hours with thermometers placed in key areas throughout the unit. The results speak for themselves.

Your Silverstar Lite Dealer:



Own the Outdoors

For more information visit us at: www.HighlandRidgeRV.com

Due to continual research and advances, manufacturer reserves the right to change specifications, design, price, and equipment without notice, and assumes no responsibility for any error in the literature. Some items shown are not included as standard or optional equipment.