

For both the first-time buyer and seasoned camping veteran, the valueconscious Avenger often represents a customer's first experience with a recreational vehicle from Prime Time Manufacturing.

Since first impressions are critical—and last a lifetime—we've insisted that Avenger combine comfort, convenience, and style with the industry's highest standard of quality and construction. By providing a GREAT ownership experience, Avenger is Prime Time's way of welcoming you to our family.

We hope that your future journeys will always include a Prime Time RV.



27RKS



To guarantee that Avenger provides true customer satisfaction, our engineers carefully examined every component, every small detail, and every process that went into Avenger's creation.

It was important to offer industry-leading beauty, so shaker-style cabinet doors were paired with premium fabrics, flooring, and countertops for a luxurious appearance.

"Best In Class" features and design elements are utilized to fully maximize customer enjoyment. Innovative EVERLAST® construction and demanding standards for testing were developed to ensure long-term quality and durability.

If "Your Journey Begins Here," Avenger is sure to please.

32RBS



# **AVENGER FLOORPLANS & SPECIFICATIONS**













SPECIFICATIONS	26BH	31RKD	32BIT	32DEN	320BI	32RBS	35MBS	35RES	
LENGTH	28' 11"	36' 6"	37' 8"	37' 8"	37' 11"	38' 10"	39' 0"	39' 0"	
HEIGHT	10' 7"	11' 4"	11' 4"	11' 4"	11' 4"	11' 6"	11' 3"	11' 3"	
HITCH WEIGHT	580 lb.	928 lb.	871 lb.	858 lb.	1,000 lb.	911 lb.	1,076 lb.	1,388 lb.	
UNLOADED VEHICLE WEIGHT (UVW)	4,850 lb.	8,159 lb.	8,393 lb.	7,989 lb.	9,029 lb.	8,651 lb.	9,249 lb.	9,206 lb.	
CARGO CARRYING CAPACITY (CCC)	2,692 lb.	3,169 lb.	2,840 lb.	3,069 lb.	2,371 lb.	2,460 lb.	1,989 lb.	2,382 lb.	

UVW (Unloaded Vehicle Weight)\* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. \*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)\*\* is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. \*\* Estimated average based on standard build optional equipment. See back page for additional specification definitions.

		AVENGER ATI FLOORPLANS & SPECIFICATIONS																
	ORD			and and a		TORKER	21	and B RBS			24BH	ever			24R			
	The second secon			26					si corri si surri 26BK				ti or or dense dense dense New	Transfer of the second s			26RDS New	
the second secon					TRBS									eore Berles				
	ANT H 29 29 29 H New					S 290BS New			2 40								26DBS LE	
SPECIFICATIONS 20 LENGTH 24'		21RBS 27' 7"	24BHS 28' 2"	24RLS 29' 4"	26BB 28' 11"	26BBS 30' 5"	26BK 28' 11"	26DBS TBD	26RDS 31' 5"	27DBS 32' 11.5"	27RBS 32' 11"	27RKS 32' 11"	28REI 33' 9"	29BHS TBD	29QBS TBD	29RBS 33' 5"	26DBS LE TBD	
HEIGHT 10		10' 8"	10' 8"	29 4 10' 8"	10' 3"	10' 8"	10' 3"	TBD	10' 3"	10' 8"	10' 8"	32 II 10' 8"	11' 4"	TBD	TBD	10' 8"	TBD	
HITCH WEIGHT 510		790 lb.	TBD lb.	581 lb.	552 lb.	658 lb.	474 lb.	TBD lb.	700 lb.	721 lb.	765 lb.	681 lb.	764 lb.	TBD lb.	TBD lb.	821 lb.	TBD lb.	
UNLOADED VEHICLE WEIGHT (UVW) 4,25	6 lb. 4,499 lb.	5,294 lb.	5,416 lb.	5,373 lb.	4,680 lb.	5,626 lb.	4,680 lb.	TBD lb.	6,363 lb.	6,652 lb.	6,663 lb.	6,586 lb.	7,136 lb.	TBD lb.	TBD lb.	6,506 lb.	TBD lb.	
CARGO CARRYING CAPACITY (CCC) 3,32	6 lb. 3,050 lb.	2,496 lb.	2,337lb.	2,208 lb.	2,834 lb.	2,032 lb.	2,834 lb.	TBD lb.	1,337 lb.	2,869 lb.	2,902 lb.	2,895 lb.	3,828 lb.	TBD lb.	TBD lb.	3,115 lb.	TBD lb.	

### **AVENGER STANDARDS & OPTIONS**

#### **AVENGER ADVANTAGE PACKAGE\***

- Exclusive EVERLAST<sup>®</sup> Construction:
- 2" Wall Construction on 16" Centers
- Cross-Banded Construction
- -5/8" Seamless Floor Decking up to 24' w/25-year Warranty
- 5" LVL Headers Above Slideouts
- Gas/Electric DSI Water Heater w/Quick Recovery
- Dexter E-Z Lube Axles
- Exterior Hot/Cold Shower • Fully Enclosed Underbelly
- LED Lit Power Awning
- Solar Prep
- Backup Camera Prep
- Electric Stabilizer Jacks
- Electric Tongue Jack
- · Extra Large Grab Handle
- LED Interior Lighting
- Large Double Door Refrigerator
- Restaurant Style Kitchen Faucet
- LED Lit Kitchen Backsplash
- Flush Mount Glass Top Range Cover
- Ducted A/C
- Bluetooth Entertainment System
- "Solid Stance" Fold Down Steps

#### CONSTRUCTION

- Exclusive EVERLAST® Construction
- · Powder Coated I-Beam Frame
- Full Length Outriggers on Frame
- 8' Exterior Width
- Aluminum Exterior Skin

and longer)

Dexter E-Z Lube Axles

LED Lit Power Awning

Backup Camera Prep

LED Interior Lighting

Large 17" Oven

Exterior Hot/Cold Shower

LED Lit Outside Speakers

Large Double Door Refrigerator

Restaurant Style Kitchen Faucet

LED Lit Kitchen Backsplash

"Solid Step" Fold Down Steps

• Fully Enclosed Underbelly

Radial Tires

Solar Prep

 R-7 Insulation Throughout • 2x3 Floor Joists on 16" Centers

**AVENGER ATI DVANTAGE PACKAGE\*** 

- Fully laminated floor w/aluminum

- 5" LVL Headers Above Slideouts

Ouick Recovery DSI Water Heater

structure (on floorplans under 31')

- 2" Wall Construction on 16" Centers

-5/8" Seamless Floor Decking up to 24'

w/25-year Warranty (on floorplans 31'

Exclusive EVERLAST® Construction

- Cross-Banded Construction

 LED TV • USB Ports in bunks

**AVENGER ATI STANDARDS & OPTIONS** 

One-Piece TPO Roof

Dual Shirt Closets

Bedside USB Port

**INTERIOR FEATURES** 

MAX Slide Models

Room (N/A 26BH)

USB Ports (N/A 26BH)

• LED Interior Lighting

CONSTRUCTION

82" Interior Ceiling Height

Exclusive EVERLAST® Construction

• 2x3 Floor Joists on 16" Centers (on

• Fully laminated floor w/aluminum

• 5" LVL Header Above Slide Outs

structure (on floorplans under 31')

Walk-On Roof w/3/8" Roof Decking

Upgraded Oetiker Water Line Fittings

Premium Gutter Rails Above all Slides

• 5" Snow Load Roof Rafters on 16" Centers

Powder Coated I-Beam Frame

• R-7 Insulation Throughout

floorplans 31' and longer)

One-Piece TPO Roof

BEDROOM

· PEX Plumbing System

TV Cable Connection

Dual Shirt Closets

Bedside USB Port

· Fully Enclosed Underbelly

Quilted Residential Bed Spread

Bedside 110V Power Outlets (2)

• Extra Large Overhead Cabinets Above Bed

Massive Under-Bed Storage

• Full Length Outriggers on Frame Aluminum Exterior Skin

Ducted A/C

BEDROOM

PEX Plumbing System

Fully Enclosed Underbelly

Upgraded Oetiker Water Line Fittings

Premium Gutter Rails Above all Slides

• Extra Large Overhead Cabinets Above Bed

Quilted Residential Bed Spread

Bedroom TV Cable Connection

• Oversized MAX Slide (N/A 26BH)

Massive 87" U-Shape Dinette on

Fully Vented Windows in MAX Slide

Predrilled and Screwed Cabinetry

Pleated Shades in Living and Dining

· Extended Ball Bearing Drawer Glides

Jacknife Sofa w/ LED Cupholders and

Residential Grade Carpet in Select Areas

Seamless Carefree Congoleum Flooring

Massive Under-Bed Storage

#### • 5" Snow Load Roof Rafters on 16" Centers EXTERIOR FEATURES Walk-On Roof w/ 3/8" Roof Decking

- Aerodynamic Front Radius Profile
- · "Solid Step" Fold Down Steps
- · Doggy-D-Ring
- Bottle Opener
- Extended Drip Spouts
- Black Framed Radius Windows
- DOT Approved Safety Glass Windows Fully Vented Windows Throughout
- Dual LP Bottles
- City Water Fill
- · Gravity Fresh Tank Fill
- Diamond Plate Rock Guard Exterior Shower
- Radial Tires
- Bedside 110V Power Outlet on each side
  - Marine Grade Outdoor Speakers Radius Entrance Door w/Window

  - Bumper w/Sewer Hose Storage and End Caps • Extra-Large Entry Door Grab Handle
  - Outdoor Kitchen (31RKD, 32BIT,
  - 320BI,32RBS)
  - Solar Prep
  - · Black Tank Flush
  - Exterior TV Bracket
  - LED Lit Power Awning
  - Backup Camera Prep
  - Electric Stabilizer Jacks
  - Electric Tongue Jacks
  - Spare Tire

#### APPLIANCES AND EQUIPMENT

- Bluetooth Entertainment System
- Exterior TV Coax Connection

INTERIOR FEATURES

USB Ports in Bunks

28REL and 29RBS

LED Interior Lighting

EXTERIOR FEATURES

• 8' Exterior Width

Exterior Shower

Dual LP Bottles

· City Water Fill

Solar Prep

• 4 Stabilizer Jacks

Extended Drip Spouts

Gravity Fresh Tank Fill

Diamond Plate Rock Guard

Black Framed Radius Windows

• DOT Approved Safety Glass Windows

Fully Vented Windows Throughout

• Radius Entrance Door w/ Window

• Outdoor Kitchen (24BHS, 26BK, 26DBS,

27DBS, 27RBS, 29BHS, 29QBS, 29RBS)

• 78" Interior Ceiling Height

Mini Blinds Throughout

- Cable TV Hook-Up w/RG6 Coax
- Digital TV Antenna w/Signal Booster

• Extended Ball Bearing Drawer Guides

Seamless Carefree Congoleum Flooring

• 50" TV Standard on 27DBS, 27RKS, 27RBS,

Predrilled and Screwed Cabinetry

- 13,500 BTU Air Conditioner
- 3 Burner Range w/High Output Front Burner

**SAFETY EQUIPMENT / OWNER PROTECTION** 

CO Detector

LP Detector

Smoke Alarm

OPTIONS

15K BTU A/C

and 35RES)

TANK CAPACITY

\*Mandatory

**KITCHEN** 

BATHROOM

CO Detector

LP Detector

Smoke Alarm

OPTIONS

• Fire Extinguisher

(Max Slide Models)

FRESH WATER: 48 Gallons

GREY WATER: 30 Gallons\*\*

\*Mandatory \*\*Some models vary. See website for additional details.

BLACK WATER: 30 Gallons\*\*

TANK CAPACITY

Deep Basin Sink

additional details.

Fire Extinguisher

Leak-Guard Assurance Process

Extended Seasonal Enjoyment

• Free Standing Dinette w/4 Chairs

· Sleep-N-Play (32BIT, 32QBI ONLY - in place

(Mandatory 31RKD: N/A on 26BH, 32DEN,

· 50 AMP Service, Wired and Framed for

THERMAL PACKAGE PLUS

Enclosed Underbelly

· Heated Holding Tanks

of Dinette in Bunkroom)

Second A/C (N/A 26BH)

• FRESH WATER: 48 Gallons

GREY WATER: 30 Gallons\*\*

BLACK WATER: 30 Gallons\*\*

\*\*Some models vary. See website for

Restaurant Style Kitchen Faucet

Shower Curtain w/ Curved Track

Leak-Guard Assurance Process

• Free Standing Dinette & 4 Chairs

• 15K A/C (N/A 20RD, 21RB, 26BB, 26BK)

**SAFETY EQUIPMENT / OWNER PROTECTION** 

· LED Lit Kitchen Backsplash

Medicine Cabinet w/ Mirror

- Large Double Door Refrigerator
- Large 17" Oven
- Range Hood w/Light And Exhaust Fan
- Gas/Electric DSI Water Heater w/ Quick
- Recovery Water Heater Bypass
- 30K BTU Furnace (N/A 26BH 25K BTU)
- In Floor Ducted Heat
- Auto Ignition Furnace w/Wall Thermostat
- Systems Monitor Panel
- 12V Electrical System w/55 AMP Power Converter
- 110V GFCI Protected
- 12V High Capacity Water Pump
- 30 AMP Power

#### **KITCHEN**

- Pot and Pan Drawer Under Stove
- (Where Available) · Pot and Pan Drawer Under Refrigerator (Where Available)
- · Deep Basin Sink
- Restaurant Style Kitchen Faucet
- LED Lit Kitchen Backsplash
- · Flush Mount Glass Top Range Cover

#### BATHROOM

- Tub Surround
- Shower Curtain w/Curved Track
- · Glass Neo-Angle Shower (Select Models)
- 12V Power Vent Fan
- Medicine Cabinet w/Mirror
- Skylight Over Tub/Shower
- LED Lit Power Awning
- Doggy-D-Ring
- Bottle Opener
- Aerodynamic Front Radius Profile

APPLIANCES AND EQUIPMENT

Cable TV Hook-Up w/RG6 Coax

Bluetooth Entertainment System

Large Double Door Refrigerator

• 12V High Capacity Water Pump

• 13,500 BTU Air Conditioner

Digital TV Antenna w/Signal Booster

• 3 Burner Range w/High Output Front Burner

Range Hood w/Light And Exhaust Fan

Quick Recovery DSI Gas Water Heater

25K BTU Furnace (N/A 29RBS, 30K BTU)

Auto Ignition Furnace w/Wall Thermostat

12V Electrical System w/55 AMP Power

"Solid Step" Fold Down Steps

• Large 17" Oven

Water Heater Bypass

• EZ Winterization Hookup

Systems Monitor Panel

110V GFCI Protected

30 AMP Power

Converter

Spare Tire

# HIGH-IMPACT FEATURES




**ENCLOSED UNDERBELLY** 



ELECTRIC STABILIZER JACKS (N/A ATI)



ELECTRIC TONGUE JACK (N/A ATI)





**BACK UP CAMERA PREP** 



**SOLAR PREP** 



BLACK TANK FLUSH (N/A ATI)




BLUE LED LIT OUTDOOR SPEAKERS



**LED LIT POWER AWNING** 

**OUTSIDE SHOWER** 




"SOLID STANCE" FOLD-DOWN STEPS



**DOGGY D-RING** 



GLASS TOP STOVE WITH LED LIGHTING



RESTAURANT STYLE KITCHEN FAUCET



LED LIT KITCHEN BACKSPLASH



EXTERIOR BOTTLE OPENER

# **DSI QUALITY CIRCLE AWARD**

Prime Time Manufacturing is proud to be recognized as an industry leader in value, reliability, and overall quality by the Recreational Vehicle Dealers Association. We are committed to "A Higher Standard" in design, construction, testing, and customer service. Check us out — we know you'll be impressed!

MULTIPLE YEAR

NNER



Seek-A-Leak Pressure Test



Seal Tech Air Pressure Test



**Executive Quality Audits** 



Web Based Customer Service



Advanced Engineering

65 Point

Secondary PDI

Rain Bay

Download the Prime Time Manufacturing mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Prime Time Manufacturing product. From "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away.



Yiew the online manual at http://www.primetimerv.com/OnlineManual.aspx or download our FREE app from the App Store or Google Play!

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

©2018 Prime Time Manufacturing, a Division Of Forest River, Inc., a Berkshire Hathaway Company. All Rights Reserved.



using pur arn River. A Berkshire Hathaway company.



PRIME TIME

Manufacturing

**FROG™** the Forest

**CUSTOMER SATISFACTION** 

**River Owners' Group!** 

## ADDITIONAL SPECIFICATIONS:

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWWR.

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING WINCH-OUT JUMP-STARTS MOBILE MECHANIC TIRE CHANGES TECHNICAL FLUID DELIVERY SUPPORT LOCKOUT DEALER LOCATOR SERVICE SERVICES





PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

DEALER