

He who would travel happily must travel light.  
-Antoine de Saint-Exupéry

**ALINER**

*Your Home on the Road!*



**SOMERSET**  
CAMPING TRAILERS

[www.aliner.com](http://www.aliner.com)

Columbia Northwest Inc. / Manufacturer of Quality Light-Weight Camping Trailers

# Why



## A Frames

Designed specifically for Aliner, our frames feature robotically welded tubular steel construction, which provides rigidity without unnecessary weight and consistent evenly welded joints. Our e-coated paint system allows high-quality paint to adhere to every surface of the frame including the inside of the tube rails.

## B Floor

No cheap chipboard here! Aliner floors are highly durable and fully weatherproof. We start with PerforMax 500 premium marine grade flooring and then add a barrier between the road and the floor, which means it won't warp, rot or swell like plywood.

## C Underside of Trailer

Now, how about that floor and that clean undercarriage! You'll also notice that our plumbing is inside the camper, allowing for four-season camping.

## D Front Corner/Roof

Aliner corner caps are weatherproof, durable and UV protected...and they look good too! Our no-maintenance, one-piece aluminum extrusion roof is stiff and has no seams, which means no leaks!

## E Wall Panel

Our laminated structure walls feature lightweight construction with superior materials. Aliner uses Azdel for their interior wall paneling. Azdel is a lightweight thermoplastic composite that is much lighter than wood and is impervious to water. It is also odorless and formaldehyde free.

## F Stabilizer Jacks

Your Aliner comes equipped with heavy-duty, crank-down stabilizer jacks.

## G Graphics


Aliner uses digitally printed, and UV protected graphics to ensure their vibrant color for years to come.

## H Roof Springs

We have been using the same lift mechanism for 30 years, because it is effective, durable, and simple.

## I Fan-Tastic Fan

Aliners come with the original and best roof vent fan available... Fan-Tastic! It will keep you cool in the quietest fashion.



B

All Aliner trailers come standard with 7-spoke aluminum rims.

C

F

I

# Popular Options:

## Soft Dormers

Aliner's soft-walled dormer adds ventilation, head room, beautiful panoramic views, and is easy to set up! We craft the dormer with Sunbrella 302™ fabric, which breathes and is mold and mildew resistant. A fine mesh screen keeps the bugs out. In the event of cold or bad weather...just close the dormer and you have a traditional Aliner.



## Hard Dormers

For those that want the additional head-room and extra space without compromising the security of the solid walls. Front and rear hard-dormer options are available on the Expedition, Classic and LXE.



## Grill

The grill option adds ease and convenience to your camping experience as it sets up in seconds and plugs right into Aliner's propane system.



## Cool Cat Heat Pump

The Cool Cat option is an 11,000 btu ducted a/c system that also provides heat in temperatures above 40 degrees Fahrenheit. A great way to chill when camping in extreme heat and a great way to heat when you want to get rid of the chill.



## Toilet

Opt for an Aliner toilet that will serve you well during off-grid camping or in the middle of the night when you don't want to walk to the bath house in the rain. Our toilets feature easy-to-empty cassette tanks, and they are plumbed directly to the on-board water system.



## High Wind Lift Assist

For extra security in high winds and a little extra help with set-up, the high wind lift assist is the perfect answer.



E

G



H




D




# EXPEDITION


(3 Floor Plans)



The **Expedition** is ready to take on any adventure! As the largest Aliner camper, it offers nearly double the “living space”, 30% more storage, taller countertops, larger beds, flush mount Euro-style sink and stove and our highest capacity chassis. All that and it still weighs less than 2,100 pounds and is towable by many fuel-efficient vehicles.



Microwave is not available in the twin bunk floorplan




Twin bed size = 30” x 79” and makes into one 80” x 79” bed

Optional toilet is shown in all Expedition floor plans.


Total Length 18’  
Width 84”  
Closed Height 62”  
Dry Weight 1850 lbs.  
Dry Hitch Weight 240 lbs.  
GVWR 3500 lbs.

# CLASSIC

(2 Floor Plans)



Total Length 15’  
Width 78”  
Closed Height 57”  
Dry Weight 1590 lbs.  
Dry Hitch Weight 160 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.




This is the model that started it all. All other Aliner models are variations of this original design. The **Classic** earned its name by satisfying customers for over 30 years. It’s not our largest or our smallest. It’s not our heaviest or our lightest. It’s what **Classic** owners like to call “just right”. Versatile, adaptable and comfortable - The **Classic** has everything you want.

## Exclusive Features on the Expedition, Classic and LXE:

- Real Hardwood Cabinet Doors
- LED Exterior Running Lights
- Additional Corner Windows
- Exterior Electrical Outlet
- Microwave (Except Twin Bunk)
- Larger 3.0 cu. ft. Refrigerator
- Hard Dormer Option
- Exterior Propane Connection
- 3 Interior Electrical Outlets
- Front Utility Light
- LED Interior Floor Light
- 2 Exterior Bag Doors
- Cable Hook-Up



# LXE




Total Length 15’  
Width 78”  
Closed Height 57”  
Dry Weight 1795 lbs.  
Dry Hitch Weight 180 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.

Love the Aliner Classic, but also need bathroom facilities? The **LXE** contains all the same features as the Classic with the addition of a standard cassette toilet and spacious shower. Combined with a unique two-person dinette and extra large bed the **LXE** is certainly a home away from home.

Front Hard Dormer is standard on the LXE model



# Ranger 12




Total Length 15'  
Width 78"  
Closed Height 57"  
Dry Weight 1450 lbs.  
Dry Hitch Weight 150 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.


**Ranger 12** is the more economical version of the Classic. Lighter than the Classic and boasting a few less bells and whistles, the **Ranger 12** still offers ample space, several standard, and optional features, and of course the same quality, efficiency and versatility that you get with every Aliner.

# Ranger 10

(2 Floor Plans)




Total Length 13'  
Width 78"  
Closed Height 57"  
Dry Weight 1225 lbs.  
Dry Hitch Weight 175 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.



**Ranger 10** is the most compact model in our Ranger series, yet has the same standard equipment as its bigger brothers. **Ranger 10** offers all the amenities you need to camp in comfort, while its size has some practical benefits. Lighter weight allows smaller tow vehicles. Smaller size and wheel-base, coupled with the Off-Road Package, let you conquer some serious back-country roads.


# Scout



Total Length 15'  
Width 78"  
Closed Height 57"  
Dry Weight 1395 lbs.  
Dry Hitch Weight 130 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.

The traditional tent camper was our inspiration when designing our **Scout** products. Though we love the outdoors, there comes a point in life when the thrill of sleeping on the ground is gone. With the **Scout and Scout-Lite**, you can hold onto that pure, simple camping experience while enjoying some essential amenities like a roof over your head, a soft bed to sleep in, and ample storage space for all your gear - at an affordable price!

# Scout-Lite



Total Length 13'  
Width 78"  
Closed Height 57"  
Dry Weight 1180 lbs.  
Dry Hitch Weight 130 lbs.  
GVWR (Std. Axle) 2500 lbs.  
GVWR (Off-Road Axle) 3000 lbs.

## Standard Features on All Aliner Camping Trailers

- PerforMax 500 Flooring
- Torsion Axle
- 10" Electric Brakes
- E-Coated Frame
- Vacuum Bonded Fiberglass Panels
- Diamond Plate Stone Guard
- Solar Port
- Anodized Aluminum Extrusion
- Aluminum Wheels
- 35 Amp Converter
- 2 Skylights with Night Shades
- Fan-Tastic Fan
- 4" High-Density Foam Cushions
- Spare Tire and Carrier
- Battery Tray

<b>Exterior</b>	<b>Expedition</b>	<b>LXE</b>	<b>Classic</b>	<b>Ranger 12</b>	<b>Ranger 10</b>	<b>Scout</b>	<b>Scout-Lite</b>
Stabilizer Jacks	4	4	4	2	2	2	2
Standard Axle	N/A	2,500 lb, 13" Wheels	2,500 lb, 13" Wheels	2,500 lb, 13" Wheels	2,500 lb, 13" Wheels	2,500 lb, 13" Wheels	2,500 lb, 13" Wheels
Off-Road Axle	3,500 lb, 14" Wheels	3,000 lb, 14" Wheels	3,000 lb, 14" Wheels	3,000 lb, 14" Wheels	3,000 lb, 14" Wheels	3,000 lb, 14" Wheels	3,000 lb, 14" Wheels
Outside Shower	S	S	S	S	S	N/A	N/A
Baggage Doors	2	2	2	1	1	0	0
Front Utility Light	S	S	S	N/A	N/A	N/A	N/A
LED Running Lights	S	S	S	N/A	N/A	N/A	N/A
Exterior Outlet	S	S	S	N/A	N/A	N/A	N/A
LP Connection	S	S	S	Option with Grill	Option with Grill	N/A	N/A
White Fiberglass	S	S	S	S	S	S	S
<b>Interior</b>	<b>Expedition</b>	<b>LXE</b>	<b>Classic</b>	<b>Ranger 12</b>	<b>Ranger 10</b>	<b>Scout</b>	<b>Scout-Lite</b>
Sink	S	S	S	S	S	O	S
Shower and Toilet	O	S	N/A	N/A	N/A	N/A	N/A
Fresh Water	11 gal.	11 gal.	11 gal.	11 gal.	11 gal.	N/A	N/A
Electrical Outlets	3	3	3	2	2	1	1
LED Interior Lights	S	S	S	S	S	S	S
Front Bed	40" x 80"	N/A	44" x 76"	46" x 76"	30" x 76"	46" x 76"	30" x 76"
Rear Bed	60" x 80"	56" x 76"	60" x 76"	56" x 76"	40" x 76"	56" x 76"	40" x 76"
<b>Appliances</b>	<b>Expedition</b>	<b>LXE</b>	<b>Classic</b>	<b>Ranger 12</b>	<b>Ranger 10</b>	<b>Scout</b>	<b>Scout-Lite</b>
Water Pump	S	S	S	S	S	N/A	N/A
3-Way Refrigerator	3.0 w/ Freezer	3.0 w/ Freezer	3.0 w/ Freezer	1.9	1.9	N/A	N/A
Microwave	S	S	S	N/A	N/A	N/A	N/A
Stove Top	Euro, Flush	Built-In	In / Out	Built-In	N/A	N/A	N/A
<b>Options</b>	<b>Expedition</b>	<b>LXE</b>	<b>Classic</b>	<b>Ranger 12</b>	<b>Ranger 10</b>	<b>Scout</b>	<b>Scout-Lite</b>
Front Dormer, Soft	O	N/A	O	O	O	N/A	N/A
Rear Dormer, Soft	O	O	O	O	N/A	N/A	N/A
Front Dormer, Hard	O	S	O	N/A	N/A	N/A	N/A
Rear Dormer, Hard	O	O	O	N/A	N/A	N/A	N/A
Dual Tanks and Cover	O	O	O	O	O	N/A	N/A
Outside Grill	O	O	O	O	O	N/A	N/A
High Wind Lift Assist	O	O	O	O	O	O	O
16,000 btu Furnace	O	O	O	O	O	N/A	N/A
Water Heater	O	S	O	O	O	N/A	N/A
5,000 BTU Wall AC	O	O	O	O	O	O	O
Cool Cat Heat Pump	O	O	O	O	N/A	O	N/A
Toilet	O	S	N/A	N/A	N/A	N/A	N/A
Stereo	O	O	O	O	O	O	O
Grey Fiberglass	O	O	O	O	O	O	O



ONE PERSON, TWO HANDS AND THIRTY SECONDS. THAT'S ALL YOU'LL NEED TO SET UP YOUR ALINER CAMPER



Expedition  
(Shown with optional front and rear hard dormers)



Classic  
(Original Classic with no dormers)



Ranger 12  
(Shown with optional front and rear soft dormers, 5,000 btu a/c and off-road package)



Ranger 10  
(Shown with "NEW" optional front soft dormer and 5,000 btu a/c)



## Built To Last

Top-notch automotive construction ensures that Somerset Camping Trailers are built to last and can go just about anywhere you want to take them. They are the only folding trailers made with a 6-inch full tubular steel frame construction and an exclusive stainless steel Posi-Lock lift system.

## Stainless Steel Posi-Lock Lift System

The lift posts on our exclusive Posi-Lock lift system are made of stainless steel that will not corrode or bind. Unlike other folding trailers, the Somerset lift system is designed to channel water to the ground and away from the trailer, eliminating the need for tent flaps to protect them from the elements.

The Posi-Lock lift system uses a current limiter microprocessor that automatically stops at the top at the appropriate height. There is also a dynamic brake in the electric motor that locks the top in place - eliminating the need for additional bracing.


Standard  
is an aw  
attaches  
the roof  
create yo  
anywhere

## Steel Body Panels

Powder-coated, poly-textured, .040 gauge galvanized steel body panels are riveted directly to the trailers structural skeleton. This permits the trailer to flex due to road conditions. Most competitors rely on staples, screws, laminated wood framed side-walls and interior furniture for structure instead of a durable steel super structure.

## Front Storage Deck

For those that want to take their toys with them, the 55" x 85" storage deck fits the bill. Whether you are taking your quad, a small golf cart or some off-road dirt bikes, the E3 Deck will get you and your gear just about anywhere you want to go. The Somerset Evolution series is designed for those who crave adventure and yearn to travel off the beaten path. Aluminum gates also serve as ramps.





Trailers are  
they are the  
function and the

and on all models  
lining that easily  
to this rail on  
allowing you to  
our own shade  
re you go.

### One-Piece Aluminum-Skinned Roof

All Somerset Camping Trailers have a time-tested, one-piece, seamless, .030 gauge aluminum-skinned, insulated roof that is folded on all four sides for added strength without added weight. It is the only seamless roof in the industry and the only roof constructed completely free of wood. NO WOOD! NO SEAMS! NO PROBLEMS!

### Sunbrella Tent

- Sectionalized, marine-quality, fire retardant, Sunbrella 302 tenting encompasses the Somerset Camping Trailer. It will not fade, mildew or rot like cotton or canvas tenting.
- Sunbrella 302 tenting is breathable and stays fresh. It won't trap heat and moisture that leave a musty odor like vinyl or coated materials.
- Sunbrella 302 tenting is strong, yet lightweight and it won't shrink or stretch. It



24.5 inches

### Rotationally Molded Front Storage Box

Wet-gear? Fire wood? Greasy grill? No problem! This trunk is pretty much indestructible and you can simply hose it out when you get home from your off-road journey. No worries about water intrusion, rotted wood or mold. Just like the rest of the Somerset construction there is nothing here to rot!



### E3 Front Storage Options

There are 3 different chassis options for the Somerset E3. Choose between the front deck, the front storage box or the standard chassis that has no front storage. Depending on how you will use your E3, we have the right Off-Road chassis for you.


### No Front Storage

If you don't need the extra storage, or if you are trying to fit your new Evolution into a tight garage, the E3 without front storage is only 17' long in the closed position.

<b>Exterior</b>	<b>Utah</b>	<b>E3</b>	<b>E3 Box</b>	<b>E3 Deck</b>
Seamless Aluminum Skinned, Insulated Roof	S	S	S	S
Air Conditioner Prepped Roof	S	S	S	S
Stainless Steel Lift System	S	S	S	S
Power Lift System with Current Limiter	S	S	S	S
Galvanized Steel Side Body Panels	S	S	S	S
Diamond Plate Front & Rear Body Panels	S	S	S	S
One-Piece PerforMax 500 Floors & Beds	S	S	S	S
Full Perimeter Thick-Walled Aluminum Body & Bed Rails	S	S	S	S
Extra Wide One-Piece Aluminum Framed Screen Door	S	S	S	S
Clear Vinyl Windows	S	S	S	S
Sectionalized Sunbrella 302 Tenting	S	S	S	S
Exterior 110 Volt Outlet	S	S	S	S
Exterior Patio Light	S	S	S	S
Outside Shower	S	S	S	S
Spare Tire	S	S	S	S
Dual 20# LP Tanks w/ Auto-Changeover	S	S	S	S
Back-Saver Bed Supports	S	S	S	S
Self-Storing Bed Supports	S	S	S	S
Slide-Out Entry Step	double	double	double	double
Recessed Tail Lights	S	S	S	S
Fresh Water Tank	20 gal.	35 gal.	35 gal.	35 gal.
Outdoor Grill	S	S	S	S
Rotationally Molded Front Storage Trunk	S	N/A	S	NA
Front Storage Deck (55" Length X 85" Width)	N/A	N/A	N/A	S
Dometic Awning	S	S	S	S
<b>Interior</b>	<b>Utah</b>	<b>E3</b>	<b>E3 Box</b>	<b>E3 Deck</b>
High-Density Foam Mattress	S	S	S	S
2 Sets of Bed Privacy Curtains	S	S	S	S
Decorative Full-Perimeter Valance	S	S	S	S
Swing-Level Galley	S	S	S	S
Inside Shower	O	O	O	O
Built-in Curve Toilet	S	S	S	S
LED Interior Entry Step Light	S	S	S	S
LED Interior Ceiling Lights	Incandescent	S	S	S
Bed-Size Front	77" x 70"	77" x 70"	77" x 70"	77" x 70"
Bed-Size Rear	77" x 70"	77" x 70"	77" x 70"	77" x 70"
Dinette Bed Size	43" x 71"	43" x 71"	43" x 71"	43" x 71"



<b>Appliances</b>	<b>Utah</b>	<b>E3</b>	<b>E3 Box</b>	<b>E3 Deck</b>
Inside Stove	S	S	S	S
Stereo with Inside & Outside Speakers	S	S	S	S
35 Amp Converter with Charger	S	S	S	S
6 Gallon Water Heater	S	S	S	S
16,000 BTU Furnace	S	S	S	S
3-Way Refrigerator	1.9 cu. ft.	1.9 cu. ft.	1.9 cu. ft.	1.9 cu. ft.
12 Volt Electric Water Pump	S	S	S	S
<b>Chassis</b>	<b>Utah</b>	<b>E3</b>	<b>E3 Box</b>	<b>E3 Deck</b>
10" Electric Brakes and 5-Bolt Hubs	S	S	S	S
Four Crank-Down Stabilizer Jacks	S	S	S	S
6" Tubular Steel Frame	S	S	S	S
E-Z Lube Axles	S	S	S	S
Center Mount Tongue Jack	S	S	S	S
Bolt-On Bumper	S	S	S	S
Tire Size	ST204/75R14	ST235/75R15	ST235/75R15	ST235/75R15
Alloy Wheels and Chrome Lug Nuts	S	S	S	S
Sturdy Leaf-Spring Suspension	S	S	S	S
<b>Specifications</b>	<b>Utah</b>	<b>E3</b>	<b>E3 Box</b>	<b>E3 Deck</b>
Box Size (Inside Length)	12'	12'	12'	12'
Dimensions Opened (L&W)	18' 9" X 7' 5"	17' 1" X 7' 5"	18' 9" X 7' 5"	23' 7" X 10' 8"
Height (Closed/Open)	58" / 105"	62" / 110"	62" / 110"	62" / 110"
Interior Height	80"	80"	80"	80"
Converter Amperage	35A	35A	35A	35A
Gross Vehicle Weight Rating	3,500 lbs.	3,500 lbs.	3,500 lbs.	4,400 lbs.
Unloaded Vehicle Weight	2,760 lbs.	2,650 lbs.	2,800 lbs.	2,908 lbs.
Tongue Weight	290 lbs.	250 lbs.	305 lbs.	385 lbs.



### Why only one floor plan?

There are many floor plans offered in the folding trailer industry. We've seen them all and built them all over our 40+ years of producing folding trailers. One thing that we have learned is that there is only one layout that provides a wide-open floorplan with plenty of sleeping capacity. A floorplan that doesn't require crawling over a cabinet or sofa to get into bed. This is the most popular floor plan in the industry and the only one we recommend.



"Twenty years from now you will be more disappointed by the things you didn't do than by the ones you did do."

- Mark Twain

Our Aliner team is inspired by the outdoors, the spirit of innovation and you, our customer. That inspiration drives us to create the best possible camping experience for you. An experience that offers you the peace of mind to fully enjoy your inspiration.

So, let your next journey begin with Aliner and reconnect with the wondrous outdoors the way you've always wanted to... simply and comfortably.



**SOMERSET**  
CAMPING TRAILERS

Columbia Northwest Inc. [www.aliner.com](http://www.aliner.com)  
1297 Kecksburg Road / Mount Pleasant, PA / 15666 / 724-237-5227

Product information, photography and illustrations included in this publication were as accurate as possible at the time of printing. For further product information and changes please visit our website at [www.aliner.com](http://www.aliner.com) or contact your nearest Aliner dealer. Prices, materials, design and specifications are subject to change without notice. All weights, fuel, liquid capacities and dimensions are approximate. The user is responsible for selecting the proper combination of loads (i.e., occupants, equipment, fluids, cargo, etc.) to ensure that the vehicle's capacities are not exceeded. Columbia Northwest Inc. © 2017