

REAL-LITE

TRUCK CAMPERS

TRUCK CAMPERS | BUILT BY PALOMINO RV





RL-1600


REAL LITE TRUCK CAMPERS

SOFT SIDE

No matter the size of your truck, we have a soft-side truck camper perfect for you. Thanks to the Rieco Titan® electric lift you can easily set up your camper without hand-cranking the top up or down. And with the optional remote, it works with just a push of a button. Plus, our 55" one-piece door makes it that much easier to enter and exit the camper, compared to our competition's 46" or 47" door. The soft-side series comes in a white or grey laminated gel coat exterior.




RL 1600




DESIGNED FOR COMPACT TRUCKS

RL 1604




1/2 TON 5'6" OR 6'6" BED

RL 1605




1/2 TON W/6'6" OR 8'

RL 1609




1/2 TON TRUCK W/ 6'6" OR 8' BED

RL 1608



1/2 TON 6'6" BED W/OVERHANG

RL 1610



FULL SIZE TRUCK W/ 8' BED

WEIGHTS & MEASURES	RL 1600	RL 1604	RL 1605	RL 1609	RL 1608	RL 1610
Total Exterior Length	12'8"	13'5"	12'10"	14'10"	14'10"	14'4"
Total Exterior Width	6'4"	7'2"	7'2"	7'2"	7'2"	7'2"
Floor Length	6'	7'	8'	8'6"	8'6"	9'6"
Wheel Well Width	40"	46 1/2"	46 1/2"	46 1/2"	46 1/2"	46 1/2"
Height Closed with Vent	6'	6'	6'	6'	6'	6'
Interior Open Height	7'	7'	7'	7'	7'	7'
Dry Weight (Lbs.)	1197	1594	1591	1876	1795	1910
Fresh Water Capacity (Gals.)	15	15	15	15	15	15
Black Water Capacity (Gals.)	N/A	NA	NA	7	7	7
LP Gas Capacity	20 LBS	30 LBS.				
Cab over Bed Size	66"x75"	60"x80"	60"x80"	60"x80"	60"x80"	60"x80"
Dinette Bed Size	36"x73"	36"x90"	36"x72"	36"x72"	36"x62"	36"x72"
Center of Gravity**	22"	22"	39"	37"	37"	45"

* Real Life strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.

** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.



RL 1803 SHOWN WITH MESA CABINETS


REAL LITE TRUCK CAMPERS

HARD SIDE

Our lightweight, hard-side truck campers are packed with great features and keep a lighter payload, thanks to the fully aluminum welded frame. We've redesigned the interior to provide greater cabinet storage, and upgraded frameless windows. Our campers fit multiple truck sizes so check page 11 to find your favorite floorplan.




RL 1801




1/2 TON 5'6" OR 6'6" BED

RL 1803




1/2 TON 5'6" OR 6'6" BED

RL 1804



3/4 TON TRUCK W/ 6' 6" OR 8' BED

RL 1806



3/4 TON TRUCK W/ 6' 6" OR 8' BED



WEIGHTS & MEASURES

	HS 1801	HS 1803	HS 1804	HS 1806
Total Exterior Length (Incl. Ladder)	16'	16'	16'8"	18'
Total Exterior Width	7'2"	7'2"	7'2"	7'2"
Floor Length	6'6"	8'2"	9'	9'
Wheel Well Width	48"	48"	48"	48"
Exterior Height with Ladder	7'7"	8'2"	8'2"	8'2"
Interior Height	6'6"	6'6"	6'11"	6'11"
Dry Weight (Lbs.)	1520	1860	2051	2594
Fresh Water Capacity (Gals)	15	31	31	31
Black Water Capacity (Gals)	NA	8	6	7
Gray Water Capacity (Gals)	NA	8	8	8
LP Gas Capacity	20 LBS	20 LBS.	20 LBS	20 LBS
Cab over Bed Size	60"x80"	60"x80"	60"x80"	60"x80"
Dinette Bed Size	32" x 69"	60"x40"	40"x73"	40"x73"
Center of Gravity **	29 1/2"	27"	38"	42"

* Real Lite strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.

** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.



RL HS 1914


REAL LITE TRUCK CAMPERS

HARD SIDE MAX

Our Hard Side Max series is our premium product. With the insulated, frameless windows and heated basement, this camper is ready for four season livability. Our exclusive front cap windshield opens the expansive living space with light and creates an inviting atmosphere.




RL HS 1910




3/4 TON TRUCK W/ 6'6" OR 8' BED

RL HS 1912



3/4 TON TRUCK W/ 6'6" OR 8' BED

RL HS 1914



1 TON TRUCK W/ 8' BED



WEIGHTS & MEASURES	RL HS 1910	RL HS 1912	RL HS 1914
Total Exterior Length (Incl. Ladder)	19'	19'	20'
Total Exterior Width	8'2"	8'2"	8'2"
Floor Length	9'	9'	10'
Wheel Well Width	48"	48"	48"
Exterior Height with Ladder	9'	9'	9'
Interior Height	6'10"	6'10"	6'10"
Dry Weight (Lbs.)	3037	3261	3493
Fresh Water Capacity (Gals)	45	45	45
Black Water Capacity (Gals)	20	20	20
Gray Water Capacity (Gals)	20	20	20
LP Gas Capacity	30 LBS.	30 LBS.	30 LBS.
Cab over Bed Size	60" X 80"	60" X 80"	60" X 80"
Dinette Bed Size	40" X 62"	40" X 62"	40" X 69"
Center of Gravity **	37"	37"	46"


* Real Lite strongly recommends you check your trucks owners manual or contact the manufacturer for your trucks capabilities.

** The center of gravity measurement is as built. Your options and loading on the truck may adjust this measurement.

REAL LITE HARD SIDE MAX

CONSTRUCTION

Real Lite Hard side truck campers are aluminum framed with laminated construction to offer a light weight yet durable product at a price you can afford.



- 1 Hi Gloss Gel Coat Fiberglass
Exterior * Optional [Grey Exterior]
- 2 High Density Block Foam Insulation
- 3 Alpha Super Flex Membrane Roof
- 4 Plywood Substrate
- 5 Decorative Wall Board
- 6 Aluminum Framing-Fully Welded
Super Structure
[N/A On Soft Sides and HS-1801]
- 7 Heated Insulated Basement

BADLANDS PACKAGE

[AVAILABLE ON ALL FLOORPLANS]

- THULE® ROOF RACK
- 100 WATT SOLAR PANEL
- 2ND BATTERY TRAY

ELITE PACKAGE

[AVAILABLE ON 1806 / 1910 / 1912 / 1914]

- SOLID SURFACE COUNTER TOPS
- BACK UP CAMERA
- MOTION DETECTION
- EXTERIOR PORCH LIGHT
- LINE X® PACKAGE
- REAR POWER AWNING WITH LED LIGHTS

REAL LITE TRUCK CAMPER

STANDARDS & OPTIONS

STANDARD FEATURES

- LED Interior Lighting
- Vented Battery Box (2 Std. on Max Series)
- Battery Quick Disconnect
- Exterior Battery Charging Station
- Rieco Titan® Electric Roof Lift (Soft sides only)
- Aluminum Framed
- Ball Bearing Drawer Guides
- "Landing Pad" Integrated Bumper (Hard Side Max Only)
- Laminated Walkable Roof (Hard Side Only)
- Congoleum® Flooring
- Mortise and Tenon Walnut Hard Wood Cabinets
- Pocket Screw Lumber Core Cabinet Stiles
- 55" One-Piece Door (Soft Side Only)
- Sola Prep

COMMONLY ORDERED OPTIONS

- Air Conditioning
- White or Grey Hi-Gloss Exterior Fiberglass
- Entry Step
- Microwave (Hard Sides Only)
- Side Awning w/LED Lights (Hard Sides Only)
- Rear Awning (Hard Sides Only)
- Wireless Remote for Rieco Titan® Roof Lift (Soft sides only)
- Elite Pkg - Hard Sides only (1806 / 1910 / 1912 / 1914)
- Solar Panel

** See our website for a complete list of available options*

	<p>HS-1801 - 1/2 TON 5' 6" TO 6' 6" BED</p> <hr/> <p>SS-1609 - 6' 6" OR 8' BED</p> <hr/> <p>SS-1608 - 6' 6" BED WITH OVERHANG</p> <hr/> <p>SS-1605 - 6' 6" OR 8' BED</p> <hr/> <p>SS-1604 - 5' 6" TO 6' 6" BED</p>	<p>HS-1910 - 6' 6" OR 8' BED</p> <hr/> <p>HS-1912 - 6' 6" OR 8' BED</p> <hr/> <p>HS-1803 5'5" - 8' BED</p> <hr/> <p>HS-1804 - 6' 6" OR 8' BED</p> <hr/> <p>HS-1806 - 6' 6" OR 8' BED</p> <hr/> <p>SS-1610 - 8' BED</p>	<p>HS-1914 - 8' BED</p>
<p>SS-1600</p> <hr/>  <p>COMPACT TRUCK CHEVROLET® COLORADO™ / TOYOTA® TACOMA™</p>	<p>SS-1604 - 5' 6" TO 6' 6" BED</p> <hr/>  <p>1/2 TON, F-150/1500</p>	<p>SS-1610 - 8' BED</p> <hr/>  <p>3/4 TON, F-250/2500</p>	<p>HS-1914 - 8' BED</p> <hr/>  <p>1 TON, F-350/3500</p>

REAL LITE TRUCK CAMPER

POPULAR FEATURES

TruckCamperMAGAZINE.com

2016 Readers' Choice Awards

✓ Best Truck Camper Gear of the Year

Torklift International Palomino Dura-Trak Bumper



FURION SOLAR PREP STANDARD

Allows you to charge your battery with solar panels optional).

GOING UP?

It's easy with Palomino's New Motorized Camper Lift System featuring Rieco-Titan's Electric Roof Lift System with optional key fob control.



Optional Key Fob



No more hand cranking!

- 
- 
- 



Our fiberglass front cap has a fully integrated windshield. Real Lite RV partnered with the leaders in O.E. Automotive Windshield Manufacturing Guardian Industries as well as Dow Chemicals to create this Real Lite Exclusive Feature. This automotive style windshield not only looks great rolling down the road, but also creates an open inviting environment in the Real Lite Hard Side Max Cabover Bunks while you enjoy great panoramic views.




CHARGING PORT

Allows you to charge or maintain your on-board battery with ease from the exterior of your Real Lite Camper.



BARRELED ROOF

Vacuum bonded radius roof with vaulted ceiling provides superior insulation and additional interior height



Above: The Hard Side Max comes with our exclusive Landing Pad bumper, which gives you more room when entering and exiting. When using the awning, the Landing Pad remains shaded and comfortable.



REAL LITE HARD SIDE MAX

WARRANTY

Real Lite will stand behind our products 100%. For complete details on our warranty program, please see your Real Lite dealer.

- | | |
|--|--|
| 1 2-year fiberglass warranty | 4 1 year bumper to bumper warranty |
| 2 12-year Alpha Super Flex roof warranty | 5 An additional 1 year warranty available |
| 3 2-3 year warranty on appliances
(see manual for details) | |



www.ForestRiverBuyLocal.com



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



**24/7 EMERGENCY
ROADSIDE ASSISTANCE
WITH VEHICLE PURCHASE***

<p>TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE</p>	<p>WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES</p>
---	--



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



Learn More
Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A P / W: 2014.09.17

SINCE 1968
PALOMINO
Recreational Vehicles
a Division of Forest River

REAL LITE RV

1047 EAST M-86 | COLON, MI 49040
P: 269.432.3271 | F: 269.432.2516
WWW.PALOMINORV.COM

REAL LITE TRUCK CAMPER DEALER