

EVO TRAVEL TRAILERS

EVO

BY FOREST RIVER

YOUR JOURNEY STARTS HERE..

EVO 2700 WITH ELECTRIC LIFT BEDS



INTERIOR COLORS AND EQUIPMENT MAY VARY




SUPER SLIDE WITH U-DINETTE




SPACIOUS KITCHEN




RV MEMORY FOAM QUEEN BED LIFT UP FULL STORAGE




2360
 DRY WEIGHT
 6,003 LBS




2460
 DRY WEIGHT
 6,347 LBS




2490
 DRY WEIGHT
 5,870 LBS




2550
 DRY WEIGHT
 6,515 LBS




2600
 DRY WEIGHT
 6,485 LBS




2700
 DRY WEIGHT
 7,108 LBS




2791
DRY WEIGHT
7,062 LBS



2850
DRY WEIGHT
6,917 LBS



2990
DRY WEIGHT
7,295 LBS



3250
DRY WEIGHT
8,403 LBS

FLOORPLAN KEY

- OHC
- OVERHEAD CABINET
- WARD
- WARDROBE
- MICRO
- MICROWAVE
- REFER
- REFRIGERATOR

	2791	2850	2990	3250
HITCH WEIGHT (LBS.)	860	841	923	931
GROSS VEHICLE WEIGHT RATING (LBS.)	9999	9999	9999	9999
UNLOADED VEHICLE WEIGHT (LBS.)	7062	6917	7295	8403
CARGO CARRYING CAPACITY (LBS.)	2937	3082	2704	1596
EXTERIOR LENGTH (FT.)	33' 6"	32' 2"	34' 9"	36' 4"
EXTERIOR HEIGHT (FT.)	11' 2"	11'	11' 3"	11' 2"
FRESH WATER (GAL.)	56	56	56	56
GREY WATER (GAL.)	65	75	80	58
BLACK WATER (GAL.)	30	40	35	30
TIRE SIZE (IN.)	15	15	15	15



STANDARDS AND OPTIONS

PRODUCT FEATURES

- 2000-LB. TONGUE JACK
- EZ LUBE AXLES
- RUST RESISTANT POWDER COATED 8 INCH I-BEAM CHASSIS
- 4-WHEEL ELECTRIC SELF ADJUSTING BRAKES
- 15" RADIAL TRAILER SPECIAL TIRES
- 4" STEEL BUMPER/SEWER HOSE STORAGE
- FRAME MOUNTED DUAL BATTERY RACK
- SCHWINTEC ELECTRIC SLIDE-OUT OPERATING SYSTEM, FLUSH FLOOR PER FLOOR PLAN
- FULL THROUGH CHASSIS ELECTRIC SLIDE ROOM, SUPPORT SYSTEM (SUPER SLIDES)
- ONE-PIECE SLIDE-OUT FLOOR DECKING
- FIBERGLASS SLIDE-OUT EXTERIOR END WALLS
- R-7 FIBERGLASS INSULATION ROOF/FLOOR/WALLS/END CAPS
- FULL 80 INCH CEILING HEIGHT
- WALK-ON ROOF DECKING W/ONE-PIECE PVC MEMBRANE
- 56 GAL. FRESH WATER CAPACITY
- UP TO 115 GAL. HOLDING TANK CAPACITY (PER FP)
- ENCLOSED TANKS W/HEAT DUCT
- SAFERIDE RV ROADSIDE ASSISTANCE PROGRAM

EXTERIOR

- FOUR STABILIZER JACKS
- FRONT PASS-THROUGH STORAGE WITH LED LIGHT
- EXTRA THICK RADIUS COMPARTMENT STORAGE DOORS
- MAGNETIC COMPARTMENT DOOR HOLDING LATCHES
- CROWNED ROOF FOR WATER DRAINAGE
- TRUSS RAFTERS ON SLIDE MODELS
- BLACK FRAME SAFETY GLASS WINDOWS
- 30-AMP. 110V POWER CORD
- CITY WATER CONNECTION
- CABLE TV HOOK-UP
- EXTERIOR LED UTILITY PORCH LIGHT
- 110V EXTERIOR PLUGS
- FRICTION ENTRY DOOR HINGE
- ENTRY ASSIST HANDLE MAIN ENTRY
- DOMETIC AWNING W/RETRACTOR ASSIST SPRINGS
- AERODYNAMIC ALUMINUM FRONT CAP
- OMNI DIGITAL TV ANTENNA W/BOOSTER
- DUAL 30# LPG TANKS W/COVER & EASY ACCESS
- EXTERIOR SPEAKERS
- EXTENDED RAIN GUTTER SPOUTS
- WATER HEATER BY-PASS FOR COLD STORAGE
- HOT & COLD LOW DRAIN POINTS
- FRONT LOWER GRAVEL GUARD

INTERIOR

- FLOOR TO CEILING ENTERTAINMENT CENTER (PER FP)
- WEXLER CRAFTSMEN CABINETS W/HIDDEN HINGES
- STAINED WOOD CABINET DOORS
- DELUXE BALL BEARING DRAWER GUIDES
- CONVENIENT STORAGE AREAS
- GALLEY LIGHTING
- SYSTEM CAPACITY MONITOR PANEL
- SYSTEMS CONTROL PANEL
- 12V/USB CHARGING STATIONS
- SINGLE BOWL KITCHEN SINK W/COVERS
- HOME STYLE HI-RISE SINK FAUCET
- FULL WALL KITCHEN BACKSPLASH
- U-SHAPED DINETTE (PER FP)
- DRAWERS UNDER U-SHAPE DINETTE
- DOMETIC FOOT FLUSH TOILET
- FULL WALL TUB/SHOWER SURROUND
- GLASS ENCLOSURE (SHOWERS)
- POWER VENT IN BATHROOM
- MEDICINE CABINET WITH MIRROR
- FULL LENGTH BEDROOM WARDROBES
- PILLOW TOP MATTRESS MAIN BED
- LIFT UP BED FOR STORAGE (PER FP)
- 110V OUTLETS ON BOTH SIDES OF MAIN BED
- 48" STORAGE DRAWER UNDER SLIDE SOFA
- SHOE STORAGE UNDER ENTERTAINMENT CENTER
- DELUXE WINDOW VALANCES
- ESCAPE WINDOWS IN SLEEPING AREAS
- SOLID DOORS AT BEDROOM ENTRY (PER FP)
- LAUNDRY CHUTES (PER FP)
-

APPLIANCES

- STAINLESS STEEL APPLIANCE UPGRADE
- SUBURBAN 3-BURNER GLASS TOP RANGE AND 17" OVEN
- RANGE HOOD WITH LIGHT AND EXHAUST FAN
- DOMETIC 8-CU.FT. DOUBLE DOOR REFRIGERATOR
- MICROWAVE W/CAROUSEL6-GAL. SUBURBAN DUAL GAS/ELECTRIC DSI WATER HEATER W/16-GAL./HR. RECOVERY
- DOMETIC 13,500 BTU AIR CONDITIONING
- FLOOR DUCTED HEAT PER FLOOR PLAN
- SUBURBAN 20K OR 30K BTU FURNACE PER FLOOR PLAN
- FLUSH MOUNTED SPEAKERS IN CEILING
- AM/FM/DVD/ BLUETOOTH STEREO SYSTEM
- INTERIOR/EXTERIOR SPEAKERS

OPTIONAL FEATURES

- COMFORT & CONVENIENCE PACKAGE (MANDATORY)
- INCLUDES 30# L.P.G TANKS, BBQ L.P.G QUICK DISCONNECT,
- BLACK TANK FLUSH, POWER TONGUE JACK, OUTSIDE SHOWER, ROOF LADDER,
- SPARE TIRE AND CARRIER, BUNK ACCESSIBLE USB CHARGING PORTS,
- SKYLIGHT OVER TUB, BATTERY DISCONNECT, OUTSIDE TV OUTLET,
- MAIN ENTRY SWING AWAY HANDLE, TEDDY BEAR BUNK MATTRESS (FP)

INCORPORATED INTO ALL EVO MODELS

- NEW ENTRY DOORS WITH FRICTION HINGE
- NEW 30" BUILT IN ELECTRIC FIREPLACE (PER F/P)
- NEW MAGNETIC COMPARTMENT DOOR LATCHES
- L G SOLID SURFACE COUNTER TOP
- UNDER MOUNT SINK
- CHEFS HI RISE SPRING FAUCET
- POWER AWNING WITH SHOCK ABSORBERS ADJUSTABLE LEGS
- LED AWNING LIGHT STRIP
- LED POWER SAVING INTERIOR LIGHTING
- BLUE TOOTH STEREO WITH DVD PLAYER AM/FM
- NIGHT SHADES IN ALL AREAS
- SOLAR PREP FOR PORTABLE UNIT/BACK-UP CAMERA PREP.
- CAPITAL BEDDING PILLOW TOP MEMORY FOAM MATTRESS

ADDITIONAL OPTIONS AVAILABLE

- 15,000 BTU AIR CONDITIONER UP GRADE
- DUCTED AIR CONDITIONING ROOF VENTS
- ELECTRIC STABILIZER JACKS
- HD LED TELEVISION WITH MOUNT
- ALUMINUM WHEELS PER MODEL
- 135W AND 220W 60 POWER SOLAR CHARGING PACKAGE
- JIFFY SOFA IPO LOWER BUNK (3250)
- OUTSIDE KITCHEN (2990)
- LARGE BUNK ACCESS STORAGE DOOR (2550/2700)
- TWO DELUXE RECLINERS (2460)
- 10.7 CU FT 12 V HOME STYLE REFER W/220W SOLAR PANEL
- TORKLIFT ENTRY STEPS (MAIN ENTRY)

ARCTIC PACKAGE

- RADIANT FOIL INSULATION IN ROOF AND FLOOR FOR R-38 EQUIVALENT.

EVO SELECT SERIES



INTERIOR COLORS AND EQUIPMENT MAY VARY




FULL SIZE KITCHEN




DOUBLE BUNK BEDS




177BQ




177FQ
 DRY WEIGHT
 3,315 LBS




177BQ
 DRY WEIGHT
 3,355 LBS




197SS
 DRY WEIGHT
 4,075 LBS



208RD
 DRY WEIGHT
 4,235 LBS



268BH
 DRY WEIGHT
 4,559 LBS



267SS
 DRY WEIGHT
 5,280 LBS

STANDARDS AND OPTIONS

PRODUCT FEATURES

- LIGHT WEIGHT DESIGN FOR THE SMALLER TOW VEHICLES
- ROOF MOUNTED 13,500 BTU AIR CONDITIONER
- DOUBLE DOOR 6 CU. FT. REFRIGERATOR
- MICROWAVE OVEN W/CAROUSEL
- NEW THREE BURNER COOK TOP
- RESIDENTIAL SINGLE BOWL SINK
- GOOSENECK KITCHEN FAUCET
- HIDDEN HINGE CABINETS DOORS
- BALL BEARING DRAWER GUIDES
- RETRACTABLE AWNING
- 6 GALLON LPG WATER HEATER WITH DSI
- WATER HEATER BY-PASS
- AUTO IGNITION 20K BTU FURNACE
- MINI BLINDS THROUGHOUT
- LPG CONNECT FOR BBQ
- 20# LPG BOTTLE
- FULL WALK-ON ROOF W/PVC COVERING
- RADIAL TIRES
- TEDDY BEAR BUNK MATTRESS (PER FP)
- LARGE FRESH WATER CAPACITY
- EZ LUBE AXLES W/SELF ADJUSTING BRAKES
- RADIUS ENTRY DOOR
- EXTRA THICK COMPARTMENT DOORS
- MAGNETIC COMPARTMENT DOOR LATCHES
- SAFERIDE RV ROADSIDE ASSISTANCE PROGRAM

ALL EVO FACTORY SELECTS INCLUDE THE FOLLOWING

- POWER AWNING W/ADJUSTABLE LEGS
- LED AWNING LIGHT STRIP
- LED "POWER SAVER INTERIOR LIGHT PACKAGE
- BLUETOOTH STEREO WITH REMOTE
- BACK UP CAMERA PREP
- SOLAR PREP FOR PORTABLE PANEL
- STAINLESS STEEL APPEARANCE PACKAGE
- USB CHARGING PORTS
- FRICTION ENTRY DOOR HINGE

OPTIONAL EQUIPMENT AVAILABLE

- DUCTED AIR VENTS (228,267,268)
- STABILIZER JACKS 2 OR 4
- POWER TONGUE JACK
- RADIANT FOIL BARRIER INSULATION ROOF/FLOOR
- SPARE TIRE AND CARRIER
- SKYLIGHT OVER TUB
- CABLE SATELLITE READY
- TV ANTENNA W/POWER BOOSTER
- ROOF LADDER (PER FP)
- POWER AWNING WITH SHOCK ABSORBERS
- LED AWNING LIGHT STRIP
- LED POWER SAVING INTERIOR LIGHTING
- BLUE TOOTH STEREO WITH DVD PLAYER AM/FM
- NIGHT SHADES IN ALL AREAS
- SOLAR PREP FOR PORTABLE UNIT
- BACK-UP CAMERA PREP.
- CAPITAL BEDDING PILLOW TOP MEMORY FOAM MATTRESS

SPECIFICATIONS

	177BQ	177FQ	197SS	208RD	267SS	268BH
HITCH WEIGHT (LBS.)	445	430	495	565	655	545
GROSS VEHICLE WEIGHT RATING (LBS.)	4845	4830	5595	7565	8455	7545
UNLOADED VEHICLE WEIGHT (LBS.)	3374	3334	4113	4273	5280	4559
CARGO CARRYING CAPACITY (LBS.)	1471	1496	1482	3292	3175	2986
EXTERIOR LENGTH (FT.)	22' 8"	22' 8"	24' 2"	25' 10"	31'	28' 8"
EXTERIOR HEIGHT (FT.)	10' 3"	10' 3"	10' 5"	10' 5"	10' 9"	10' 5"
FRESH WATER (GAL.)	48	48	48	48	48	48
GREY WATER (GAL.)	22	22	22	30	28	28
BLACK WATER (GAL.)	22	22	22	30	22	30
TIRE SIZE (IN.)	15	15	15	15	15	15

EFFECTIVE UNITS BUILT AFTER 9/1/19



EVO
BY FOREST RIVER



EVO
SELECT

FREE MEMBERSHIP
to Forest River Owners' Group



www.forestriverfrog.com



Learn More
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest River.



A Berkshire Hathaway company.

FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 | (909) 873-3777
WWW.FORESTRIVERINC.COM/EVO | WWW.FORESTRIVERACCESSORIES.COM
EFFECTIVE UNITS BUILT AFTER 9/1/2019

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

YOUR EVO DEALER

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. ** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1420 P/W: 2019.3.1