FOREST RIVER WILLIAM TO THE STATE OF THE ST

ADVENTURE AWAITS ... GO FIND IT!







26DBUD



27RE



27RKS



27TDSS



28RLSS



300BSS

UPPER BUNK OPTIONAL SOFA	U-DINETTE	OHC SOFA	PLES TREODICAL STORAGE WARD
	WARD		WARD WARD WARD WARD WARD WARD WARD WARD
UPPER BUNK OUTSIDE KITCHEN	PANTRY PANTRY	REFER MICRO OHC	WARD PASS TRADUCAM STORAGE

32BHDS

						JU	υψυσο		
	26DBUD	27RE	27RKS	27TDSS	28RLSS	300BSS	32BHDS		
HITCH WEIGHT (LBS.)	866	877	836	806	844	817	931		
GROSS VEHICLE WEIGHT RATING (LBS.)	9999	9999	9999	9980	9999	9985	9999		
UNLOADED VEHICLE WEIGHT (LBS.)	7258	7965	7154	6662	7048	7145	8403		
CARGO CARRYING CAPACITY (LBS.)	2741	1996	2845	3318	2913	2840	1596		
EXTERIOR LENGTH (FT.)	33' I"	34′ I″	33' 6"	32'	34′ 9″	33' 10"	36′ 4″		
EXTERIOR HEIGHT (FT.)	II' 3"	II' 3"	II' 2"	II' 2"	II' 3"	II' 3"	II' 3"		
FRESH WATER (GAL.)	56	56	56	56	56	56	56		
GREY WATER (GAL.)	75	60	65	75	80	60	58		
BLACK WATER (GAL.)	40	30	28	40	35	30	30		
TIRE SIZE (IN.)	15	15	15	15	15	15	15		

STANDARDS & OPTIONS

CONSTRUCTION AND EXTERIOR

5/8 TONGUE AND GROOVE FLOOR DECKING

FULL WALK ON SEAMLESS PVC ROOF WITH A 15 YEAR

MANUFACTURER DEFECT WARRANTY

EXTRA-LARGE FULL PASS THROUGH STORAGE (PER FP)

MILDEW RESISTANT VINYL PATIO AWNING

SAFETY GLASS WINDOWS

POWDER COATED I-BEAM FRAME

CAMBERED CHASSIS

GAS/ELECTRIC QUICK RECOVERY DSI WATER HEATER

WATER HEATER BYPASS

2" WALL CONSTRUCTION, 16" (OR LESS) ON CENTER

TRIPLE SEAL SLIDE OUT SYSTEM

FLUSH FLOOR ELECTRIC SLIDE OUT

SWING ARM ENTRY ASSIST HANDLE

TWO MARINE GRADE EXTERIOR SPEAKERS

AFRODYNAMIC FRONT RADIUS PROFILE

SMOOTH 40 MIL ALUMINUM FRONT WRAP

EASY LUBE AXLES W/ SELF ADJUSTING BRAKES

ONE PIECE SLIP RESISTANT VINYL FLOOR

R-7 FIBERGLASS INSULATION THROUGHOUT

TEXTURED ROCKGAURD

HURRICANE STRAPS

LP OUICK DISCONNECT

11/4" RECEIVER

7 WAY CORD HOLSTER

KITCHEN

NEW SHAKER STYLE CABINET DOORS

HIDDEN HINGES THROUGHOUT

DOUBLE DOOR REFER (2YR WARRANTY)

HIGH RISE SPRING FAUCET

RESIDENTIAL STYLE UNDER MOUNT KITCHEN SINK

3-BURNER, HIGH OUTPUT RANGE WITH OVEN (2YR

WARRANTY)

FULL EXTENSION BALL BEARING DRAWER GUIDES

SHELVING IN OVERHEAD CABINETS IN THE KITCHEN

LARGE POTS AND PANS STORAGE UNDER DINETTE (PER

FP)

HIGH DEFINITION COUNTERTOPS

LIVING ROOM

80" INTERIOR HEIGHT

DUCTED 15 K A/C ROOF AIR CONDITIONER

HUGE STORAGE DRAWER UNDER JIFFY SOFA

LARGE DINETTE PICTURE WINDOW

DIGITAL ANTENNA WITH BOOSTER

BLUETOOTH FM STEREO

30K BTU SUBURBAN FORCED AIR DSI FURNACE W/

DIGITAL THERMOSTAT (2 YR WARRANTY)

IN-FLOOR DUCTED HEAT

CABLE TV HOOKUP LIVING ROOM AND BEDROOM

BEDROOM

NEW UPGRADED MATTRESS WITH PILLOW TOP IN

MASTER BED

STRUT LIFTED STORAGE AREA UNDER BED

BEDSIDE IIO-VOLT POWER OUTLETS (2)

BEDSIDE USB CHARGERS (2)

SOLID BEDROOM PRIVACY DOOR (PER FP)

BEDSIDE HAMPER ACCESS (PER FP)

BATHROOM

12-VOLT POWER BATH ROOF EXHAUST FAN

FOOT FLUSH TOILET

HIGH DEFINITION COUNTERTOPS

SECURITY AND SAFETY

LP LEAK DETECTOR

SMOKE DETECTOR

CARBON MONOXIDE DETECTOR

FIRE EXTINGUISHER

WELDED HEAVY DUTY SAFETY CHAINS

ELECTRIC FULL SELF-ADJUSTING BRAKES

GFI RECEPTACLES

ANSI 119.2 CERTIFIED


MEETS ALL NATIONAL HIGHWAY ADMINISTRATION

SPECS


RVIA APPROVED PRODUCT













201BHXL



202RDXL




212RBXL




221BHXL



23IRKXL




24IBHXL




24IRLXL



254RLXL



261BHXL



263BHXL



271BHXL




273QBXL




282QBXL






191**SSXL**



211SSXL



25ISSXL

STANDARDS & OPTIONS

STANDARD FEATURES

NEW ADJUSTABLE HIDDEN HINGES

LARGER ENTERTAINMENT CENTER WHICH ALLOWS FOR A LARGER TV (PER FP)

AERODYNAMIC FRONT PROFILE

SHAKER STYLE CABINET DOORS

3 BURNER COOKTOP

13.5 A/C (NON-DUCTED)

LP OUICK DISCONNECT

DIGITAL TV ANTENNA WITH BOOSTER

CABLE/SATELLITE READY

BLUETOOTH STEREO WITH REMOTE

"TEDDY BEAR" BUNK MATTRESS

2 GAS STRUTS UNDER MAIN BED

LARGER TABLES AT U-DINETTE

2 EXTERIOR SPEAKERS

2-20LB LP BOTTLES WITH HARD COVER

EXTRA-LARGE KITCHEN OVERHEAD CABINETS

STAINLESS STEEL MICROWAVE WITH CAROUSEL

BALL BEARING DRAWER GUIDES

6 GAL GAS DSI WATER HEATER

PASS THROUGH STORAGE (PER FP)

HIGH DEFINITION COUNTERTOPS

78" INTERIOR HEIGHT

EASY LUBE AXLES WITH SELF ADJUSTING BRAKES

30K BTU SUBURBAN FURNACE

DOUBLE DOOR REFER

POPULAR OPTIONS

RANGE WITH OVEN IPO OF COOKTOP

SPARE TIRE AND CARRIER

DUCTED A/C (PER FP)


OUTSIDE CAMP AND OUTDOOR KITCHENS (PER FP)

POWER STABILIZER JACKS


SINK COVERS

	190RBXL	201BHXL	202RDXL	212RBXL	22IBHXL	23IRKXL	24IBHXL	24IRLXL	254RLXL	261BHXL	263BHXL	27IBHXL	273QBXL	282QBXL	19ISSXL	211SSXL	25ISSXL
HITCH WEIGHT (LBS.)	570	465	552	610	665	585	595	680	685	495	635	775	760	705	710	890	835
GROSS VEHICLE WEIGHT RATING (LBS.)	7570	7465	7552	7610	7665	7585	7595	7680	7685	7495	7635	7775	7760	7705	8710	8890	8835
UNLOADED VEHICLE WEIGHT (LBS.)	4558	4173	4484	4988	5203	5329	5203	5478	6063	4715	5893	6353	6118	6457	5188	5284	5721
CARGO CARRYING CAPACITY (LBS.)	3012	3292	3068	2622	2462	2256	2392	2202	1622	2780	1742	1422	1642	1248	3522	3606	3114
EXTERIOR LENGTH (FT.)	22' 8"	23′ 8″	25' 10"	24' 4"	26′ 2″	27′ 4″	28′ 3″	28' 8"	30' II"	28' 4"	31' 8"	32' 10"	33′ I″	32'10"	25′ 9″	27′ 5″	29′ 5″
EXTERIOR HEIGHT (FT.)	10' 1"	10' 4"	10' 4"	10'10"	10'10"	10'10"	10' 10"	10'10"	10'10"	10' 4"	10' 10"	10'10"	10' 10"	10' 10"	11' 10"	11' 10"	11' 10"
FRESH WATER (GAL.)	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
GREY WATER (GAL.)	30	30	22	35	35	30	35	35	30	28	65	65	28	30	40	35	35
BLACK WATER (GAL.)	30	30	30	30	30	30	30	30	28	30	30	30	30	28	30	30	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15


SELECTS




177BQ




177FQ




178DB




19788



207BH



208RD



228RK

STANDARDS & OPTIONS

STANDARD FEATURES

NEW 6-WAY ADJUSTABLE HIDDEN HINGES

STAINLESS STEEL SINGLE POLE FAUCET

AERODYNAMIC FRONT PROFILE

SHAKER STYLE CABINET DOORS

NEW 3 BURNER COOK TOP

13.5K A/C

TEXTURED ROCK GUARD

NEW LP QUICK CONNECT

NEW DOUBLE DOOR GAS & ELECTRIC REFER

NEW RESIDENTIAL SINGLE BOWL SINK

MICROWAVE WITH CAROUSEL

AWNING

6 GAL GAS DSI WATER HEATER

1-20LB LP BOTTLE

AUTO IGNITION 20K BTU FURNACE

NEW EXTERIOR TV HOOK UP

MINI-BLINDS THROUGHOUT

NEW TEDDY BEAR BUNK MATS (PER F/P)

WATER HEATER BY-PASS

FULL WALK ON SEAMLESS ROOF WITH A

15 YEAR MANUFACTURER DEFECT WARRANTY

KITCHEN DRAWER W/BALL BEARING GUIDES

HIGH DEFINITION COUNTERTOPS

78" INTERIOR HEIGHT

E-Z LUBE AXLES W/SELF-ADJUSTING BRAKES

POPULAR OPTIONS

POWER AWNING W/ ADJUSTABLE LEGS

BLUETOOTH STEREO WITH REMOTE

BACKUP CAMERA PREP

SOLAR PREP

NEW USB PORTS

SPARE TIRE AND CARRIER


SKYLIGHT OVER TUB

POWER TONGUE JACK


STABILIZER JACKS (2 OR 4)

	177BQ	177FQ	178DB	19788	207BH	208RD	228RK	26788	268BH
HITCH WEIGHT (LBS.)	445	430	485	495	470	565	550	655	545
GROSS VEHICLE WEIGHT RATING (LBS.)	4845	4830	5585	5595	4870	7565	7550	8455	7545
UNLOADED VEHICLE WEIGHT (LBS.)	3374	3334	4033	4113	3728	4235	4708	5280	4559
CARGO CARRYING CAPACITY (LBS.)	1471	1496	1552	1482	1142	3292	2842	3175	2986
EXTERIOR LENGTH (FT.)	22' 8"	22' 8"	24'	24' 2'"	22' 11"	25' 10"	26' 3"	31'	28' 8"
EXTERIOR HEIGHT (FT.)	10' 3"	10' 3"	10' 3"	10' 5"	10' 5"	10' 5"	10' 5"	10' 9"	10' 5"
FRESH WATER (GAL.)	48	48	48	48	48	48	48	48	48
GREY WATER (GAL.)	22	22	28	22	22	30	52	28	28
BLACK WATER (GAL.)	22	22	30	22	22	30	28	22	30
TIRE SIZE (IN.)	15	15	15	15	15	15	15	15	15









SELECT





Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



FOREST RIVER INC., 255 S PEPPER AVE RIALTO, CA 92376 | (909) 873-3777 WWW.FORESTRIVERINC.COM/WILDWOOD | WWW.FORESTRIVERACCESSORIES.COM

EFFECTIVE FOR UNITS PRODUCED STARTING SEPTEMBER IST, 2019

YOUR WILDWOOD DEALER

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

Specification Definitions

GVWR (Gross Vehicle Weight Rating) - iS the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.
**Estimated average based on standard buildoptional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1420 P/W: 2019.3.1