







2850LE shown with Vermont Oak cabinetry and Slate decor.

# SURSEEKER

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Sunseeker comfortable and loads of fun. Sunseeker's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Sunseekers are "Certified Green" by TRA Certification.

## LE TOP FEATURES

- Crowned fiberglass roof
- Two cab-over windows
- Heated enclosed tanks (N/A 2250SLE, 2550LE)
- 40" 12V LED TV
- Integrated step
- Two large storage drawers in dinette
- Black-out roller shades
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- 10.7 Cu. Ft. 12V refrigerator
- Oxygen infused shower head
- Side view and back-up cameras
- Enclosed dump station
- Maxx Air multi-speed power fan with cover







3250LE kid's zone with fold-down bunk, sofa sleeper, seat belts and an entertainment center, included on all LE models. Black Diamond Walnut cabinetry and Platinum decor shown.

## LE PREMIER PACKAGE

Every LE model includes this package.

- Back-up camera/side view cameras with monitor
- Fiberglass front cap
- Pioneer in-dash premium sound system
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator



# EXPERIENCE MORE

FORD / CHEVY	2250SLE	2350SLE	2550DSLE	2850SLE	3250DSLE
Wheelbase	158" • 159"	158" • 159"	190" • 191"	220"	220"
GVWR	14500 • 14200	14500 • 14200	14500 • 14200	14500	14500
GAWRR	9600 • 9600	9600 • 9600	9600 • 9600	9600	9600
GAWRF	5000 • 4600	5000 • 4600	5000 • 4600	5000	5000
UVW	10550 • 10590	10100 • 10130	11443 • 11456	11742	12580
GCWR	22000 • 20000	22000 • 20000	22000 • 20000	22000	22000
CCC	3950 • 3610	4400 • 4070	3057 • 2744	2758	1920
Fuel Capacity (Gal)	55 • 57	55 • 57	55 • 57	55	55
Hitch Rating/Tongue Weight	7500/500 5000/500	7500/500 5000/500	7500/500 5000/500	7500/500	7500/500
Length - Bumper To Bumper	23' - 10" • 24' - 4"	24' - 6" • 25'	29' - 4" • 29' - 10"	31' - 5"	32' - 3"
Exterior Height With A/C	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3″
Exterior Width	101″	101″	101″	101″	101″
Interior Width	95.5″	95.5″	95.5″	95.5″	95.5″
Interior Height Front/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal)	35/32/27	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal)	9.8	9.8	9.8	9.8	9.8
Awning Length	14'	15' - 6"	18′	15' - 6"	11′
Water Heater (Gal)	6	6	6	6	6
Exterior Storage (Cu. Ft.)	32	61	45	102	80





#### 3010DS shown with Black Diamond Walnut cabinetry and Platinum decor.

*Classic shown with seamless front cap for enhanced aerodynamics and two large overhead bunk windows for pass-through ventilation.* 



## **CLASSIC TOP FEATURES**

- Lane detection warning system
- 7' Ceiling height
- Crowned fiberglass roof
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- FR upgraded premium suspension system includes Bilstein shocks, Firestone Ride-Rite™ air springs and Hellwig sway bar
- Heated enclosed tanks
- Water filtration system
- Electric awning with LED lights
- Valve extensions for rear tires
- 7,500 Lb. tow rating (Ford only)
- Two cab-over windows (Bunk area)
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- 10.7 Cu. Ft. 12V refrigerator
- 40" 12V LED TV
- Standard side view and back-up cameras
- Slide out awning toppers
- Surround sound with exterior speakers
- CarPlay/Android Play Sony® stereo
- Maxx Air multi-speed power fan with cover
- Solar prep
- Optional 100W solar powered 12V charging system (Additional panels can be easily added)

#### **CLASSIC PREMIUM CAMPING PACKAGE**

Every Classic model includes this package.

- FR Premium Suspension Package (N/A Chevy)
- Lane detection monitoring system
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator
- Heated remote exterior mirrors
- Back-up camera/side view cameras with monitor
- Sony in-dash CarPlay/Android Play stereo
- In-house entertainment center with outside speakers
- 12V bedroom TV
- Slide room toppers
- Ultra leather driver/passenger seating (N/A Chevy)
- LP Quick connect



2440DS the optional Trekker cap includes a storage-friendly entertainment center. Shown in Vermont Oak with Stone decor.



## ENJOY MORE



2440DS spacious rear bath with a glass door and integrated shelving in the shower surround, plus exceptional closet storage.

Classic shown with Indigo full body paint and the low

SUNSEEKEP

profile, seamless Trekker cap for

aerodynamic styling and improved fuel economy.

## SAFE, COMFORTABLE DRIVING FEATURES

## LANE DETECTION WARNING SYSTEM

(N/A on LE and Transit models)

- NEW Voyager<sup>®</sup> VBSD1 Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged

## FR UPGRADED PREMIUM SUSPENSION SYSTEM

Includes Bilstein® Shocks, Hellwig RV Sway Bars and Firestone Ride-Rite Air Springs Available on Classic models, built on Ford E-450

(N/A on MBS, Transit, LE and Chevy)

-

# BILSTEIN

#### Bilstein<sup>®</sup> Shock Advantages


- Monotube gas pressure shock absorbers virtually eliminate excessive sway and bounce
- Tested and tuned for your specific motorhome, for a safe and enjoyable ride
- Improved handling and consistent performance
- 228% Larger piston creates greater sensitivity and tighter vehicle control
- Lifetime warranty

## 

- Hellwig RV Sway Bar Advantages


  Increase driving stability at
- highway speeds and reduce the effects of crosswind
- Improve traction and cornering abilities for safer driving
- No more white knuckle driving
- Most effective handling upgrade available for RVs
- Lifetime warranty


#### Firestone Ride-Rite Advantages

























2860DS Shown with outside kitchen, including an electric induction cooktop.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle. UWW (Unloaded Vehicle Weight)\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UWW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

\*Estimated Average based on standard build optional equipment. CCC (Cargo Carrying Capacity)\*\* is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\*Estimated average based on standard build optional equipment. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GWWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

## PAINT OPTIONS

**STANDARD** Exterior graphics

INDIGO Full body paint

ALMOND Full body paint



FORD • CHEVY CLASSIC	2440DS	2500TS	2860DS	3010DS	3040DS	3050S	3270S
Wheelbase	182″	182" • 183"	202" • 203"	220"	220″	220″	220″
GVWR	14500	14500 • 14200	14500 • 14200	14500	14500	14500	14500
GAWRR	9600	9600 • 9600	9600 • 9600	9600	9600	9600	9600
GAWRF	5000	5000 • 4600	5000 • 4600	5000	5000	5000	5000
UVW	11690	11873 • 11910	12500 • 12550	12780	12930	12910	12917
GCWR	22000	22000 • 20000	22000 • 20000	22000	22000	22000	22000
CCC	2810	2627 • 2290	2000 • 1650	1720	1570	1590	1583
Fuel Capacity (Gal.)	55	55 • 57	55 • 57	55	55	55	55
Hitch Rating/Tongue Weight	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3"	32' - 3"	31' - 11"	31' - 11"
Exterior Height With A/C	11′ - 3″	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11' - 3"	11'-3″
Exterior Width	101″	101″	101″	101″	101″	101″	101″
Interior Width	95.5″	95.5″	95.5″	95.5″	95.5″	95.5″	95.5″
Interior Height Front/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	18′	18′	14'	15' - 6"	16'	18′	16′
Water Heater (Gal.)	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	50	50	62.5	101.7	78	81.8	81.8

### CABINETRY



DECOR stone





PLATINUM





BLACK DIAMOND WALNUT

#### ENHANCE YOUR COOL **OPTIONAL DUAL AIR CONDITIONING SYSTEM**

(Available on 2860DS, 3010DS, 3040DS, 3050S, 3270S)

Power shedding system allows smooth operation on a 30 AMP service



## **NOW PREWIRED FOR SOLAR ON THE SIDE\***

#### **POWERFUL SOLAR CHARGING KIT**

- Freedom to explore off-grid locations
- High-efficiency 100 watt monocrystalline solar panel
- Expandable up to 500 watts
- Low-profile panel, invisible from the road DIGITAL SOLAR CONTROLLER
- Produces more charging power
- Displays solar charge and battery capacity SOLAR ON THE SIDE PORT
- Pre-wired for a portable solar kit. Simply plug in an 80 or 120-watt portable solar kit!





Go Power!

SOLAR ON THE SIDE™ solar connection

















source Optional SOLAR ON BOARD

upgrade is available



Large panoramic windows with black-out shades for plenty of fresh air and natural light.



12V 4-Port USB charging station (Living room/bedroom, N/A LE)



Cordless charging plate



#### 10.7 Cu.Ft. 12V Refrigerator



LED lights generate almost no heat compared to incandescent lights and use substantially less power.



Winterizing tube provides easy access for quick maintenance includes bypass valve.



Sunseeker is equipped with a residential mattress for a good night's sleep.




Outside speakers

This compact unit filters water for the entire coach, eliminating unwanted contaminants and odors, ensuring safe drinking water for you and your family. (N/A LE )











Sunseeker is appointed with rich residential style hardwood cabinetry with ball bearing drawer glides.



Two batteries in a single housing for easy access. (One battery LE and Transit)



This Winegard HD digitally amplified antenna enhances reception.



High pressure, oxygen infused shower head conserves water, energy and tank life.



Optional 12V power theater seating with adjustable foot rests (Classic only).






Durable, easy to clean (R-18) crowned fiberglass roof sheds water and doesn't cause black streaks like a rubber roof.



Sunseeker's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



Maxx Air multi-speed power fan recirculates air throughout the entire coach.



Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.

**Progressive Dynamics** patented 4-stage Charge Wizard® converter system has been shown to increase batterv life by 2 to 3 times or more.

It constantly monitors battery usage and voltage. then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.



Heated/enclosed holding tanks use warm air from the furnace to protect tanks and valves. (N/A 2250SLE, 2550DSLE, MBS and Transit)



Comfortable sofa with a drink tray converts to a convenient sleeping area.



The Sony touch screen in-dash stereo system pairs up with your smart phone for access to Apple CarPlay/Android Play GPS and other applications. (N/A on LE, MBS and Transit)



SUNSEEKER

2" Wall with Block Foam

and SuperLite (R-10)





SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



This holding tank vent cap

use of costly chemicals.

eliminates odors and gases from

the holding tanks and exhausts

them out the roof, without the

All models include Atwood ducts for high

and front cabover.

performance air flow throughout the coach

Extend and retract the power awning with LED

lights at just the push of a button. Both arms

กัว าก

This multimedia entertainment system features AM/FM/, Bluetooth, plus outside speaker control.

are adjustable to get just the right angle.

COMPETITION 1.5" Wall with Luan (R-6)

### CONSTRUCTION

#### Multi-Layered Laminated **Roof System**

COMPAR

- 1. Crowned Fiberglass Roof
- **2.** Luan Decking
- 3. **Block Foam Insulation**

#### Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- **8.** Tubular Aluminum Framing
- **9.** EGS Metal Backers
- **10.** Block Foam Insulation
- **11.** Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- **13.** Gelcoat Fiberglass Exterior

#### **Vacuum-Bond Laminated Floor System**

- **14.** Fiberglass Bottom Board **15.** Block Foam Insulation
  - Throughout **16.** Seamless Floor Decking

6

16 15

4. A/C Ducts

5.

17

18

**18.** Aluminum Framing

#### **INTERACTIVE MOBILE MANUALS**

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Sunseeker product. Ranging from "How-To" videos,



pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!

**17.** Resilient Shaw Floors

Tubular Aluminum Framing 6. Interior Ceiling Material

12





## **MBS TOP FEATURES**

- Lane detection warning system
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- Swivel driver and passenger seats with removable table
- Adjustable, electric awning with LED light strip
- Crowned fiberglass roof
- Standard side view and back-up camera
- Water filtration system
- In-dash CarPlay/Android Play stereo
- Upgraded stainless steel appliances with 1.3 cu. ft. convection microwave
- 10.7 Cu. ft. 12V refrigerator
- Optional 100W solar powered 12V charging system
- Gel coat sidewalls with "Superlight" composite
- Standard rear stabilizer jacks
- Optional diesel generator
- Slide out awning toppers



## MERCEDES-BENZ® SERIES

CLOSET ABOVE Built-In Dresser

2400B 2400Q

The quality you've come to expect, paired with a fuel efficient diesel platform.

QUEEN BED

#### **BLUETEC DIESEL ENGINE**

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.0l V-6 engine boasts 188 hp and 325 lb-ft of

0 CU F

2400B

OPT 28" 12V OUTSIDE T





2400Q shown with standard

power leather swivel seats

and booster cushions with

cabinetry and Platinum decor.

Black Diamond Walnut

#### MBS PREMIUM CAMPING PACKAGE

Every MBS model includes this package.

- Lane detection monitoring system
- Undermount 1.3 cu. ft. stainless steel convection microwave
- 10.7 Cu. ft. 12V refrigerator
- Back-up camera/side view cameras with monitor
- In-dash CarPlay/Android Play stereo
- In-house entertainment center with outside speakers
- 12V bedroom TV
- Slide room toppers
- Rear stabilizer jacks
- Privacy front cab magnetic black out shades
- Ultra leather driver/passenger seating with boosters
- Fiberglass running boards
- LP Quick connect

Wheelbase	170.3″	170.3″
GVWR	11030	11030
GAWRR	7720	7720
GAWRF	4080	4080
UVW	9951	9948
GCWR	15250	15250
(((	1079	1082
Fuel Capacity (Gal)	26.4	26.4
Hitch Rating/Tongue Weight	4200/420	4200/420
Length - Bumper To Bumper	25' - 5"	25' - 5"
Exterior Height With A/C	11'-3"	11' - 3″
Exterior Width	94.5″	94.5″
Interior Width	91″	91″
Interior Height Front/Rear	81″	81″
Fresh/Grey/Black Water (Gal)	35	35
L.P. Capacity (Gal)	16.6	16.6
Awning Length	16′	16′
Water Heater (Gal)	6	6
Exterior Storage (Cu. Ft.)	40	29

Mercedes-Benz

SUNSEEKER MBS

Both MBS and Transit models are available with standard graphics and a choice of two full body paint schemes.

54" x 80" BUNK MAT OR OPT. TREKKER CAP W/BUILT-IN ENT. CENTER




**GRAPHITE** Full body paint – MBS

METALLIC Full body paint - MBS



TS2380 shown in Black Diamond Walnut cabinetry with Slate decor.





TS2370 (diesel engine only)

THERE


**TRANSIT SERIES** The ultra-light Sunseeker TS is engineered for fuel efficiency with eco-friendly

#### **SLATE DECOR**

building materials.







**TS2380** (diesel and gasoline engine available)

#### **TRANSIT TOP FEATURES**

- Engineered for fuel efficiency
- Ultra-light, eco-friendly building materials
- Frameless, fully opening windows with built-in screen and window shade
- Class-leading pass-through storage
- Residential style cabinetry
- 12V LED TV
- Gas and diesel engines available
- 5.3 Cu. ft. Eurostyle refrigerator operates on 12V/110/LP

- All enclosed bathrooms with privacy door (No wet baths)
- Passenger swivel seat
- Back-up and side view cameras
- Power awning with LED light strip
- Interior surround sound entertainment system
- Exterior speakers
- Truma Combi electric heat and high efficiency water heater
- TS2370 includes power twin beds that convert into a queen size bed

SUNSEEKER TS	TS2370	TS2380
Wheelbase	178	178
GVWR	10360	10360
GAWRR	7275	7275
GAWRF	4130	4130
UVW	8714	8145
GCWR	13500	13500
(((	1646	2215
Fuel Capacity (Gal)	25	25
Length - Bumper To Bumper	26' - 1"	25' - 6"
Exterior Height With A/C	10' - 5"	10' - 5″
Exterior Width	87″	87″
Interior Width	84″	84″
Interior Height Front/Rear	78″	78″
Fresh/Grey/Black Water (Gal)	35/30/28	35/30/30
L.P. Capacity (Gal)	9.8	9.8
Awning Length	15′	15″
Water Heater (Gal)	2.5	2.5
Exterior Storage (Cu. Ft.)	30.5	29

STANDARD Exterior graphics – Transit

#### **STANDARD FEATURES & OPTIONS**

WARRANTY	LE	CL	MBS	TS
12 Months/12,000 mile basic limited warranty	S	S	S	S
Chassis warranty (see owners manual)				
SYSTEMS	LE	CL	MBS	TS
Battery disconnect	S	S	S	S
Water heater bypass	S	S	S	S
(2) Deep cycle coach batteries (1 battery in LE and Transit)	S	S	S	S
"Easy Access" battery in step-well	S	S	S	S
30 Amp service with power cord	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	-
30,000 BTU furnace	S	S	S	-
Iruma Combi water heater/furnace	-	-	-	S
Emergency start switch	S	S	-	S
Satellite/cable connection	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S
Optional dual A/C with power shedding system	-	0	-	_
4.0 KW Onan Microquiet generator	S	S	-	-
3.6 KW Onan LP generator (diesel generator option available)	-	_	s	_
2.5 KW Onan LP generator (only available on diesel model)	-	-	-	S
2.8 KW Onan Gas generator (only available on gasoline model)	_		-	S
Automatic generator transfer switch	_	S	S	S
FR Upgraded suspension system		S	-	5
Water filtration system	-	S	- S	- S
-	-	S	-	-
Heated, enclosed holding tanks and valves (N/A 2250SLE, 2550DSLE)	S	5 0	- S	-
Arctic Package (12V tank heaters)	0	-		0
15K BTU A/C with heat pump	0	0	0	-
CO <sub>2</sub> , LP and smoke detector Winegard digital antenna	S	S	S	S
Winegard digital antenna				
	S	S	S	S
EXTERIOR	LE	CL	MBS	-
EXTERIOR 2" Aluminum framed laminated sidewalls	LE S	CL S	MBS -	TS -
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls	LE S -	<b>CL</b> S -	MBS – S	-
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate	LE S – S	<b>CL</b> S – S	MBS - S S	- S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass	LE S - S S	CL S - S S	MBS  S S S	- S - S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation	LE S - S S S S	CL S  S S S S	MBS  S S S S S	- S - S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip	LE S - S S S S S	CL S - S S S S S	MBS           -           S           S           S           S           S           S           S           S	- S - S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings	LE S - S S S S S - -	CL S  S S S S S S S S	HBS           -           S           S           S           S           S           S           S           S           S	- S - S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	LE S S S S S S S S S S S	CL S  S S S S S S S S S S	MBS           -           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S	- S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	LE S S S S S S S S S S S S S S S	CL S - S S S S S S S S S S S S	MBS           -           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S	TS - S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	LE S S S S S S S S S S S	CL S S S S S S S S S S S S S S	MBS           -           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S	TS  S S S S S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	LE S S S S S S S S S S S S S S S	CL S - S S S S S S S S S S S S	MBS           -           S	TS - S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	LE S S S S S S S S S S S S S S S S	CL S  S S S S S S S S S S S S S	MBS           -           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S           S	TS  S S S S S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners	LE S S S S S S S S S S S S S S S S	CL S S S S S S S S S S S S S S S S S S S	MBS           -           S	TS  S S S S S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions	LE S - S S S S S S S S S S S - - - - - - - - - - - - -	CL S  S S S S S S S S S S S S S	MBS           -           S	TS 
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	LE S - - S S S - - S S S - - - - - - - - - - - - -	CL S  S S S S S S S S S S S S S	MBS           -           S	TS 
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light	LE S - - S S S - - S S - - - - - - - - - - - - -	CL S  S S S S S S S S S S S S S	MBS           -           S	TS  S S S S S S S S S S S S  S  
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle	LE S S S S S S S S S S S S S	CL S  S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S
EXTERIOR 2" Aluminum framed laminated sidewalls 1.5" Aluminum framed laminated sidewalls Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S S S S S S
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards 110V, GFI protected exterior receptacle	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S	TS 
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Fined sliding windows	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S	TS - S S S S S S S S S S S S S
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Finted sliding windows Finted frameless windows Finted frameless windows Finted frameless windows Finted frameless windows	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS - S S S S S S S S S S S S S	TS 
EXTERIOR      2" Aluminum framed laminated sidewalls      1.5" Aluminum framed laminated sidewalls      Superlite composite substrate      Gel Coat exterior fiberglass      Block foam insulation      Power patio awning with LED light strip      Silde-out awnings      Fiberglass roof      One-piece fiberglass front cap      LED exterior lights      Stainless steel wheel liners      Valve stem extensions      Roto-cast storage compartments      Driver side security light      Aluminum running boards      Fiberglass running boards      110V, GFI protected exterior receptacle      Finted sliding windows      Finted sliding windows      Finted frameless windows	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS           -           S	TS - S S S S S S S S S S S S S
EXTERIOR  2" Aluminum framed laminated sidewalls  1.5" Aluminum framed laminated sidewalls  Superlite composite substrate Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Aluminum running boards Fiberglass running boards Fiberglass running boards Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	LE S S S S S S S S S S S S S	CL S S S S S S S S S S S S S	MBS           -           S	TS - S S S S S S S S S S S S S

EXTERIOR LE CL MBS TS Roof ladder S S S -S S S Integrated entry step -S Power entry step with motion sensor light \_ -\_ Automatic leveling system (4-point) (N/A on Chevy) 0 0 --Stabilizer jacks (2-point) -S --S S LP quick connect -S 0 0 0 Full body paint -S S S Outside shower \_ Outside 12V LED TV (See floorplans) 0 0 --S S Black tank flush S S LE CL MBS TS **CAB AREA** 7" Touch screen radio with USB and Bluetooth S S S \_ Cab area privacy curtain S S S \_ Magnetic privacy shades \_ S \_ -Ultra leather driver and passenger seats (N/A Chevy) S - | S \_ Power leather swivel driver and passenger seats S -\_ -Power windows and door locks S S S S Keyless entry (N/A Chevy) S S S S S S S S Color back-up camera Side view cameras S S S S Swivel driver seat (N/A Chevy, Power) 0 S --Power driver seat (N/A Chevy) -0 S -Swivel passenger seat (N/A Chevy) 0 S - | \_ LE CL MBS TS **KITCHEN** Recessed 3-burner range with flush glass cover S S S -S S S S Convection microwave S S S 10.7 Cu. ft. 12V refrigerator -S S S Sink covers \_ 5.3 Cu. ft. lightweight LP/Electric 110V Refrigerator -S --Full extension ball bearing drawer guides S S S S Flip-up countertop extension S S S -BATHROOM LE CL MBS TS Lightweight composite toilet S S S S Glass shower door -S --Lightweight Arcadia shower door S -S -S S S Towel bar, tissue, toothbrush and soap holder \_ Electric roof fan S S S S S S S S Shower head with flexible extension S S S S Motion sensor light S S S S Shower skylight BEDROOM LE CL MBS TS S S Upgraded memory foam mattress S S S S S S Bedspread (N/ATS2370) S Black-out roller shades S S -12V Bedroom TV -S S S LIVING ROOM LE CL MBS TS S S Dream dinette (N/A with U-shape dinettes) -\_ 12V LED flat panel adjustable side TV S S S S Child seat head tethers in dinette S S S -S Maxx Air multi-speed power fan with cover S S S S S S S LED lighting throughout 12V USB charging station – S S S

O: OPTION • S: STANDARD • -: NOT APPLICABLE

#### PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.







914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825

Your Local Sunseeker Dealer