


CHAPARRAL



AZDEL®

ROT PROOF, COMPOSITE SIDEWALL PANELS ON BOARD!



SUPERIOR PROTECTION FROM THE ELEMENTS

















EXPLORE THE CHAPARRAL DIF



### CHAPARRAL























X-LITE, LITE, & MID-PROFILE MODELS & SPECS






**ALL NEW 274X-LITE IN CHARCOAL DECOR** 

X-LITE	274X	284X	
Carrying Capacity**	2,338	TBD	
UVW*	8,662	TBD	
GVWR	11,000	11,500	
Hitch Weight	1,456	TBD	
Exterior Height (w/ Std. A/C)	11' 10"	11' 10"	
Fresh Water Capacity (gal.)	40	40	
Grey Water Capacity (gal.)	66	66	
Waste Water Capacity (gal.)	33	33	
Wheel Size (Opt. 16")	15"	15"	
Exterior Length	35' 4"	33' 7"	





#### X-LITE 60X80 QUEEN BEDROOM SUITE



#### X-LITTE STANDARDS

- TURN-TEC™ ENGINEERING #1 IN TURNING RADIUS BY A SHORT BED TRUCK
- LAMINATED & ALUMINUM FRAMED FLOOR & SIDEWALLS WITH AZDEL®
- WEATHER SHIELD<sup>+</sup> 0° COLD TESTED & 110° HOT TESTED IN EXTREME TEMPERATURE CHAMBER
- 2ND AIR CONDITIONER PREP (FULLY DUCTED)
- 50 AMP SERVICE WITH DETACHABLE CORD
- 12 VOLT BATTERY DISCONNECT SWITCH
- SOLAR PANEL PREP
- EXTERIOR BACK-UP CAMERA PREP
- ELECTRIC AWNING WITH LED LIGHT STRIP
- RESIDENTIAL 60" X 80" PILLOW TOP MATTRESS
- ALUMINUM ENTRY STEPS
- WINEGARD® ANTENNA WITH WIFI PREP
- SATELLITE & CABLE TV HOOK-UP
- AM/FM/CD/DVD PLAYER WITH BLUETOOTH
- EXTERIOR SPEAKERS W/LED LIGHT
- 15" RADIAL TIRES W/ALUMINUM RIMS
- SPARE TIRE
- ROAD ARMOR® SUSPENSION
- 5100# DEXTER E-Z LUBE® AXLES

#### XPACKACE

- 50-55" HD LED TELEVISION-LIVING ROOM
- EXTERIOR TV HOOK-UP
- STAINLESS STEEL APPLIANCES
- 15,000 BTU DUCTED AIR CONDITIONING
- X-LITE GRAPHICS WITH PAINTED CAP
- ELECTRIC FIREPLACE
- ACCESSORY RECEIVER PREP
- ROLLER NIGHT SHADES

#### X-LITTE OPTIONS

- 2ND 13.5 A/C IN FRONT BEDROOM
- 10 CU. FT. 12V REFER IPO 8 CU. FT. REFER
- 12 CU. FT. REFER IPO 8 CU. FT. REFER (274X ONLY)
- 14.7 CU. FT. REFER IPO 8 CU. FT. (274X ONLY)
- 2" ACCESSORY RECEIVER HITCH
- 4-POINT ELECTRIC AUTO-LEVELING SYSTEM
- FREE STANDING TABLE & 4 CHAIRS
- 16" ALUMINUM WHEELS
- 50" TV IN OUTDOOR KITCHEN (284X ONLY)

# Coachmen Leader to the Great Outdoors.

## CHAPARRAL

X-LITTE, LITTE, & MID-PROFILE STANDARDS, OPTIONS, & PACKAGES

#### LITTE PACKAGE

- TURN-TEC™ ENGINEERING #1 IN TURNING RADIUS BY A SHORT BED TRUCK
- LAMINATED & ALUMINUM FRAMED FLOOR & SIDEWALLS WITH AZDEL®
- WEATHER SHIELD\* 0° COLD TESTED & 110° HOT TESTED IN EXTREME TEMPERATURE CHAMBER
- 13,500 BTU DUCTED AIR CONDITIONING
- 2ND AIR CONDITIONER PREP (FULLY DUCTED)
- 50 AMP SERVICE WITH DETACHABLE CORD
- 12 VOLT BATTERY DISCONNECT SWITCH
- SOLAR PANEL PREP
- EXTERIOR BACK-UP CAMERA PREP
- ELECTRIC AWNING WITH LED LIGHT STRIP
- 8 CU. FT. REFRIGERATOR
- RESIDENTIAL 60" X 80" PILLOW TOP MATTRESS
- ALUMINUM ENTRY STEPS
- ELECTRIC FRONT JACKS
- ELECTRIC REAR STABILIZER JACKS
- WINEGARD® ANTENNA WITH WIFI PREP
- SATELLITE & CABLE TV HOOK-UP
- EXTERIOR TV HOOK-UP
- AM/FM/CD/DVD PLAYER WITH BLUETOOTH
- EXTERIOR SPEAKERS WITH LED LIGHT
- 15" RADIAL TIRES WITH ALUMINUM RIMS
- SPARE TIRI
- ROAD ARMOR® SUSPENSION
- 5100# DEXTER E-Z LUBE® AXLES
- ACCESSORY RECEIVER PREP
- ROLLER NIGHT SHADES

#### LITTE EXTTERIOR OPTIONS

- 16" ALUMINUM WHEELS
- 15,000 BTU A/C IPO 13,500 BTU A/C
- 2ND 13.5 A/C IN FRONT BEDROOM
- DUAL PANE WINDOWS
- ELECTRONIC HEATED HOLDING TANKS
- 4-POINT ELECTRIC AUTO-LEVELING SYSTEM
- 2" ACCESSORY RECEIVER HITCH

#### LITTE INTERIOR OPTIONS

- 10 CU. FT. 12V REFER IPO 8 CU. FT. REFER
- 12 CU. FT. REFER IPO 8 CU. FT. REFER (274BH ONLY)
- 14.7 CU. FT. REFER IPO 8 CU. FT. (274BH ONLY)
- 50" LED TELEVISION
- 55" LED TELEVISION (284RL ONLY)
- 50" TV IN OUTDOOR KITCHEN (284RL ONLY)
- FREE STANDING TABLE & 4 CHAIRS
- ELECTRIC FIREPLACE
- SOLID SURFACE COUNTERTOPS
- COMFORT AIR® FAN (KITCHEN ONLY)
- TRI-FOLD SOFA IPO THEATER SEATING (25RE)

#### MID-PROFILE PACKAGE

- LAMINATED & ALUMINUM FRAMED FLOOR & SIDEWALLS WITH AZDEI®
- WEATHER SHIELD<sup>+</sup> 0° COLD TESTED & 110° HOT TESTED IN EXTREME TEMP. CHAMBER
- 15,000 BTU DUCTED AIR CONDITIONING
- 2ND AIR CONDITIONER PREP (FULLY DUCTED)
- 50 AMP SERVICE WITH DETACHABLE CORD
- 12 VOLT BATTERY DISCONNECT SWITCH
- SOLAR PANEL PREP
- EXTERIOR BACK-UP CAMERA PREP
- ELECTRIC AWNING WITH LED LIGHT STRIP
- 10 GALLON GAS/ELECTRIC WATER HEATER
- WASHER/DRYER PREP
- WATER FILTRATION PREP.
- 8 CU. FT. REFRIGERATOR
- RESIDENTIAL 60" X 80" MATTRESS
- CEILING FAN IN LIVING ROOM (N/A 373MBRB, 367BH)
- 30" RESIDENTIAL MICROWAVE
- ALUMINUM ENTRY STEPS
- ELECTRIC FRONT JACKS
- ELECTRIC REAR STABILIZER JACKS
- WINEGARD® ANTENNA WITH WIFI PREP
- SATELLITE & CABLE TV HOOK-UP
- EXTERIOR TV HOOK-UP WITH BRACKET
- AM/FM/CD/DVD PLAYER WITH BLUETOOTH
- EXTERIOR SPEAKERS WITH LED LIGHT
- 16" RADIAL TIRES WITH ALUMINUM RIMS
- SPARE TIRE
- ROAD ARMOR® SUSPENSION
- DEXTER E-Z LUBE® AXLES
- ACCESSORY RECEIVER PREP
- ROLLER NIGHT SHADES

#### MID-PROFILE EXTERIOR OPTIONS

- 2ND 13.5 A/C IN FRONT BEDROOM
- DUAL PANE WINDOWS
- 4-PT ELECTRIC AUTO-LEVELING (27RKS, 298RLS)
- 6-PT ELECTRIC AUTO-LEVELING (336TSIK & LARGER)
- ELECTRONIC HEATED HOLDING TANKS
- 2" ACCESSORY RECEIVER HITCH (N/A 360IBL)
- JT STRONG ARMS

#### MID-PROFILE INTERIOR OPTIONS

- 50" LED TV (27RKS, 336TSIK, 360IBL, 367BH, 370FL, & 381RD ONLY)
- 55" LED TV (298RLS, 373MBRB, & 392MBL ONLY)
- 50" TV IN OUTDOOR KITCHEN (298RLS, 373MBRB, & 392MBL ONLY)
- BOOTH DINETTE IPO FREESTANDING (N/A 370FL, 381RD)
- ELECTRIC FIREPLACE
- SOLID SURFACE C-TOPS WITH GLASS STOVE COVER (STD. 370FL)
- KING BED IPO STD. QUEEN (N/A 27RKS, 298RLS, 360IBL, & 373MBRB)
- COMFORT AIR® FAN (KITCHEN ONLY)
- 10 CU. FT. 12V REFER IPO 8 CU. FT. REFER
- 12 CU. FT. REFER IPO 8 CU. FT. REFER (N/A 360IBL)
- 14.7 CU. FT. REFER IPO 8 CU. FT. (N/A 360IBL)

# CHAPARRAL

X-LITE, LITE, & MID-PROFILE MODELS & SPECS







CHAPARRAL LITE	25RE	274BH	284RLS	30RLS	30BHS
Carrying Capacity**	2,527	2,308	2,592	2,019	1,965
UVW*	7,273	8,692	8,908	8,981	9,535
GVWR	9,800	11,000	11,500	11,000	11,500
Hitch Weight	1,115	1,420	1,434	1,445	1,553
Exterior Height (w/ Std. A/C)	11' 10"	11' 10"	11' 10"	11' 10"	11' 10"
Fresh Water Capacity (gal.)	40	40	40	40	40
Grey Water Capacity (gal.)	33	66	66	66	66
Waste Water Capacity (gal.)	33	33	33	33	33
Wheel Size (Opt. 16")	15"	15"	15"	15"	15"
Exterior Length	29' 3"	35' 4"	33' 7"	33' 7"	36' 5"







SCAN HERE FOR ADDITIONAL PHOTOS, 360 VIRTUAL TOURS, VIDEOS, EXTENDED LITERATURE DOWNLOADS, A COMPLETE LIST OF STANDARDS, OPTIONS AND MORE!

























ALL INFORMATION CONTAINED IN THIS BROCHURE IS BELIEVED TO BE ACCURATE AT THE TIME OF PUBLICATION. HOWEVER, DURING THE MODEL YEAR IT MAY BE NECESSARY TO MAKE REVISIONS. FOREST RIVER, INC., RESERVES THE RIGHT TO MAKE ALL SUCH CHANGES WITHOUT NOTICE, INCLUDING PRICES, COLORS, MATERIALS, EQUIPMENT, AND SPECIFICATIONS, AS WELL AS THE ADDITION OF NEW MODELS AND THE DISCONTINUANCE OF MODELS SHOWN IN THIS BROCHURE, THEREFORE, PLEASE CONSULT WITH YOUR FOREST RIVER DEALER AND CONFIRM THE EXISTENCE OF ANY MATERIALS, DESIGN, OR SPECIFICATIONS THAT ARE MATERIAL TO YOUR PURCHASE DECISION. \*=WHERE APPLICABLE.



GVWR (GROSS VEHICLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT OF THE UNIT WHEN FULLY LOADED. IT INCLUDES ALL WEIGHTS, INCLUSIVE OF ALL FLUIDS, CARGO, OPTIONAL EQUIPMENT AND ACCESSORIES. FOR SAFETY AND PRODUCT PERFORMANCE DO NOT EXCEED THE GWWR. GAWR (GROSS AXLE WEIGHT RATING) - IS THE MAXIMUM PERMISSIBLE WEIGHT, INCLUDING CARGO, FLUIDS, OPTIONAL EQUIPMENT, AND ACCESSORIES THAT CAN BE SAFELY SUPPORTED BY A COMBINATION OF ALL AXLES.

UVW (UNLOADED VEHICLE WEIGHT)\* - IS THE TYPICAL WEIGHT OF THE UNIT AS MANUFACTURED AT THE FACTORY, IT INCLUDES ALL WEIGHT AT THE UNIT'S AXLE(S) AND TONGUE OR PIN AND LP GAS, THE UVW DOES NOT INCLUDE CARGO, FRESH POTABLE WATER, ADDITIONAL OPTIONAL EQUIPMENT OR DEALER INSTALLED ACCESSORIES. \*ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT.

CCC (CARGO CARRYING CAPACITY)\*\* - IS THE AMOUNT OF WEIGHT AVAILABLE FOR FRESH POTABLE WATER, CARGO, ADDITIONAL OPTIONAL EQUIPMENT AND ACCESSORIES, CCC IS EQUAL TO GWWR MINUS UVW. AVAILABLE CCC SHOULD ACCOMMODATE FRESH POTABLE WATER (8.3 LBS PER GALLON). BEFORE FILLING THE FRESH WATER TANK, EMPTYTHE BLACK AND GRAY TANKS TO PROVIDE FOR MORE CARGO CAPACITY.

\*\* ESTIMATED AVERAGE BASED ON STANDARD BUILD OPTIONAL EQUIPMENT, EACH FOREST RIVER RV IS WEIGHED AT THE MANUFACTURING FACILITY PRIOR TO SHIPPING. A LABEL IDENTIFYING THE UNLOADED VEHICLE WEIGHT OF THE ACTUAL UNIT AND THE CARGO CARRYING CAPACITY IS APPLIED TO EVERY FOREST RIVER RV PRIOR TO LEAVING OUR FACILITIES.

THE LOAD CAPACITY OF YOUR UNIT IS DESIGNATED BY WEIGHT, NOT BY VOLUME, SO YOU CANNOT NECESSARILY USE ALL AVAILABLE SPACE WHEN LOADING YOUR UNIT.











### WITH VEHICLE PURCHASE

SAFERIDERA



### Learn More Scan this barcode using

a QR Reader on your smart phone to learn more about Forest River.



© 2019/2020 CHAPARRAL - A DIVISION OF FOREST RIVER, INC., A BERKSHIRE HATHAWAY COMPANY. ALL RIGHTS RESERVED. SOME ITEMS SHOWN ARE OPTIONAL OR FOR DEMONSTRATIVE PURPOSES ONLY.